

An epidemiological study of certain factors influencing the
life of dental restorations.

Volume 2.

Bruce Hunter

Doctor of Dental Surgery

University of Edinburgh

1981.



CONTENTS

<u>Table No.</u>	<u>Title</u>	<u>Page</u>
	Preface	1
	Section A	
2:3.4.	The Distribution of Treatment in males and females.	4
2:3.5.1.)		5
2:3.5.2.)	The Distribution of Treatment according to	6
2:3.5.3.)	tooth type.	7
2:3.5.4.)		8
2:3.6.1.)	The Distribution of Treatment according to	9
2:3.6.2.)	the age of the patient at the time of treatment.	10
2:3.7.1.)	The Distribution of Treatment according to	11
2:3.7.2.)	material.	12
2:3.8.	The Crude Frequency of Treatment.	13
2:3.10.1.)	The Distribution of Treatment according to	14
2:3.10.2.)	tooth type and the age of the patient at the time of treatment.	15
2:3.11.	The Distribution of Treatment according to material and tooth type.	16
2:4.3.	The Fate of Dental Restorations.	18
2:4.4.1.)	The Fate of Dental Restorations according	19
2:4.4.2.)	to the sex of the patient.	19
2:4.5.1.)		20
2:4.5.2.)		20
2:4.5.3.)	The Fate of Dental Restorations according to	21
2:4.5.4.)	tooth type.	21
2:4.5.5.)		22
2:4.5.6.)		22
2:4.6.1.)		23
2:4.6.2.)		23
2:4.6.3.)	The Fate of Dental Restorations according to	24
2:4.6.4.)	the age of the patient at the time of	24
2:4.6.5.)	treatment.	25
2:4.6.6.)		25
2:4.7.1.)		26
2:4.7.2.)	The Fate of Dental Restorations according to	26
2:4.7.3.)	material.	27

CONTENTS cont.

<u>Table No.</u>	<u>Title</u>	<u>Page</u>
	Section B	
2:5.2.2.	The Survival of Dental Restorations.	30
2:5.4.2.)	The Survival of Restorations according to material.	30
2:5.4.3.)		31
2:5.4.4.)		31
2:5.5.2.)	The Survival of Restorations according to tooth type.	32
2:5.5.3.)		32
2:5.5.4.)		33
2:5.5.5.)		33
2:5.5.6.)		34
2:5.5.7.)		34
2:5.6.2.)	The Survival of Restorations according to the age of the patient at the time of treatment.	35
2:5.6.3.)		35
2:5.6.4.)		36
2:5.6.5.)		36
2:5.6.6.)		37
2:5.6.7.)		37
2:5.6.8.)		38
2:5.6.9.)		39
2:5.6.10.)		39
2:5.6.11.)		40
2:5.6.12.)		40
2:5.6.13.)		41
2:5.6.14.)		41
2:5.2.2A.	The Survival of Dental Restorations.	43/44
2:5.3A.	The Survival of Restorations according to the sex of the patient.	45
2:5.4.2A.)	The Survival of Restorations according to material.	46/47
2:5.4.3A.)		48/49
2:5.4.4A.)		50
2:5.4.5A.)		51
2:5.4.6A.)		52
2:5.4.7A.)		53
2:5.4.8A.)		54
2:5.4.9A.)		55
2:5.4.10A.)		56

CONTENTS cont.

<u>Table No.</u>	<u>Title</u>	<u>Page</u>
2:5.5.2A.)		57/58
2:5.5.3A.)		59/60
2:5.5.4A.)		61/62
2:5.5.5A.)		63/64
2:5.5.6A.)		65/66
2:5.5.7A.)	The Survival of Restorations according to	67/68
2:5.5.8A.)	tooth type.	69
2:5.5.9A.)		70
2:5.5.10A.)		71
2:5.5.11A.)		72
2:5.5.12A.)		73
2:5.5.13A.)		74
2:5.6.2A.)		75/76
2:5.6.3A.)		77/78
2:5.6.4A.)	The Survival of Restorations according to	79/80
2:5.6.5A.)	the age of the patient at the time of	81/82
2:5.6.6A.)	treatment.	83/84
2:5.6.7A.)		85/86
2:5.6.8A.)		87/88
2:6.2.1.	The Durability of Dental Restorations.	90
2:6.4.2.)		90
2:6.4.3.)	The Durability of Restorations according to	91
2:6.4.4.)	material.	91
2:6.5.2.)		92
2:6.5.3.)		92
2:6.5.4.)	The Durability of Restorations according to	93
2:6.5.5.)	tooth type.	93
2:6.5.6.)		94
2:6.5.7.)		94
2:6.6.2.)		95
2:6.6.3.)		95
2:6.6.4.)		96
2:6.6.5.)		96
2:6.6.6.)		97
2:6.6.7.)	The Durability of Restorations according to	97
2:6.6.8.)	the age of the patient at the time of	98
2:6.6.9.)	treatment.	99
2:6.6.10.)		99
2:6.6.11.)		100
2:6.6.12.)		100
2:6.6.13.)		101
2:6.6.14.)		101

CONTENTS cont.

<u>Table No.</u>	<u>Title</u>	<u>Page</u>
2:6.2.1A.	The Durability of Dental Restorations.	103/104
2:6.3A.	The Durability of Restorations according to the sex of the patient.	105
2:6.4.2A.)		106/107
2:6.4.3A.)		108/109
2:6.4.4A.)		110
2:6.4.5A.)	The Durability of Restorations according to material.	111
2:6.4.6A.)		112
2:6.4.7A.)		113
2:6.4.8A.)		114
2:6.4.9A.)		115
2:6.4.10A.)		116
2:6.5.2A.)		117/118
2:6.5.3A.)		119/120
2:6.5.4A.)		121/122
2:6.5.5A.)		123/124
2:6.5.6A.)		125/126
2:6.5.7A.)	The Durability of Restorations according to tooth type.	127/128
2:6.5.8A.)		129
2:6.5.9A.)		130
2:6.5.10A.)		131
2:6.5.11A.)		132
2:6.5.12A.)		133
2:6.5.13A.)		134
2:6.6.2A.)		135/136
2:6.6.3A.)		137/138
2:6.6.4A.)	The Durability of Restorations according to the age of the patient at the time of treatment.	139/140
2:6.6.5A.)		141/142
2:6.6.6A.)		143/144
2:6.6.7A.)		145/146
2:6.6.8A.)		147/148

CONTENTS cont.

<u>Lifetable No.</u>	<u>Title</u>	<u>Page</u>
	Section C - Lifetables.	
	Preface	150
2:1.)		151
2:2.)		152
2:3.)	The Survival of Restorations by Material.	153
2:4.)		154
2:5.)		155
2:6.)		156
2:7.)		157
2:8.)	The Survival of Restorations by Tooth	158
2:9.)	Surface.	159
2:10.)		160
2:11.)		161
2:12.)		162
2:13.)		163
2:14.)		164
2:15.)		165
2:16.)		166
2:17.)		167
2:18.)	The Survival of Restorations by Sex.	168
2:19.)		169
2:20.)		170
2:21.)		171
2:22.)		172
2:23.)		173
2:24.)		174
2:25.)		175
2:26.)	The Survival of Amalgam Restorations by	176
2:27.)	tooth surface.	177
2:28.)		178
2:29.)		179
2:30.)		180
2:31.)	The Survival of Silicate Restorations by	181
2:32.)	tooth surface.	182
2:33.)		183
2:34.)		184
2:35.)	The Survival of Sevriton Restorations by	185
2:36.)	tooth surface.	186
2:37.)		187
2:38.)	The Survival of Gold Restorations by	188
	tooth surface.	

CONTENTS cont.

<u>Lifetable No.</u>	<u>Title</u>	<u>Page</u>
2:39.)		189
2:40.)		190
2:41.)	The Survival of Restorations of Incisors	191
2:42.)	and Canines.	192
2:43.)		193
2:44.)		194
2:45.)		195
2:46.)		196
2:47.)	The Survival of Restorations of Premolars	197
2:48.)	and Molars.	198
2:49.)		199
2:50.)		200
2:51.)		201
2:52.)		202
2:53.)	The Survival of Restorations of Maxillary	203
2:54.)	Incisors and Canines.	204
2:55.)		205
2:56.)		206
2:57.)		207
2:58.)		208
2:59.)	The Survival of Restorations of Mandibular	209
2:60.)	Incisors and Canines.	210
2:61.)		211
2:62.)		212
2:63.)		213
2:64.)		214
2:65.)	The Survival of Restorations of Maxillary	215
2:66.)	Premolars.	216
2:67.)		217
2:68.)		218
2:69.)		219
2:70.)		220
2:71.)	The Survival of Restorations of Mandibular	221
2:72.)	Premolars.	222
2:73.)		223
2:74.)		224

CONTENTS cont.

<u>Lifetable No.</u>	<u>Title</u>	<u>Page</u>
2:75.)		225
2:76.)		226
2:77.)	The Survival of Restorations of Maxillary	227
2:78.)	Molars.	228
2:79.)		229
2:80.)		230
2:81.)		231
2:82.)		232
2:83.)	The Survival of Restorations of Mandibular	233
2:84.)	Molars.	234
2:85.)		235
2:86.)		236
2:87.)		237
2:88.)		238
2:89.)	The Survival of Occlusal Restorations by	239
2:90.)	age.	240
2:91.)		241
2:92.)		242
2:93.)		243
2:94.)		244
2:95.)		245
2:96.)	The Survival of Proximal Restorations by	246
2:97.)	age.	247
2:98.)		248
2:99.)		249
2:100.)		250
2:101.)		251
2:102.)		252
2:103.)	The Survival of Buccal Restorations by	253
2:104.)	age.	254
2:105.)		255
2:106.)		256
2:107.)		257
2:108.)		258
2:109.)		259
2:110.)	The Survival of Lingual Restorations by	260
2:111.)	age.	261
2:112.)		262
2:113.)		263
2:114.)		264

CONTENTS cont.

<u>Lifetable No.</u>	<u>Title</u>	<u>Page</u>
2:115.)		265
2:116.)		266
2:117.)		267
2:118.)	The Survival of MO + DO Restorations by	268
2:119.)	age.	269
2:120.)		270
2:121.)		271
2:122.)		272
2:123.)		273
2:124.)		274
2:125.)	The Survival of MOD Restorations by	275
2:126.)	age.	276
2:127.)		277
2:128.)		278
2:129.	The Survival of Crowns.	279
2:130.	The Survival of Root Treatments.	280
2:131.	The Survival of Part Upper Dentures	281
2:132.	The Survival of Part Lower Dentures	282.

PREFACE

The summary tables and figures in Volume 1 were drawn from the tables contained in Volume 2. In this volume, the tables have been numbered to correspond with the numbers of the appropriate sections of text in Volume 1. The number of each table consists of the volume number preceeding the colon and the chapter number immediately following the colon. Further numbers refer to parts of the chapter. The construction of the tables for Chapters 5 and 6 and the lifetables is described in Volume 1, Appendix 1, and the abbreviations in Appendix 4. In the list of contents, some of the titles of the tables have been shortened.

Section A contains tables associated with Chapters 3 and 4 of Volume 1. Section B contains tables associated with Chapters 5 and 6 of Volume 1. Section C contains the lifetables from which the tables in Section B were derived.

The tables associated with each of Chapters 5 and 6 in Section B have been subdivided into two groups. Overall comparisons of the lives of groups of restorations have been grouped in Part 1. Paired comparisons have been grouped in Part 2. Tables in Part 2 have the suffix 'A' added to the table number.

2.

SECTION A

3.

CHAPTER 3

Table 2:3.4.The Distribution of Treatment in males and females.

	<u>Males</u>		<u>Females</u>		<u>Both</u>	
	Count	%	Count	%	Count	%
Occlusal	374	17.0	524	12.4	898	14.0
Proximal	392	17.8	927	21.9	1319	20.5
Buccal	311	14.1	666	15.7	977	15.2
Lingual	83	3.8	169	4.0	252	3.9
MO + DO	482	21.9	900	21.3	1382	21.5
MOD	144	6.5	196	4.6	340	5.3
Other Surface Combinations	131	5.9	236	5.6	367	5.7
Crowns	50	2.3	72	1.7	122	1.9
Root Treatments	44	2.0	78	1.8	122	1.9
Extractions	193	8.8	462	10.9	655	10.2
All	2204	100.1	4230	99.9	6434	100.1

Table 2:3.5.1.

The Distribution of Treatment of Maxillary Teeth in males.

	<u>Central Incisors</u>		<u>Lateral Incisors</u>		<u>Canines</u>		<u>First Premolars</u>		<u>Second Premolars</u>		<u>First Molars</u>		<u>Second Molars</u>		<u>Third Molars</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%
Occlusal	1	0.5	4	2.0	1	0.5	12	5.9	9	4.4	62	30.5	72	35.5	42	20.7	203	100.0
Proximal	87	25.6	132	38.8	90	26.4	5	1.5	12	3.5	1	0.3	5	1.5	8	2.4	340	100.0
Buccal	12	8.8	16	11.8	37	27.2	23	16.9	13	9.6	7	5.1	18	13.2	10	7.4	136	100.0
Lingual	10	15.6	12	18.8	2	3.1	5	7.8	3	4.7	19	29.7	13	20.3	0	0.0	64	100.0
MO + DO	12	4.4	13	4.8	0	0.0	46	17.0	55	20.3	62	22.9	59	21.8	24	8.9	271	100.1
MOD	3	3.5	0	0.0	1	1.2	24	28.2	31	36.5	13	15.3	10	11.8	3	3.5	85	100.0
O.S.C.*	1	1.4	0	0.0	19	26.0	6	8.2	5	6.8	17	23.3	20	27.4	5	6.8	73	99.9
Crowns	13	29.5	13	29.5	5	11.4	3	6.8	9	20.5	1	2.3	0	0.0	0	0.0	44	100.0
R.T.*	8	22.9	15	42.8	6	17.1	2	5.7	3	8.6	1	2.9	0	0.0	0	0.0	35	100.0
Extractions	15	12.7	17	14.4	11	9.3	13	11.0	14	11.9	18	15.3	18	15.3	12	10.2	118	100.1
All	162	11.8	222	16.2	172	12.6	139	10.2	154	11.2	201	14.7	215	15.7	104	7.6	1369	100.0

* O.S.C. = Other Surface Combinations, R.T. = Root Treatments.

Table 2:3.5.2.

The Distribution of Treatment of Mandibular Teeth in males.

	<u>Central Incisors</u>		<u>Lateral Incisors</u>		<u>Canines</u>		<u>First Premolars</u>		<u>Second Premolars</u>		<u>First Molars</u>		<u>Second Molars</u>		<u>Third Molars</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%
Occlusal	0	0.0	2	1.2	1	0.6	9	5.3	17	9.9	48	28.1	57	33.3	37	21.6	171	100.0
Proximal	14	26.9	12	23.1	14	26.9	2	3.8	2	3.8	4	7.7	4	7.7	0	0.0	52	99.9
Buccal	2	1.1	2	1.1	20	11.4	23	13.1	27	15.4	39	22.3	43	24.6	19	10.9	175	99.9
Lingual	0	0.0	0	0.0	1	5.3	0	0.0	2	10.5	5	26.3	11	57.9	0	0.0	19	100.0
MO + DO	2	1.0	3	1.4	1	0.5	33	15.6	43	20.4	66	31.3	48	22.7	15	7.1	211	100.0
MOD	0	0.0	0	0.0	0	0.0	9	15.3	21	35.6	18	30.5	8	13.6	3	5.1	59	100.1
O.S.C.*	0	0.0	1	1.7	7	12.1	0	0.0	2	3.4	17	29.3	20	34.5	11	19.0	58	100.0
Crowns	0	0.0	1	16.7	0	0.0	1	16.7	4	66.7	0	0.0	0	0.0	0	0.0	6	100.1
R.T.	0	0.0	1	11.1	0	0.0	3	33.3	5	55.6	0	0.0	0	0.0	0	0.0	9	100.0
Extractions	2	2.7	2	2.7	3	4.0	8	10.7	12	16.0	19	25.3	17	22.7	12	16.0	75	100.1
All	20	2.4	24	2.9	47	5.6	88	10.5	135	16.2	216	25.9	208	24.9	97	11.6	835	100.0

* O.S.C. = Other Surface Combinations, R.T. = Root Treatments.

Table 2:3.5.3.

The Distribution of Treatment of Maxillary Teeth in females.

	<u>Central Incisors</u>		<u>Lateral Incisors</u>		<u>Canines</u>		<u>First Premolars</u>		<u>Second Premolars</u>		<u>First Molars</u>		<u>Second Molars</u>		<u>Third Molars</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%
Occlusal	2	0.8	3	1.2	3	1.2	33	13.4	18	7.3	52	21.1	98	39.8	37	15.1	246	99.9
Proximal	200	26.2	313	41.0	205	26.9	16	2.1	7	0.9	6	0.8	12	1.6	4	0.5	763	100.0
Buccal	33	14.0	34	14.4	60	25.4	57	24.1	13	5.5	11	4.7	16	6.8	12	5.1	236	100.0
Lingual	19	14.0	31	22.8	11	8.1	7	5.1	7	5.1	28	20.6	24	17.6	9	6.6	136	99.9
MO + DO	37	7.0	24	4.6	3	0.6	111	21.1	111	21.1	88	16.6	106	20.1	47	8.9	527	100.0
MOD	1	0.8	1	0.8	0	0.0	55	45.8	38	31.7	8	6.7	14	11.7	3	2.5	120	100.0
O.S.C.*	3	2.2	6	4.4	45	33.3	11	8.2	8	5.9	29	21.5	20	14.8	13	9.6	135	99.9
Crowns	32	52.5	18	29.5	6	9.8	3	4.9	2	3.3	0	0.0	0	0.0	0	0.0	61	100.0
R.T.*	12	24.0	18	36.0	11	22.0	6	12.0	3	6.0	0	0.0	0	0.0	0	0.0	50	100.0
Extractions	35	13.5	40	15.4	25	9.7	30	11.6	27	10.4	43	16.6	39	15.1	20	7.7	259	100.0
All	374	14.8	488	19.3	369	14.6	329	13.0	234	9.2	265	10.5	329	13.0	145	5.7	2533	100.1

* O.S.C. = Other Surface Combinations, R.T. = Root Treatments.

Table 2:3.5.4.

The Distribution of Treatment of Mandibular Teeth in females.

	<u>Central Incisors</u>		<u>Lateral Incisors</u>		<u>Canines</u>		<u>First Premolars</u>		<u>Second Premolars</u>		<u>First Molars</u>		<u>Second Molars</u>		<u>Third Molars</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%
Occlusal	5	1.8	0	0.0	4	1.4	17	6.1	39	14.0	60	21.6	90	32.4	63	22.7	278	100.0
Proximal	29	17.7	35	21.3	54	32.9	9	5.5	9	5.5	5	3.0	14	8.5	9	5.5	164	99.9
Buccal	2	0.5	7	1.6	36	8.4	100	23.3	66	15.3	63	14.7	82	19.1	74	17.2	430	100.1
Lingual	2	6.1	1	3.0	4	12.1	1	3.0	2	6.1	5	15.2	10	30.3	8	24.2	33	100.0
MO + DO	0	0.0	2	0.5	0	0.0	61	16.4	94	25.2	69	18.5	90	24.1	57	15.3	373	100.0
MOD	4	5.3	1	1.3	0	0.0	19	25.0	29	38.2	12	15.8	8	10.5	3	3.9	76	100.0
O.S.C.*	0	0.0	1	1.0	15	14.9	0	0.0	10	9.9	21	20.8	31	30.7	23	22.8	101	100.1
Crowns	2	18.2	0	0.0	1	9.1	2	18.2	6	54.5	0	0.0	0	0.0	0	0.0	11	100.0
R.T.*	4	14.3	0	0.0	3	10.7	8	28.6	10	35.7	1	3.6	2	7.1	0	0.0	28	100.0
Extractions	5	2.5	4	2.0	9	4.4	22	10.8	34	16.7	45	22.2	45	22.2	39	19.2	203	100.0
All	53	3.1	51	3.0	126	7.4	239	14.1	299	17.6	281	16.6	372	21.9	276	16.3	1697	100.0

* O.S.C. = Other Surface Combinations, R.T. = Root Treatments.

Table 2:3.6.1.

The Distribution of Treatment according to the age of the patient at the time of treatment - males.

	<u>10 yrs and</u> <u>younger</u>		<u>11-20 yrs</u>		<u>21-30 yrs</u>		<u>31-40 yrs</u>		<u>41-50 yrs</u>		<u>51-60 yrs</u>		<u>61 yrs and</u> <u>older</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%
Occlusal	67	17.9	185	49.5	45	12.0	27	7.2	29	7.8	17	4.5	4	1.1	374	100.0
Proximal	11	2.8	68	17.3	42	10.7	58	14.8	94	24.0	78	19.9	41	10.5	392	100.0
Buccal	6	1.9	53	17.1	38	12.2	30	9.6	81	26.0	64	20.6	39	12.5	311	99.9
Lingual	7	8.4	28	33.7	9	10.8	4	4.8	13	15.7	14	16.9	8	9.6	83	99.9
MO + DO	18	3.7	133	27.6	93	19.3	86	17.8	99	20.5	37	7.7	16	3.3	482	99.9
MOD	1	0.7	35	24.3	46	31.9	17	11.8	18	12.5	16	11.1	11	7.6	144	99.9
O.S.C.*	10	7.6	24	18.3	17	13.0	28	21.4	20	15.3	20	15.3	12	9.2	131	100.1
Crowns	0	0.0	4	8.0	9	18.0	6	12.0	6	12.0	18	36.0	7	14.0	50	100.0
R.T.*	0	0.0	6	13.6	3	6.8	11	25.0	8	18.2	12	27.3	4	9.1	44	100.0
Extractions	4	2.1	35	18.1	17	8.8	24	12.4	42	21.8	35	18.1	36	18.7	193	100.0
All	124	5.6	571	25.9	319	14.5	291	13.2	410	18.6	311	14.1	178	8.1	2204	100.0

* O.S.C. = Other Surface Combinations, R.T. = Root Treatments.

Table 2:3.6.2.

The Distribution of Treatment according to the age of the patient at the time of treatment - females.

	<u>10 yrs and younger</u>		<u>11-20 yrs</u>		<u>21-30 yrs</u>		<u>31-40 yrs</u>		<u>41-50 yrs</u>		<u>51-60 yrs</u>		<u>61 yrs and older</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%
Occlusal	55	10.5	192	36.6	90	17.2	97	18.5	56	10.7	25	4.8	9	1.7	524	100.0
Proximal	13	1.4	92	9.9	129	13.9	205	22.1	242	26.1	142	15.3	104	11.2	927	99.9
Buccal	14	2.1	47	7.1	95	14.3	189	28.4	176	26.4	102	15.3	43	6.5	666	100.1
Lingual	10	5.9	27	16.0	18	10.7	32	18.9	33	19.5	34	20.1	15	8.9	169	100.0
MO + DO	15	1.7	134	14.9	187	20.8	249	27.7	200	22.2	83	9.2	32	3.6	900	100.1
MOD	1	0.5	27	13.8	42	21.4	38	19.4	37	18.9	39	19.9	12	6.1	196	100.0
O.S.C.*	10	4.2	39	16.5	42	17.8	41	17.4	58	24.6	30	12.7	16	6.8	236	100.0
Crowns	0	0.0	7	9.7	20	27.8	8	11.1	20	27.8	8	11.1	9	12.5	72	100.0
R.T.*	0	0.0	13	16.7	11	14.1	17	21.8	20	25.6	13	16.7	4	5.1	78	100.0
Extractions	7	1.5	34	7.4	44	9.5	76	16.5	115	24.9	92	19.9	94	20.3	462	100.0
All	125	3.0	612	14.5	678	16.0	952	22.5	957	22.6	568	13.4	338	8.0	4230	100.0

* O.S.C. = Other Surface Combinations, R.T. = Root Treatments.

Table 2:3.7.1.

The Distribution of Treatment according to Material - males.

	<u>Amalgam</u>		<u>Gold</u>		<u>Silicate</u>		<u>Sevriton</u>		<u>Composite</u>		<u>Other</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%
Occlusal	366	97.9	0	0.0	6	1.6	1	0.3	1	0.3	0	0.0	374	100.1
Proximal	55	14.0	0	0.0	266	67.9	39	9.9	32	8.2	0	0.0	392	100.0
Buccal	183	58.8	0	0.0	73	23.5	45	14.5	10	3.2	0	0.0	311	100.0
Lingual	72	86.7	0	0.0	8	9.6	2	2.4	1	1.2	0	0.0	83	99.9
MO + DO	443	91.9	7	1.5	15	3.1	15	3.1	2	0.4	0	0.0	482	100.0
MOD	134	93.1	10	6.9	0	0.0	0	0.0	0	0.0	0	0.0	144	100.0
O.S.C.*	123	93.9	4	3.1	4	3.1	0	0.0	0	0.0	0	0.0	131	100.1
Crowns ***	0	0.0	15	30.0	0	0.0	12	24.0	0	0.0	23	46.0	50	100.0
All	1376	70.0	36	1.8	372	18.9	114	5.8	46	2.3	23	1.2	1967	100.0

* O.S.C. = Other Surface Combinations.

** Excluding Extractions and Root Treatments.

*** See Preface to Appendices 2 and 3.

Table 2:3.7.2.

The Distribution of Treatment ^{**} according to Material - females.

	<u>Amalgam</u>		<u>Gold</u>		<u>Silicate</u>		<u>Sevriton</u>		<u>Composite</u>		<u>Other</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%	Count	%
Occlusal	500	95.4	3	0.6	8	1.5	12	2.3	1	0.2	0	0.0	524	100.0
Proximal	112	12.1	1	0.1	630	68.0	122	13.2	62	6.7	0	0.0	927	100.1
Buccal	314	47.1	1	0.2	207	31.1	96	14.4	48	7.2	0	0.0	666	100.0
Lingual	139	82.2	0	0.0	26	15.4	1	0.6	3	1.8	0	0.0	169	100.0
MO + DO	810	90.0	20	2.2	24	2.7	46	5.1	0	0.0	0	0.0	900	100.0
MOD	177	90.3	11	5.6	3	1.5	3	1.5	2	1.0	0	0.0	196	99.9
O.S.C.*	213	90.3	2	0.8	16	6.8	4	1.7	1	0.4	0	0.0	236	100.0
Crowns ***	0	0.0	13	18.1	0	0.0	26	36.1	0	0.0	33	45.8	72	100.0
All	2265	61.4	51	1.4	914	24.8	310	8.4	117	3.2	33	0.9	3690	100.1

* O.S.C. = Other Surface Combinations.

** Excluding Extractions and Root Treatments.

*** See Preface to Appendices 2 and 3.

Table 2:3.8.

The Crude Frequency of Treatment (in years)**

	Maxilla			Mandible			Total
	Incisors and Canines	Premolars	Molars	Incisors and Canines	Premolars	Molars	
Occlusal	218	42	8	254	37	9	3.4
Proximal	3	76	85	19	139	85	2.3
Buccal	16	29	41	44	14	10	3.1
Lingual	36	139	33	381	610	78	12.1
MO + DO	34	9	8	381	13	9	2.2
MOD	508	21	60	610	39	59	9.0
O.S.C.*	41	102	29	127	254	25	8.3
Crowns	35	179	3051	763	235	0	25.0
R.T.*	44	218	3051	381	117	1017	25.0
Extractions	23	33	18	82	45	19	4.6
All	2.5	3.5	2.4	9.2	4.1	2.1	0.5

* O.S.C. = Other Surface Combinations, R.T. = Root Treatments.

** $\frac{\text{Number of Patients} \times \text{Length of Study}}{\text{Number of Treatments}} = \frac{113 \times 27 \text{ years}}{\text{No.}}$

Table 2:3.10.1.

The Distribution of Treatment according to tooth type and the age of the patient at the time of treatment.

<u>Age</u> <u>(years)</u>	<u>Maxillary Teeth</u>							
	<u>Incisors</u> <u>and Canines</u>		<u>Premolars</u>		<u>Molars</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
10 and younger	25	17.2	6	4.1	114	78.6	145	99.9
11 - 20	192	29.3	149	22.7	315	48.0	656	100.0
21 - 30	238	40.8	120	20.5	226	38.7	584	100.0
31 - 40	357	47.3	165	21.9	232	30.8	754	100.0
41 - 50	477	51.3	200	21.5	253	27.2	930	100.0
51 - 60	332	57.2	148	25.5	100	17.2	580	99.9
61 and older	154	57.2	76	28.3	39	14.5	269	100.0

<u>Age</u> <u>(years)</u>	<u>Mandibular Teeth</u>							
	<u>Incisors</u> <u>and Canines</u>		<u>Premolars</u>		<u>Molars</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
10 and younger	2	1.8	5	4.6	102	93.6	109	100.0
11 - 20	47	9.3	125	24.7	335	66.1	507	100.1
21 - 30	37	9.3	108	27.3	251	63.4	396	100.0
31 - 40	36	7.4	164	33.6	288	59.0	488	100.0
41 - 50	32	6.9	185	40.1	244	52.9	461	99.9
51 - 60	60	19.6	101	33.0	145	47.4	306	100.0
61 and older	119	47.8	65	26.1	65	26.1	249	100.0

Table 2:3.10.2.

The Distribution of Treatment according to tooth type and the age of the patient at the time of treatment.

<u>Age</u> <u>(years)</u>	<u>Maxillary Teeth</u>					
	<u>Incisors</u> <u>and Canines</u>		<u>Premolars</u>		<u>Molars</u>	
	Count	%	Count	%	Count	%
10 and younger	25	1.4	6	0.7	114	8.9
11 - 20	192	10.8	149	17.2	315	24.6
21 - 30	238	13.4	120	13.9	226	17.7
31 - 40	357	20.1	165	19.1	232	18.1
41 - 50	477	26.9	200	23.2	253	19.8
51 - 60	332	18.7	148	17.1	100	7.8
61 and older	154	8.7	76	8.8	39	3.0
Total	1775	100.0	864	100.0	1279	99.9

<u>Age</u> <u>(years)</u>	<u>Mandibular Teeth</u>					
	<u>Incisors</u> <u>and Canines</u>		<u>Premolars</u>		<u>Molars</u>	
	Count	%	Count	%	Count	%
10 and younger	2	0.6	5	0.7	102	7.1
11 - 20	47	14.1	125	16.6	335	23.4
21 - 30	37	11.1	108	14.3	251	17.6
31 - 40	36	10.8	164	21.8	288	20.1
41 - 50	32	9.6	185	24.6	244	17.1
51 - 60	60	18.0	101	13.4	145	10.1
61 and older	119	35.7	65	8.6	65	4.5
Total	333	99.9	753	100.0	1430	99.9

Table 2:3.11.

The Distribution of Treatment according to material and tooth type.

	<u>Maxillary Teeth</u>					
	<u>Incisors and Canines</u>		<u>Premolars</u>		<u>Molars</u>	
	Count	%	Count	%	Count	%
Amalgam	148	9.7	611	81.0	1086	98.0
Gold	29	1.9	24	3.2	15	1.4
Silicate	939	61.6	65	8.6	5	0.5
Sevriton	292	19.2	45	6.0	2	0.2
Composite	116	7.6	9	1.2	0	0.0
Total	1524	100.0	754	100.0	1108	100.1

	<u>Mandibular Teeth</u>					
	<u>Incisors and Canines</u>		<u>Premolars</u>		<u>Molars</u>	
	Count	%	Count	%	Count	%
Amalgam	55	19.2	485	73.7	1256	98.9
Gold	2	0.7	9	1.4	8	0.6
Silicate	169	58.9	103	15.6	5	0.4
Sevriton	36	12.5	48	7.3	1	0.1
Composite	25	8.7	13	2.0	0	0.0
Total	287	100.0	658	100.0	1270	100.0

CHAPTER 4

Table 2:4.3.The Fate of six types of Dental Restorations.

	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
Occlusal	171	29.3	332	56.8	81	13.9	584	100.0
Proximal	691	71.9	64	6.7	206	21.4	961	100.0
Buccal	385	64.2	21	3.5	194	32.3	600	100.0
Lingual	70	50.7	5	3.6	63	45.7	138	100.0
MO + DO	361	42.3	253	29.6	240	28.1	854	100.0
MOD	96	67.6	15	10.7	31	21.8	142	100.1
All	1774	54.1	690	21.0	815	24.9	3279	100.0

Table 2:4.4.1.The Fate of six types of Dental Restorations in males.

	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
Occlusal	71	29.2	142	58.4	30	12.3	243	99.9
Proximal	199	71.3	19	6.8	61	21.9	279	100.0
Buccal	113	67.7	6	3.6	48	28.7	167	100.0
Lingual	27	57.4	2	4.3	18	38.3	47	100.0
MO + DO	121	43.2	97	34.6	62	22.1	280	99.9
MOD	31	70.5	5	11.4	8	18.2	44	100.1
All	562	53.0	271	25.6	227	21.4	1060	100.0

Table 2:4.4.2.The Fate of six types of Dental Restorations in females.

	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
Occlusal	100	29.3	190	55.7	51	15.0	341	100.0
Proximal	492	72.1	45	6.6	145	21.3	682	100.0
Buccal	272	62.8	15	3.5	146	33.7	433	100.0
Lingual	43	47.3	3	3.3	45	49.4	91	100.0
MO + DO	240	41.8	156	27.2	178	31.0	574	100.0
MOD	65	66.3	10	10.2	23	23.5	98	100.0
All	1212	54.6	419	18.9	588	26.5	2219	100.0

Table 2:4.5.1.

The Fate of six types of Dental Restorations in Maxillary
Incisors and Canines.

	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
Incisal	6	66.7	0	0.0	3	33.3	9	100.0
Proximal	607	78.1	41	5.3	129	16.6	777	100.0
Buccal	86	68.3	2	1.6	38	30.1	126	100.0
Lingual	36	75.0	0	0.0	12	25.0	48	100.0
MI + DI	54	72.0	12	16.0	9	12.0	75	100.0
MID	3	60.0	1	20.0	1	20.0	5	100.0
All	792	76.2	56	5.4	192	18.4	1040	100.0

Table 2:4.5.2.

The Fate of six types of Dental Restorations in Mandibular
Incisors and Canines.

	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
Incisal	3	60.0	0	0.0	2	40.0	5	100.0
Proximal	57	60.6	9	9.6	28	29.8	94	100.0
Buccal	27	87.1	0	0.0	4	12.9	31	100.0
Lingual	4	57.1	0	0.0	3	42.9	7	100.0
MI + DI	1	100.0	0	0.0	0	0.0	1	100.0
MID	4	100.0	0	0.0	0	0.0	4	100.0
All	96	67.6	9	6.3	37	26.1	142	100.0

Table 2:4.5.3.

The Fate of six types of Dental Restorations in Maxillary
Premolars.

	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
Occlusal	11	23.9	35	76.1	0	0.0	46	100.0
Proximal	12	40.0	4	13.3	14	46.7	30	100.0
Buccal	49	67.1	1	1.4	23	31.5	73	100.0
Lingual	8	61.5	1	7.7	4	30.8	13	100.0
MO + DO	83	35.3	110	46.8	42	17.9	235	100.0
MOD	46	68.7	9	13.4	12	17.9	67	100.0
All	209	45.0	160	34.5	95	20.5	464	100.0

Table 2:4.5.4.

The Fate of six types of Dental Restorations in Mandibular
Premolars.

	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
Occlusal	17	29.3	37	63.8	4	6.9	58	100.0
Proximal	4	26.7	5	33.3	6	40.0	15	100.0
Buccal	88	64.7	3	2.2	45	33.1	136	100.0
Lingual	0	0.0	0	0.0	2	100.0	2	100.0
MO + DO	56	44.8	38	30.4	31	24.8	125	100.0
MOD	20	74.1	1	3.7	6	22.2	27	100.0
All	185	51.0	84	23.1	94	25.9	363	100.0

Table 2:4.5.5.The Fate of six types of Dental Restorations in Maxillary Molars.

	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
Occlusal	51	23.5	123	56.7	43	19.8	217	100.0
Proximal	6	25.0	3	12.5	15	62.5	24	100.0
Buccal	14	40.0	3	8.6	18	51.4	35	100.0
Lingual	16	34.8	4	8.7	26	56.5	46	100.0
MO + DO	83	41.9	30	15.2	85	42.9	198	100.0
MOD	8	44.4	2	11.1	8	44.4	18	99.9
All	178	33.1	165	30.7	195	36.2	538	100.0

Table 2:4.5.6.The Fate of six types of Dental Restorations in Mandibular Molars.

	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
Occlusal	83	33.3	137	55.0	29	11.7	249	100.0
Proximal	5	23.8	2	9.5	14	66.7	21	100.0
Buccal	121	60.8	12	6.0	66	33.2	199	100.0
Lingual	6	27.3	0	0.0	16	72.7	22	100.0
MO + DO	84	38.2	63	28.6	73	33.2	220	100.0
MOD	15	71.4	2	9.5	4	19.1	21	100.0
All	314	42.9	216	29.5	202	27.6	732	100.0

Table 2:4.6.1.

The Fate of Occlusal Restorations according to the age of the patient at the time of treatment.

<u>Age</u> (years)	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
10 and younger	37	31.6	58	49.6	22	18.8	117	100.0
11 - 20	64	24.5	174	66.7	23	8.8	261	100.0
21 - 30	19	27.9	39	57.4	10	14.7	68	100.0
31 - 40	18	25.7	41	58.6	11	15.7	70	100.0
41 - 50	21	42.9	18	36.7	10	20.4	49	100.0
51 - 60	10	62.5	2	12.5	4	25.0	16	100.0
61 and older	2	66.7	0	0.0	1	33.3	3	100.0

Table 2:4.6.2.

The Fate of Proximal Restorations according to the age of the patient at the time of treatment.

<u>Age</u> (years)	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
10 and younger	18	85.7	2	9.5	1	4.8	21	100.0
11 - 20	108	93.9	7	6.1	0	0.0	115	100.0
21 - 30	103	85.8	9	7.5	8	6.7	120	100.0
31 - 40	158	75.6	16	7.7	35	16.7	209	100.0
41 - 50	169	61.2	20	7.2	87	31.5	276	99.9
51 - 60	96	68.1	6	4.3	39	27.7	141	100.1
61 and older	39	49.4	4	5.1	36	45.6	79	100.1

Table 2:4.6.3.

The Fate of Buccal Restorations according to the age of the patient at the time of treatment.

<u>Age</u> (years)	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
10 and younger	4	26.7	0	0.0	11	73.3	15	100.0
11 - 20	36	72.0	4	8.0	10	20.0	50	100.0
21 - 30	57	71.3	3	3.8	20	25.0	80	100.1
31 - 40	111	76.0	3	2.1	32	21.9	146	100.0
41 - 50	112	60.5	7	3.8	66	35.7	185	100.0
51 - 60	51	53.7	4	4.2	40	42.1	95	100.0
61 and older	14	48.3	0	0.0	15	51.7	29	100.0

Table 2:4.6.4.

The Fate of Lingual Restorations according to the age of the patient at the time of treatment.

<u>Age</u> (years)	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
10 and younger	3	27.3	0	0.0	8	72.7	11	100.0
11 - 20	21	67.7	2	6.5	8	25.8	31	100.0
21 - 30	7	58.3	0	0.0	5	41.7	12	100.0
31 - 40	9	40.9	1	4.5	12	54.5	22	99.9
41 - 50	15	50.0	2	6.7	13	43.3	30	100.0
51 - 60	10	45.5	0	0.0	12	54.5	22	100.0
61 and older	5	50.0	0	0.0	5	50.0	10	100.0

Table 2:4.6.5.

The Fate of MO + DO Restorations according to the age of the patient at the time of treatment.

<u>Age</u> (years)	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
10 and younger	7	25.0	9	32.1	12	42.9	28	100.0
11 - 20	64	41.0	63	40.4	29	18.6	156	100.0
21 - 30	64	45.1	54	38.0	24	16.9	142	100.0
31 - 40	107	45.5	70	29.8	58	24.7	235	100.0
41 - 50	80	38.5	46	22.1	82	39.4	208	100.0
51 - 60	30	47.6	8	12.7	25	39.7	63	100.0
61 and older	9	40.9	3	13.6	10	45.5	22	100.0

Table 2:4.6.6.

The Fate of MOD Restorations according to the age of the patient at the time of treatment.

<u>Age</u> (years)	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
10 and younger	1	50.0	0	0.0	1	50.0	2	100.0
11 - 20	16	76.2	1	4.8	4	19.0	21	100.0
21 - 30	16	72.7	5	22.7	1	4.5	22	99.9
31 - 40	24	68.6	3	8.6	8	22.9	35	100.1
41 - 50	25	73.5	2	5.9	7	20.6	34	100.0
51 - 60	10	50.0	2	10.0	8	40.0	20	100.0
61 and older	4	50.0	2	25.0	2	25.0	8	100.0

Table 2:4.7.1.The Fate of six types of Amalgam Restorations.

	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
Occlusal	161	28.4	330	58.2	76	13.4	567	100.0
Proximal	36	35.3	19	18.6	47	46.1	102	100.0
Buccal	167	58.6	17	6.0	101	35.4	285	100.0
Lingual	47	44.8	5	4.8	53	50.5	105	100.1
MO + DO	295	38.9	245	32.3	218	28.8	758	100.0
MOD	78	66.1	15	12.7	25	21.2	118	100.0
All	784	40.5	631	32.6	520	26.9	1935	100.0

Table 2:4.7.2.The Fate of six types of Silicate Restorations.

	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
Incisal	4	57.1	1	14.3	2	28.6	7	100.0
Proximal	555	77.2	38	5.3	126	17.5	719	100.0
Buccal	152	72.4	2	1.0	56	26.6	210	100.0
Lingual	19	65.5	0	0.0	10	34.5	29	100.0
MI + DI	28	80.0	3	8.6	4	11.4	35	100.0
MID	2	66.7	0	0.0	1	33.3	3	100.0
All	760	75.8	44	4.4	199	19.8	1003	100.0

Table 2:4.7.3.The Fate of six types of Sevriton Restorations.

	<u>Replaced</u>		<u>Converted</u>		<u>Extracted</u>		<u>Total</u>	
	Count	%	Count	%	Count	%	Count	%
Incisal	5	62.5	0	0.0	3	37.5	8	100.0
Proximal	90	69.8	7	5.4	32	24.8	129	100.0
Buccal	60	61.9	2	2.1	35	36.1	97	100.1
Lingual	3	100.0	0	0.0	0	0.0	3	100.0
MI + DI	23	52.3	4	9.1	17	38.6	44	100.0
MID	2	100.0	0	0.0	0	0.0	2	100.0
All	183	64.7	13	4.6	87	30.7	283	100.0

SECTION B

CHAPTER 5

PART 1.

Table 2:5.2.2.The Survival of six types of Dental Restorations.

	N	OL	EL	RLR
Occlusal	898	584	611.81	0.95
Proximal	1319	961	754.48	1.27
Buccal	977	600	627.45	0.96
Lingual	252	138	161.53	0.85
MO + DO	1382	854	930.50	0.92
MOD	340	142	193.22	0.73

Chi Square = 89.30, d.f. = 5, $p < 0.0001$

Table 2:5.4.2.The Survival of Restorations according to material.*

	N	OL	EL	RLR
Amalgam	3641	2140	2397.73	0.89
Gold	87	58	54.72	1.06
Silicate	1286	1020	765.23	1.33
Sevriton	424	297	288.93	1.03
Composite	163	19	27.39	0.69

Chi Square = 125.54, d.f. = 4, $p < 0.0001$

* includes Crowns and Other Surface Combination restorations

Table 2:5.4.3.The Survival of six types of Amalgam Restorations.

	N	OL	EL	RLR
Occlusal	866	567	521.87	1.09
Proximal	167	102	102.93	0.99
Buccal	497	285	272.03	1.05
Lingual	211	105	122.82	0.85
MO + DO	1253	758	758.98	1.00
MOD	311	118	156.38	0.75

Chi Square = 17.82, d.f. = 5, p = 0.0032

Table 2:5.4.4.The Survival of six types of Silicate Restorations.

	N	OL	EL	RLR
Incisal	14	7	12.76	0.55
Proximal	896	719	668.24	1.08
Buccal	280	210	267.65	0.78
Lingual	34	29	27.83	1.04
MI + DI	39	35	24.38	1.44
MID	3	3	2.13	1.41

Chi Square = 27.11, d.f. = 5, p = 0.0001

Table 2:5.5.2.

The Survival of six types of Restorations in Maxillary Incisors and Canines.

	N	OL	EL	RLR
Incisal	14	9	6.81	1.32
Proximal	1027	777	753.40	1.03
Buccal	192	126	165.98	0.76
Lingual	85	48	65.25	0.74
MI + DI	89	75	44.54	1.68
MID	6	5	4.01	1.25

Chi Square = 41.27, d.f. = 5, $p < 0.0001$

Table 2:5.5.3.

The Survival of six types of Restorations in Mandibular Incisors and Canines.

	N	OL	EL	RLR
Incisal	12	5	7.08	0.71
Proximal	158	94	91.26	1.03
Buccal	69	31	36.96	0.84
Lingual	8	7	1.83	3.82
MI + DI	8	1	3.73	0.27
MID	5	4	1.13	3.54

Chi Square = 27.70, d.f. = 5, $p < 0.0001$

Table 2:5.5.4.The Survival of six types of Restorations in Maxillary Premolars.

	N	OL	EL	RLR
Occlusal	72	46	50.36	0.91
Proximal	40	30	20.06	1.50
Buccal	106	73	64.13	1.14
Lingual	22	13	13.96	0.93
MO + DO	323	235	222.22	1.06
MOD	148	67	93.27	0.72

Chi Square = 16.12, d.f. = 5, p = 0.0065

Table 2:5.5.5.The Survival of six types of Restorations in Mandibular Premolars.

	N	OL	EL	RLR
Occlusal	82	58	44.02	1.32
Proximal	22	15	14.73	1.02
Buccal	216	136	123.60	1.10
Lingual	5	2	2.66	0.75
MO + DO	231	125	140.35	0.89
MOD	78	27	37.64	0.72

Chi Square = 11.29, d.f. = 5, p = 0.0460

Table 2:5.5.6.The Survival of six types of Restorations in Maxillary Molars.

	N	OL	EL	RLR
Occlusal	363	217	194.86	1.11
Proximal	36	24	17.73	1.35
Buccal	74	35	41.33	0.85
Lingual	93	46	48.19	0.95
MO + DO	386	198	215.31	0.92
MOD	51	18	20.57	0.88

Chi Square = 7.95, d.f. = 5, p = 0.1591

Table 2:5.5.7.The Survival of six types of Restorations in Mandibular Molars.

	N	OL	EL	RLR
Occlusal	355	249	226.16	1.10
Proximal	36	21	31.05	0.68
Buccal	320	199	204.02	0.98
Lingual	39	22	27.46	0.80
MO + DO	345	220	215.55	1.02
MOD	52	21	27.77	0.76

Chi Square = 9.23, d.f. = 5, p = 0.1001

Table 2:5.6.2.

The Survival of six types of Restorations placed in patients aged 10 years and younger at the time of treatment.

	N	OL	EL	RLR
Occlusal	122	117	95.01	1.23
Proximal	24	21	23.51	0.89
Buccal	20	15	17.62	0.85
Lingual	17	11	21.09	0.52
MO + DO	33	28	34.86	0.80
MOD	2	2	1.93	1.04

Chi Square = 14.65, d.f. = 5, p = 0.0120

Table 2:5.6.3.

The Survival of six types of Restorations placed in patients aged between 11 and 20 years at the time of treatment.

	N	OL	EL	RLR
Occlusal	377	261	220.03	1.19
Proximal	160	115	104.53	1.10
Buccal	100	50	63.27	0.79
Lingual	55	31	31.76	0.98
MO + DO	267	156	172.00	0.91
MOD	62	21	42.40	0.50

Chi Square = 25.51, d.f. = 5, p = 0.0001

Table 2:5.6.4.

The Survival of six types of Restorations placed in patients aged between 21 and 30 years at the time of treatment.

	N	OL	EL	RLR
Occlusal	135	68	72.34	0.94
Proximal	171	120	75.71	1.58
Buccal	133	80	82.34	0.97
Lingual	27	12	14.54	0.83
MO + DO	280	142	155.80	0.91
MOD	88	22	43.26	0.51

Chi Square = 41.31, d.f. = 5, $p < 0.0001$

Table 2:5.6.5.

The Survival of six types of Restorations placed in patients aged between 31 and 40 years at the time of treatment.

	N	OL	EL	RLR
Occlusal	124	70	107.10	0.65
Proximal	263	209	167.51	1.25
Buccal	219	146	157.68	0.93
Lingual	36	22	24.55	0.90
MO + DO	335	235	233.05	1.01
MOD	55	35	27.10	1.29

Chi Square = 28.93, d.f. = 5, $p < 0.0001$

Table 2:5.6.6.

The Survival of six types of Restorations placed in patients aged between 41 and 50 years at the time of treatment.

	N	OL	EL	RLR
Occlusal	85	49	79.46	0.62
Proximal	336	276	218.72	1.26
Buccal	257	185	191.12	0.97
Lingual	46	30	35.86	0.84
MO + DO	299	208	223.79	0.93
MOD	55	34	33.06	1.03

Chi Square = 31.81, d.f. = 5, $p < 0.0001$

Table 2:5.6.7.

The Survival of six types of Restorations placed in patients aged between 51 and 60 years at the time of treatment.

	N	OL	EL	RLR
Occlusal	42	16	29.31	0.55
Proximal	220	141	111.29	1.27
Buccal	166	95	88.86	1.07
Lingual	48	22	32.85	0.67
MO + DO	120	63	65.67	0.96
MOD	55	20	29.22	0.68

Chi Square = 23.19, d.f. = 5, $p = 0.0003$

Table 2:5.6.8.

The Survival of six types of Restorations placed in patients aged 61 years and older at the time of treatment.

	N	OL	EL	RLR
Occlusal	13	3	5.75	0.52
Proximal	145	79	72.02	1.10
Buccal	82	29	33.59	0.86
Lingual	23	10	8.34	1.20
MO + DO	48	22	21.18	1.04
MOD	23	8	10.11	0.79

Chi Square = 3.91, d.f. = 5, p = 0.5617

Table 2:5.6.9.

The Survival of Occlusal Restorations according to the age of the patient at the time of treatment.

Age (years)	N	OL	EL	RLR
10 and younger	122	117	57.69	2.03
11 - 20	377	261	242.58	1.08
21 - 30	135	68	77.89	0.87
31 - 40	124	70	108.03	0.65
41 - 50	85	49	68.63	0.71
51 - 60	42	16	25.34	0.63
61 and older	13	3	3.85	0.78

Chi Square Overall = 96.36, d.f. = 6, $p < 0.0001$

Chi Square Trend = 58.20, d.f. = 1, $p < 0.0001$

Table 2:5.6.10.

The Survival of Proximal Restorations according to the age of the patient at the time of treatment.

Age (years)	N	OL	EL	RLR
10 and younger	24	21	19.05	1.10
11 - 20	160	115	154.99	0.74
21 - 30	171	120	107.31	1.12
31 - 40	263	209	236.68	0.88
41 - 50	336	276	264.47	1.04
51 - 60	220	141	123.30	1.14
61 and older	145	79	55.20	1.43

Chi Square Overall = 32.90, d.f. = 6, $p < 0.0001$

Chi Square Trend = 17.22, d.f. = 1, $p < 0.0001$

Table 2:5.6.11.

The Survival of Buccal Restorations according to the age of the patient at the time of treatment.

Age (years)	N	OL	EL	RLR
10 and younger	20	15	10.88	1.38
11 - 20	100	50	69.89	0.72
21 - 30	133	80	86.90	0.92
31 - 40	219	146	164.91	0.89
41 - 50	257	185	171.07	1.08
51 - 60	166	95	75.89	1.25
61 and older	82	29	20.46	1.42

Chi Square Overall = 21.41, d.f. = 6, p = 0.0015

Chi Square Trend = 12.41, d.f. = 1, p = 0.0004

Table 2:5.6.12.

The Survival of Lingual Restorations according to the age of the patient at the time of treatment.

Age (years)	N	OL	EL	RLR
10 and younger	17	11	11.36	0.97
11 - 20	55	31	31.36	0.99
21 - 30	27	12	14.00	0.86
31 - 40	36	22	22.19	0.99
41 - 50	46	30	28.36	1.06
51 - 60	48	22	25.41	0.87
61 and older	23	10	5.30	1.89

Chi Square Overall = 5.57, d.f. = 6, p = 0.4732

Chi Square Trend = 0.39, d.f. = 1, p = 0.5320

Table 2:5.6.13.

The Survival of MO + DO Restorations according to the age of the patient at the time of treatment.

Age (years)	N	OL	EL	RLR
10 and younger	33	28	20.54	1.36
11 - 20	267	156	179.45	0.87
21 - 30	280	142	157.79	0.90
31 - 40	335	235	235.51	1.00
41 - 50	299	208	193.80	1.07
51 - 60	120	63	53.97	1.17
61 and older	48	22	12.93	1.70

Chi Square Overall = 17.59, d.f. = 6, p = 0.0073

Chi Square Trend = 6.99, d.f. = 1, p = 0.0082

Table 2:5.6.14.

The Survival of MOD Restorations according to the age of the patient at the time of treatment.

Age (years)	N	OL	EL	RLR
10 and younger	2	2	0.82	2.43
11 - 20	62	21	36.03	0.58
21 - 30	88	22	36.06	0.61
31 - 40	55	35	22.57	1.55
41 - 50	55	34	23.41	1.45
51 - 60	55	20	18.43	1.09
61 and older	23	8	4.67	1.71

Chi Square Overall = 29.80, d.f. = 6, p < 0.0001

Chi Square Trend = 13.81, d.f. = 1, p = 0.0002

42.

CHAPTER 5

PART 2.

Table 2:5.2.2A.The Survival of six types of Dental Restorations.

	N	OL	EL	RLR	Chi Square (df=1)	p
Occlusal	898	584	692.39	0.84	33.60	< 0.0001
Proximal	1319	961	852.60	1.13		
Occlusal	898	584	584.72	1.00	0.00	0.9769
Buccal	977	600	599.27	1.00		
Occlusal	898	584	570.78	1.02	1.54	0.2147
Lingual	252	138	151.22	0.91		
Occlusal	898	584	570.72	1.02	0.54	0.4620
MO + DO	1382	854	867.28	0.98		
Occlusal	898	584	550.02	1.06	9.41	0.0022
MOD	340	142	175.98	0.81		
Proximal	1319	961	849.98	1.13	34.83	< 0.0001
Buccal	977	600	711.02	0.84		
Proximal	1319	961	904.29	1.06	21.96	< 0.0001
Lingual	252	138	194.70	0.71		
Proximal	1319	961	810.97	1.19	54.88	< 0.0001
MO + DO	1382	854	1004.03	0.85		

Table 2:5.2.2A.The Survival of six types of Dental Restorations cont.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	1319	961	880.60	1.09	40.05	< 0.0001
MOD	340	142	222.39	0.64		
Buccal	977	600	587.06	1.02	1.39	0.2385
Lingual	252	138	150.94	0.91		
Buccal	977	600	585.92	1.02	0.59	0.4433
MO + DO	1382	854	868.08	0.98		
Buccal	977	600	567.70	1.06	8.45	0.0037
MOD	340	142	174.30	0.81		
Lingual	252	138	147.13	0.94	0.64	0.4230
MO + DO	1382	854	844.86	1.01		
Lingual	252	138	127.50	1.08	1.65	0.1994
MOD	340	142	152.50	0.93		
MO + DO	1382	854	825.56	1.03	6.00	0.0143
MOD	340	142	170.44	0.83		

Table 2:5.3A.

The Survival of six types of Restorations according to the sex of the patient.

		N	OL	EL	RLR	Chi Square (df=1)	p
Occlusal	Male	374	243	231.77	1.05	0.90	0.3439
	Female	524	341	352.22	0.97		
Proximal	Male	392	279	284.23	0.98	0.12	0.7248
	Female	927	682	676.76	1.01		
Buccal	Male	311	167	184.50	0.91	2.44	0.1180
	Female	666	433	415.49	1.04		
Lingual	Male	83	47	40.69	1.15	1.27	0.2591
	Female	169	91	97.31	0.94		
MO + DO	Male	482	280	289.31	0.97	0.44	0.5092
	Female	900	574	564.69	1.02		
MOD	Male	144	44	63.33	0.69	10.87	0.0010
	Female	196	98	78.67	1.25		

Table 2:5.4.2A.The Survival of Restorations according to Material. *

	N	OL	EL	RLR	Chi Square (df=1)	p
Amalgam	3641	2140	2148.88	1.00	1.58	0.2092
Gold	87	58	49.11	1.18		
Amalgam	3641	2140	2395.05	0.89	121.67	< 0.0001
Silicate	1286	1020	764.94	1.33		
Amalgam	3641	2140	2174.90	0.98	5.46	0.0195
Sevriton	424	297	262.09	1.13		
Amalgam	3641	2140	2133.92	1.00	1.37	0.2415
Composite	163	19	25.07	0.76		
Gold	87	58	72.53	0.80	3.25	0.0715
Silicate	1286	1020	1005.47	1.01		
Gold	87	58	56.16	1.03	0.06	0.8095
Sevriton	424	297	298.84	0.99		
Gold	87	58	51.71	1.12	3.84	0.0500
Composite	163	19	25.29	0.75		
Silicate	1286	1020	953.17	1.07	18.88	< 0.0001
Sevriton	424	297	363.83	0.82		

Table 2:5.4.2A.The Survival of Restorations according to Material cont. *

	N	OL	EL	RLR	Chi Square (df=1)	p
Silicate	1286	1020	1007.25	1.01	5.89	0.0152
Composite	163	19	31.75	0.60		
Sevriton	424	297	288.91	1.03	2.97	0.0847
Composite	163	19	27.09	0.70		

* includes Crowns and Other Surface Combination restorations

Table 2:5.4.3A.The Survival of six types of Amalgam Restorations.

	N	OL	EL	RLR	Chi Square (df=1)	p
Occlusal	866	567	559.24	1.10	0.62	0.4306
Proximal	167	102	109.76	0.93		
Occlusal	866	567	559.61	1.01	0.29	0.5921
Buccal	497	285	292.39	0.97		
Occlusal	866	567	543.95	1.04	5.45	0.0196
Lingual	211	105	128.05	0.82		
Occlusal	866	567	539.92	1.05	2.44	0.1183
MO + DO	1253	758	785.07	0.97		
Occlusal	866	567	526.63	1.08	14.57	0.0001
MOD	311	118	158.37	0.75		
Proximal	167	102	105.59	0.97	0.13	0.7139
Buccal	497	285	271.41	1.01		
Proximal	167	102	94.08	1.08	1.23	0.2679
Lingual	211	105	112.92	0.93		
Proximal	167	102	102.93	0.99	0.01	0.9331
MO + DO	1253	758	757.06	1.00		

Table 2:5.4.3A.The Survival of six types of Amalgam Restorations cont.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	167	102	88.51	1.15	3.74	0.0531
MOD	311	118	131.49	0.90		
Buccal	497	285	269.36	1.06	2.95	0.0858
Lingual	211	105	120.63	0.87		
Buccal	497	285	274.86	1.04	0.52	0.4715
MO + DO	1253	758	768.14	0.99		
Buccal	497	285	255.22	1.12	10.16	0.0014
MOD	311	118	147.77	0.80		
Lingual	211	105	120.31	0.87	2.27	0.1318
MO + DO	1253	758	742.69	1.02		
Lingual	211	105	98.83	1.06	0.69	0.4055
MOD	311	118	124.17	0.95		
MO + DO	1253	758	729.25	1.04	7.10	0.0077
MOD	311	118	146.75	0.80		

Table 2:5.4.4A.The Survival of four types of Silicate Restorations.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	896	719	662.28	1.09	18.88	< 0.0001
Buccal	280	210	266.72	0.79		
Proximal	896	719	717.96	1.00	0.02	0.8768
Lingual	34	29	30.04	0.97		
Proximal	896	719	727.37	0.99	2.95	0.0857
MI + DI	39	35	26.63	1.31		
Buccal	280	210	216.49	0.97	1.92	0.1654
Lingual	34	29	22.51	1.29		
Buccal	280	210	224.54	0.94	12.04	0.0005
MI + DI	39	35	20.46	1.71		
Lingual	34	29	33.59	0.86	1.22	0.2699
MI + DI	39	35	30.41	1.15		

Table 2:5.4.5A.The Survival of three types of Sevriton Restorations.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	161	129	115.67	1.12	3.15	0.0761
Buccal	141	97	110.33	0.88		
Proximal	161	129	142.08	0.91	6.74	0.0094
MI + DI	61	44	30.92	1.42		
Buccal	141	97	112.94	0.86	11.30	0.0008
MI + DI	61	44	28.06	1.57		



Table 2:5.4.6A.The Survival of Proximal Restorations according to material.

	N	OL	EL	RLR	Chi Square (df=1)	p
Amalgam	167	102	157.44	0.65	27.07	< 0.0001
Silicate	896	719	663.55	1.08		
Amalgam	167	102	114.65	0.89	2.77	0.0958
Sevriton	161	129	116.35	1.11		
Silicate	896	719	681.99	1.05	10.26	0.0014
Sevriton	161	129	166.01	0.78		

Table 2:5.4.7A.The Survival of Buccal Restorations according to material.

	N	OL	EL	RLR	Chi Square (df=1)	p
Amalgam	497	285	300.84	0.95	2.16	0.1413
Silicate	280	210	194.16	1.08		
Amalgam	497	285	283.38	1.01	0.02	0.8915
Sevriton	141	97	98.62	0.98		
Silicate	280	210	196.83	1.07	2.46	0.1172
Sevriton	141	97	110.17	0.88		

Table 2:5.4.8A.The Survival of Lingual Restorations according to material.

	N	OL	EL	RLR	Chi Square (df=1)	p
Amalgam	211	105	116.32	0.90	8.21	0.0042
Silicate	34	29	17.68	1.64		

Table 2:5.4.9A.The Survival of MO + DO Restorations according to material.

	N	OL	EL	RLR	Chi Square (df=1)	p
Amalgam	1253	758	778.37	0.97	18.09	< 0.0001
Sevriton (MI + DI)	61	44	23.63	1.86		
Amalgam	1253	758	756.47	1.00	0.06	0.8043
Gold	27	17	18.52	0.92		
Gold	27	17	25.25	0.67	4.60	0.0320
Sevriton (MI + DI)	61	44	35.75	1.23		

Table 2:5.4.10A.The Survival of MOD Restorations according to material.

	N	OL	EL	RLR	Chi Square (df=1)	p
Amalgam	311	118	125.69	0.94	5.94	0.0148
Gold	21	18	10.31	1.75		

Table 2:5.5.2A.

The Survival of six types of Restorations in Maxillary Incisors and Canines.

	N	OL	EL	RLR	Chi Square (df=1)	p
Incisal	14	9	6.99	1.28	0.37	0.5455
Proximal	1027	777	779.01	1.00		
Incisal	14	9	5.36	1.68	2.44	0.1183
Buccal	192	126	129.64	0.97		
Incisal	14	9	5.99	1.50	1.71	0.1908
Lingual	85	48	51.01	0.94		
Incisal	14	9	10.83	0.83	0.37	0.5407
MI + DI	89	75	73.17	1.03		
Incisal	14	9	8.94	1.01	0.00	0.9828
MID	6	5	5.06	0.99		
Proximal	1027	777	739.13	1.05	11.70	0.0006
Buccal	192	126	163.86	0.77		
Proximal	1027	777	758.97	1.02	5.82	0.0159
Lingual	85	48	66.03	0.73		
Proximal	1027	777	804.71	0.97	19.10	< 0.0001
MI + DI	89	75	47.29	1.59		

Table 2:5.5.2A.

The Survival of six types of Restorations in Maxillary Incisors
and Canines cont.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	1027	777	777.95	1.00	0.19	0.6631
MID	6	5	4.05	1.23		
Buccal	192	126	124.57	1.01	0.03	0.8703
Lingual	85	48	49.43	0.97		
Buccal	192	126	156.51	0.81	30.28	< 0.0001
MI + DI	89	75	44.48	1.69		
Buccal	192	126	127.83	0.99	0.98	0.3224
MID	6	5	3.17	1.58		
Lingual	85	48	70.36	0.68	18.63	< 0.0001
MI + DI	89	75	52.64	1.42		
Lingual	85	48	49.67	0.97	0.73	0.3938
MID	6	5	3.33	1.50		
MI + DI	89	75	73.32	1.02	0.28	0.5941
MID	6	5	6.68	0.75		

Table 2:5.5.3A.

The Survival of six types of Restorations in Mandibular Incisors and Canines.

	N	OL	EL	RLR	Chi Square (df=1)	p
Incisal	12	5	7.13	0.70	0.44	0.5072
Proximal	158	94	91.87	1.02		
Incisal	12	5	5.48	0.91	0.01	0.9135
Buccal	69	31	30.52	1.02		
Incisal	12	5	8.22	0.61	4.14	0.0420
Lingual	8	7	3.78	1.85		
Incisal	12	5	3.54	1.41	1.28	0.2574
MI + DI	8	1	2.46	0.41		
Incisal	12	5	6.63	0.75	1.73	0.1887
MID	5	4	2.37	1.69		
Proximal	158	94	89.28	1.05	0.75	0.3856
Buccal	69	31	35.72	0.87		
Proximal	158	94	98.94	0.95	11.93	0.0006
Lingual	8	7	2.06	3.40		
Proximal	158	94	91.27	1.03	1.99	0.1586
MI + DI	8	1	3.73	0.27		

Table 2:5.5.3A.

The Survival of six types of Restorations in Mandibular Incisors
and Canines cont.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	158	94	96.74	0.97	6.05	0.0139
MID	5	4	1.26	3.19		
Buccal	69	31	36.40	0.85	17.10	0.0001
Lingual	8	7	1.60	4.38		
Buccal	69	31	29.26	1.06	0.95	0.3294
MI + DI	8	1	2.74	0.37		
Buccal	69	31	34.14	0.91	11.83	0.0006
MID	5	4	0.86	4.66		
Lingual	8	7	3.04	2.30	6.90	0.0086
MI + DI	8	1	4.96	0.20		
Lingual	8	7	6.67	1.05	0.00	0.9529
MID	5	4	4.33	0.92		
MI + DI	8	1	3.31	0.30	3.38	0.0661
MID	5	4	1.69	2.37		

Table 2:5.5.4A.

The Survival of six types of Restorations in Maxillary Premolars.

	N	OL	EL	RLR	Chi Square (df=1)	p
Occlusal	72	46	54.42	0.85	4.44	0.0350
Proximal	40	30	21.58	1.39		
Occlusal	72	46	52.50	0.88	1.45	0.2279
Buccal	106	73	66.50	1.10		
Occlusal	72	46	46.10	1.00	0.00	0.9826
Lingual	22	13	12.90	1.01		
Occlusal	72	46	51.82	0.89	0.84	0.3591
MO + DO	323	235	229.18	1.03		
Occlusal	72	46	39.40	1.17	1.77	0.1830
MOD	148	67	73.60	0.91		
Proximal	40	30	24.54	1.22	1.48	0.2245
Buccal	106	73	78.45	0.93		
Proximal	40	30	25.57	1.17	1.89	0.1690
Lingual	22	13	17.43	0.75		
Proximal	40	30	22.16	1.35	3.20	0.0738
MO + DO	323	235	242.83	0.97		

Table 2:5.5.4A.

The Survival of six types of Restorations in Maxillary
Premolars cont.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	40	30	17.28	1.74	12.03	0.0005
MOD	148	67	79.72	0.84		
Buccal	106	73	70.95	1.03	0.21	0.6438
Lingual	22	13	15.05	0.86		
Buccal	106	73	69.03	1.06	0.28	0.5939
MO + DO	323	235	238.97	0.98		
Buccal	106	73	57.36	1.27	7.78	0.0053
MOD	148	67	82.64	0.81		
Lingual	22	13	14.75	0.88	0.12	0.7239
MO + DO	323	235	233.25	1.01		
Lingual	22	13	10.58	1.23	0.55	0.4568
MOD	148	67	69.42	0.97		
MO + DO	323	235	212.90	1.10	8.12	0.0044
MOD	148	67	89.10	0.75		

Table 2:5.5.5A.

The Survival of six types of Restorations in Mandibular
Premolars.

	N	OL	EL	RLR	Chi Square (df=1)	p
Occlusal	82	58	53.91	1.08	1.00	0.3164
Proximal	22	15	19.09	0.79		
Occlusal	82	58	50.51	1.15	1.53	0.2155
Buccal	216	136	143.49	0.95		
Occlusal	82	58	56.53	1.03	0.57	0.4484
Lingual	5	2	3.47	0.58		
Occlusal	82	58	44.53	1.30	5.71	0.0169
MO + DO	231	125	138.47	0.90		
Occlusal	82	58	46.66	1.24	6.54	0.0106
MOD	78	27	38.34	0.70		
Proximal	22	15	16.11	0.93	0.03	0.8674
Buccal	216	136	134.89	1.01		
Proximal	22	15	14.74	1.02	0.00	0.9923
Lingual	5	2	2.26	0.88		
Proximal	22	15	13.36	1.12	0.19	0.6624
MO + DO	231	125	126.64	0.99		

Table 2:5.5.5A.

The Survival of six types of Restorations in Mandibular
Premolars cont.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	22	15	12.84	1.17	0.54	0.4631
MOD	78	27	29.16	0.93		
Buccal	216	136	135.16	1.01	0.05	0.8314
Lingual	5	2	2.84	0.70		
Buccal	216	136	122.45	1.11	2.91	0.0879
MO + DO	231	125	138.55	0.90		
Buccal	216	136	125.98	1.08	3.77	0.0520
MOD	78	27	37.02	0.73		
Lingual	5	2	2.47	0.81	0.00	0.9869
MO + DO	231	125	124.53	1.00		
Lingual	5	2	2.01	0.99	0.03	0.8582
MOD	78	27	26.99	1.00		
MO + DO	231	125	118.16	1.06	1.67	0.1966
MOD	78	27	33.84	0.80		

Table 2:5.5.6A.The Survival of six types of Restorations in Maxillary Molars.

	N	OL	EL	RLR	Chi Square (df=1)	p
Occlusal	363	217	221.11	0.98	0.77	0.3803
Proximal	36	24	19.89	1.21		
Occlusal	363	217	208.64	1.04	1.96	0.1618
Buccal	74	35	43.36	0.81		
Occlusal	363	217	210.79	1.03	0.93	0.3347
Lingual	93	46	52.21	0.88		
Occlusal	363	217	197.12	1.10	3.99	0.0458
MO + DO	386	198	217.88	0.91		
Occlusal	363	217	212.18	1.02	1.17	0.2803
MOD	51	18	22.82	0.79		
Proximal	36	24	18.37	1.31	2.23	0.1353
Buccal	74	35	40.63	0.86		
Proximal	36	24	18.62	1.29	2.05	0.1526
Lingual	93	46	51.38	0.90		
Proximal	36	24	17.00	1.41	3.14	0.0766
MO + DO	386	198	205.00	0.97		

Table 2:5.5.6A.

The Survival of six types of Restorations in Maxillary Molars
cont.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	36	24	18.68	1.28	2.88	0.0896
MOD	51	18	23.32	0.77		
Buccal	74	35	36.84	0.95	0.09	0.7586
Lingual	93	46	44.16	1.04		
Buccal	74	35	38.09	0.92	0.27	0.6053
MO + DO	386	198	194.91	1.02		
Buccal	74	35	34.54	1.01	0.01	0.9301
MOD	51	18	18.46	0.98		
Lingual	93	46	44.37	1.04	0.04	0.8471
MO + DO	386	198	199.63	0.99		
Lingual	93	46	44.74	1.03	0.08	0.7762
MOD	51	18	19.26	0.93		
MO + DO	386	198	198.22	1.00	0.00	0.9442
MOD	51	18	17.78	1.01		

Table 2:5.5.7A.The Survival of six types of Restorations in Mandibular Molars.

	N	OL	EL	RLR	Chi Square (df=1)	p
Occlusal	355	249	237.64	1.05	4.55	0.0329
Proximal	36	21	32.36	0.65		
Occlusal	355	249	235.28	1.06	1.78	0.1827
Buccal	320	199	212.72	0.94		
Occlusal	355	249	241.71	1.03	2.13	0.1443
Lingual	39	22	29.29	0.75		
Occlusal	355	249	239.87	1.04	0.75	0.3850
MO + DO	345	220	229.13	0.96		
Occlusal	335	249	239.88	1.04	3.40	0.0653
MOD	52	21	30.12	0.70		
Proximal	36	21	29.01	0.72	2.44	0.1185
Buccal	320	199	190.99	1.04		
Proximal	36	21	22.58	0.93	0.18	0.6726
Lingual	39	22	20.42	1.08		
Proximal	36	21	30.12	0.70	3.29	0.0695
MO + DO	345	220	210.88	1.04		

Table 2:5.5.7A.

The Survival of six types of Restorations in Mandibular Molars
cont.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	36	21	23.26	0.90	5.52	0.4707
MOD	52	21	18.74	1.12		
Buccal	320	199	195.18	1.02	0.52	0.4696
Lingual	39	22	25.82	0.85		
Buccal	320	199	203.40	0.98	0.18	0.6722
MO + DO	345	220	215.60	1.02		
Buccal	320	199	194.28	1.02	1.01	0.3157
MOD	52	21	25.72	0.82		
Lingual	39	22	27.32	0.81	1.04	0.3079
MO + DO	345	220	214.68	1.02		
Lingual	39	22	22.04	1.00	0.00	0.9460
MOD	52	21	20.96	1.00		
MO + DO	345	220	214.38	1.03	1.23	0.2678
MOD	52	21	26.62	0.79		

Table 2:5.5.8A.

The Survival of Occlusal Restorations according to the Type of
Tooth restored.

	N	OL	EL	RLR	Chi Square (df=1)	p
Incisors and Canines	26	14	12.64	1.11	0.06	0.7994
Premolars and Molars	872	570	571.36	1.00		
Maxillary Incisors and Canines	14	9	7.30	1.23	0.48	0.4871
Mandibular Incisors and Canines	12	5	6.70	0.75		
Maxillary Premolars	72	46	50.20	0.92	0.57	0.4483
Mandibular Premolars	82	58	53.80	1.08		
Maxillary Molars	363	217	253.07	0.86	11.89	0.0006
Mandibular Molars	355	249	212.93	1.17		
Maxillary Premolars	72	46	39.57	1.16	1.12	0.2892
Maxillary Molars	363	217	223.43	0.97		
Mandibular Premolars	82	58	57.38	1.01	0.00	0.9858
Mandibular Molars	355	249	249.62	1.00		
Maxillary Premolars	72	46	51.78	0.89	0.78	0.3764
Mandibular Molars	355	249	243.22	1.02		
Maxillary Molars	363	217	231.40	0.94	5.65	0.0174
Mandibular Premolars	82	58	43.60	1.33		

Table 2:5.5.9A.

The Survival of Proximal Restorations according to the Type of
Tooth restored.

	N	OL	EL	RLR	Chi Square (df=1)	p
Incisors and Canines	1185	871	840.09	1.04	9.82	0.0017
Premolars and Molars	134	90	120.91	0.74		
Maxillary Incisors and Canines	1027	777	736.09	1.06	16.08	0.0001
Mandibular Incisors and Canines	158	94	134.91	0.70		
Maxillary Premolars	40	30	23.46	1.28	3.62	0.0572
Mandibular Premolars	22	15	21.54	0.70		
Maxillary Molars	36	24	19.77	1.21	1.36	0.2437
Mandibular Molars	36	21	25.23	0.83		
Maxillary Premolars	40	30	24.49	1.23	2.15	0.1422
Maxillary Molars	36	24	29.51	0.81		
Mandibular Premolars	22	15	12.63	1.19	0.46	0.4977
Mandibular Molars	36	21	23.37	0.90		
Maxillary Premolars	40	30	19.46	1.54	9.23	0.0024
Mandibular Molars	36	21	31.54	0.67		
Maxillary Molars	36	24	22.93	1.05	0.12	0.7278
Mandibular Premolars	22	15	16.07	0.93		

Table 2:5.5.10A.

The Survival of Buccal Restorations according to the Type of
Tooth restored.

	N	OL	EL	RLR	Chi Square (df=1)	p
Incisors and Canines	261	157	155.30	1.01	0.01	0.9078
Premolars and Molars	716	443	444.70	1.00		
Maxillary Incisors and Canines	192	126	118.08	1.07	2.05	0.1522
Mandibular Incisors and Canines	69	31	38.92	0.80		
Maxillary Premolars	106	73	61.83	1.18	2.84	0.0921
Mandibular Premolars	216	136	147.16	0.92		
Maxillary Molars	74	35	50.53	0.69	6.19	0.0129
Mandibular Molars	320	199	183.47	1.08		
Maxillary Premolars	106	73	56.55	1.29	10.28	0.0013
Maxillary Molars	74	35	51.45	0.68		
Mandibular Premolars	216	136	136.93	0.99	0.00	0.9602
Mandibular Molars	320	199	198.07	1.00		
Maxillary Premolars	106	73	62.08	1.18	2.49	0.1147
Mandibular Molars	320	199	209.92	0.95		
Maxillary Molars	74	35	48.81	0.72	5.47	0.0194
Mandibular Premolars	216	136	122.19	1.11		

Table 2:5.5.11A.

The Survival of Lingual Restorations according to the Type of
Tooth restored.

	N	OL	EL	RLR	Chi Square (df=1)	p
Incisors and Canines	93	55	43.91	1.25	4.05	0.0441
Premolars and Molars	159	83	94.09	0.88		
Maxillary Incisors and Canines	85	48	52.50	0.91	7.59	0.0059
Mandibular Incisors and Canines	8	7	2.50	2.80		
Maxillary Premolars	22	13	12.07	1.08	0.08	0.7723
Mandibular Premolars	5	2	2.93	0.68		
Maxillary Molars	93	46	48.03	0.96	0.17	0.6758
Mandibular Molars	39	22	19.97	1.10		
Maxillary Premolars	22	13	9.58	1.36	1.13	0.2886
Maxillary Molars	93	46	49.42	0.93		
Mandibular Premolars	5	2	2.54	0.79	0.00	0.9807
Mandibular Molars	39	22	21.46	1.02		
Maxillary Premolars	22	13	11.42	1.14	0.32	0.5689
Mandibular Molars	39	22	23.58	0.93		
Maxillary Molars	93	46	45.90	1.00	0.00	0.9437
Mandibular Premolars	5	2	2.10	0.95		

Table 2:5.5.12A.

The Survival of MO + DO Restorations according to the Type of
Tooth restored.

	N	OL	EL	RLR	Chi Square (df=1)	p
Incisors and Canines	97	76	35.73	2.13	47.37	< 0.0001
Premolars and Molars	1285	778	818.26	0.95		
Maxillary Incisors and Canines	89	75	68.03	1.10	6.81	0.0091
Mandibular Incisors and Canines	8	1	7.97	0.13		
Maxillary Premolars	323	235	203.21	1.16	12.02	0.0005
Mandibular Premolars	231	125	156.78	0.80		
Maxillary Molars	386	198	242.11	0.82	19.93	< 0.0001
Mandibular Molars	345	220	175.89	1.25		
Maxillary Premolars	323	235	176.56	1.33	34.50	< 0.0001
Maxillary Molars	386	198	256.44	0.77		
Mandibular Premolars	231	125	146.51	0.85	5.65	0.0174
Mandibular Molars	345	220	198.49	1.11		
Maxillary Premolars	323	235	224.11	1.05	1.04	0.3072
Mandibular Molars	345	220	230.89	0.95		
Maxillary Molars	386	198	214.74	0.92	3.89	0.0485
Mandibular Premolars	231	125	108.26	1.15		

Table 2:5.5.13A.

The Survival of MOD Restorations according to the Type of
Tooth restored.

	N	OL	EL	RLR	Chi Square (df=1)	p
Incisors and Canines	11	9	3.11	2.89	11.40	0.0007
Premolars and Molars	329	133	138.89	0.96		
Maxillary Incisors and Canines	6	5	6.35	0.79	0.97	0.3235
Mandibular Incisors and Canines	5	4	2.65	1.51		
Maxillary Premolars	148	67	62.96	1.06	0.64	0.4226
Mandibular Premolars	78	27	31.04	0.87		
Maxillary Molars	51	18	20.53	0.88	0.46	0.4955
Mandibular Molars	52	21	18.47	1.14		
Maxillary Premolars	148	67	64.10	1.05	0.39	0.5324
Maxillary Molars	51	18	20.90	0.86		
Mandibular Premolars	78	27	29.10	0.93	0.24	0.6214
Mandibular Molars	52	21	18.90	1.11		
Maxillary Premolars	148	67	67.87	0.99	0.05	0.8252
Mandibular Molars	52	21	20.13	1.04		
Maxillary Molars	51	18	18.42	0.98	0.02	0.8987
Mandibular Premolars	78	27	26.58	1.02		

Table 2:5.6.2A.

The Survival of six types of Restorations placed in patients aged 10 years and younger at the time of treatment.

	N	OL	EL	RLR	Chi Square (df=1)	p
Occlusal	122	117	110.73	1.06	1.80	0.1801
Proximal	24	21	27.27	0.77		
Occlusal	122	117	111.21	1.05	2.14	0.1439
Buccal	20	15	20.79	0.72		
Occlusal	122	117	105.39	1.11	8.95	0.0028
Lingual	17	11	22.61	0.49		
Occlusal	122	117	104.65	1.12	6.19	0.0128
MO + DO	33	28	40.35	0.69		
Occlusal	122	117	116.78	1.00	0.01	0.9267
MOD	2	2	2.22	0.90		
Proximal	24	21	21.02	1.00	0.03	0.8609
Buccal	20	15	14.98	1.00		
Proximal	24	21	17.33	1.21	1.73	0.1887
Lingual	17	11	14.67	0.75		
Proximal	24	21	20.16	1.04	0.04	0.8342
MO + DO	33	28	28.84	0.97		

Table 2:5.6.2A.

The Survival of six types of Restorations placed in patients aged 10 years and younger at the time of treatment cont.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	24	21	21.22	0.99	0.01	0.9345
MOD	2	2	1.78	1.13		
Buccal	20	15	13.01	1.15	0.61	0.4351
Lingual	17	11	12.99	0.85		
Buccal	20	15	14.65	1.02	0.00	0.9728
MO + DO	33	28	28.35	0.99		
Buccal	20	15	15.01	1.00	0.02	0.9011
MOD	2	2	1.99	1.01		
Lingual	17	11	14.81	0.74	1.41	0.2345
MO + DO	33	28	24.19	1.16		
Lingual	17	11	11.34	0.97	0.01	0.9328
MOD	2	2	1.66	1.21		
MO + DO	33	28	27.43	1.02	0.14	0.7100
MOD	2	2	2.57	0.78		

Table 2:5.6.3A.

The Survival of six types of Restorations placed in patients aged between 11 and 20 years at the time of treatment.

	N	OL	EL	RLR	Chi Square (df=1)	p
Occlusal	377	261	254.05	1.03	0.59	0.4439
Proximal	160	115	121.95	0.94		
Occlusal	377	261	241.65	1.08	7.34	0.0068
Buccal	100	50	69.35	0.72		
Occlusal	377	261	254.89	1.02	1.19	0.2763
Lingual	55	31	37.11	0.84		
Occlusal	377	261	234.08	1.12	7.54	0.0060
MO + DO	267	156	182.92	0.85		
Occlusal	377	261	235.88	1.11	17.55	< 0.0001
MOD	62	21	46.12	0.46		
Proximal	160	115	103.03	1.12	3.64	0.0564
Buccal	100	50	61.97	0.81		
Proximal	160	115	112.58	1.02	0.20	0.6563
Lingual	55	31	33.42	0.93		
Proximal	160	115	102.68	1.12	2.48	0.1155
MO + DO	267	156	168.32	0.93		

Table 2:5.6.3A.

The Survival of six types of Restorations placed in patients aged
between 11 and 20 years at the time of treatment cont.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	160	115	97.75	1.18	11.45	0.0007
MOD	62	21	38.25	0.55		
Buccal	100	50	53.48	0.93	0.67	0.4143
Lingual	55	31	27.52	1.13		
Buccal	100	50	55.08	0.91	0.62	0.4328
MO + DO	267	156	150.92	1.03		
Buccal	100	50	42.31	1.18	3.48	0.0622
MOD	62	21	28.69	0.73		
Lingual	55	31	28.98	1.07	0.10	0.7511
MO + DO	267	156	158.02	0.99		
Lingual	55	31	22.20	1.40	6.03	0.0141
MOD	62	21	29.80	0.70		
MO + DO	267	156	142.14	1.10	6.86	0.0088
MOD	62	21	34.86	0.60		

Table 2:5.6.4A.

The Survival of six types of Restorations placed in patients aged between 21 and 30 years at the time of treatment.

	N	OL	EL	RLR	Chi Square (df=1)	p
Occlusal	135	68	91.44	0.74	11.70	0.0006
Proximal	171	120	96.56	1.24		
Occlusal	135	68	69.30	0.98	0.03	0.8578
Buccal	133	80	78.70	1.02		
Occlusal	135	68	66.53	1.02	0.16	0.6875
Lingual	27	12	13.47	0.89		
Occlusal	135	68	66.72	1.02	0.03	0.8590
MO + DO	280	142	143.28	0.99		
Occlusal	135	68	56.12	1.21	7.20	0.0073
MOD	88	22	33.88	0.65		
Proximal	171	120	95.26	1.26	13.24	0.0003
Buccal	133	80	104.74	0.76		
Proximal	171	120	110.87	1.08	4.95	0.0261
Lingual	27	12	21.13	0.57		
Proximal	171	120	86.45	1.39	21.08	< 0.0001
MO + DO	280	142	175.55	0.81		

Table 2:5.6.4A.

The Survival of six types of Restorations placed in patients aged
between 21 and 30 years at the time of treatment cont.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	171	120	91.40	1.31	27.51	< 0.0001
MOD	88	22	50.60	0.43		
Buccal	133	80	78.03	1.03	0.33	0.5671
Lingual	27	12	13.97	0.86		
Buccal	133	80	76.77	1.04	0.19	0.6641
MO + DO	280	142	145.23	0.98		
Buccal	133	80	67.71	1.18	7.18	0.0074
MOD	88	22	34.29	0.64		
Lingual	27	12	13.22	0.91	0.05	0.8314
MO + DO	280	142	140.78	1.01		
Lingual	27	12	8.86	1.35	1.36	0.2436
MOD	88	22	25.14	0.88		
MO + DO	280	142	129.21	1.10	5.97	0.0146
MOD	88	22	34.79	0.63		

Table 2:5.6.5A.

The Survival of six types of Restorations placed in patients aged between 31 and 40 years at the time of treatment.

	N	OL	EL	RLR	Chi Square (df=1)	p
Occlusal	124	70	109.92	0.64	23.92	< 0.0001
Proximal	263	209	169.08	1.24		
Occlusal	124	70	87.75	0.80	6.26	0.0124
Buccal	219	146	128.25	1.14		
Occlusal	124	70	74.70	0.94	1.55	0.2124
Lingual	36	22	17.30	1.27		
Occlusal	124	70	94.83	0.74	10.06	0.0015
MO + DO	335	235	210.17	1.12		
Occlusal	124	70	82.71	0.85	10.03	0.0015
MOD	55	35	22.29	1.57		
Proximal	263	209	181.58	1.15	8.90	0.0028
Buccal	219	146	173.42	0.84		
Proximal	263	209	201.15	1.04	2.44	0.1183
Lingual	36	22	29.85	0.74		
Proximal	263	209	185.69	1.13	5.41	0.0200
MO + DO	335	235	258.31	0.91		

Table 2:5.6.5A.

The Survival of six types of Restorations placed in patients aged
between 31 and 40 years at the time of treatment cont.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	263	209	210.82	0.99	0.11	0.7392
MOD	55	35	33.18	1.05		
Buccal	219	146	145.20	1.01	0.03	0.8570
Lingual	36	22	22.80	0.96		
Buccal	219	146	153.46	0.95	0.61	0.4359
MO + DO	335	235	227.54	1.03		
Buccal	219	146	155.10	0.94	3.88	0.0487
MOD	55	35	25.90	1.35		
Lingual	36	22	24.39	0.90	0.17	0.6762
MO + DO	335	235	232.61	1.01		
Lingual	36	22	26.97	0.82	1.76	0.1851
MOD	55	35	30.03	1.17		
MO + DO	335	235	241.45	0.97	1.63	0.2018
MOD	55	35	28.55	1.23		

Table 2:5.6.6A.

The Survival of six types of Restorations placed in patients aged between 41 and 50 years at the time of treatment.

	N	OL	EL	RLR	Chi Square (df=1)	p
Occlusal	85	49	85.79	0.57	21.44	< 0.0001
Proximal	336	276	239.21	1.15		
Occlusal	85	49	68.04	0.72	7.95	0.0048
Buccal	257	185	165.96	1.11		
Occlusal	85	49	54.09	0.91	1.51	0.2185
Lingual	46	30	24.91	1.20		
Occlusal	85	49	67.69	0.72	7.54	0.0060
MO + DO	299	208	189.31	1.10		
Occlusal	85	49	57.36	0.85	4.39	0.0361
MOD	55	34	25.64	1.33		
Proximal	336	276	246.21	1.12	8.26	0.0041
Buccal	257	185	214.79	0.86		
Proximal	336	276	262.57	1.05	5.19	0.0227
Lingual	46	30	43.43	0.69		
Proximal	336	276	238.92	1.16	12.40	0.0004
MO + DO	299	208	245.08	0.85		

Table 2:5.6.6A.

The Survival of six types of Restorations placed in patients aged
between 41 and 50 years at the time of treatment cont.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	336	276	269.43	1.02	1.31	0.2518
MOD	55	34	40.57	0.84		
Buccal	257	185	181.29	1.02	0.48	0.4865
Lingual	46	30	33.71	0.89		
Buccal	257	185	181.76	1.02	0.10	0.7522
MO + DO	299	208	211.24	0.98		
Buccal	257	185	186.70	0.99	0.09	0.7586
MOD	55	34	32.30	1.05		
Lingual	46	30	32.83	0.91	0.21	0.6484
MO + DO	299	208	205.17	1.01		
Lingual	46	30	32.84	0.91	0.47	0.4909
MOD	55	34	31.16	1.09		
MO + DO	299	208	211.01	0.99	0.34	0.5626
MOD	55	34	30.99	1.10		

Table 2:5.6.7A.

The Survival of six types of Restorations placed in patients aged between 51 and 60 years at the time of treatment.

	N	OL	EL	RLR	Chi Square (df=1)	p
Occlusal	42	16	34.97	0.46	13.24	0.0003
Proximal	220	141	122.03	1.16		
Occlusal	42	16	27.85	0.57	7.10	0.0077
Buccal	166	95	83.15	1.14		
Occlusal	42	16	18.27	0.88	0.51	0.4770
Lingual	48	22	19.73	1.11		
Occlusal	42	16	23.71	0.67	3.74	0.0530
MO + DO	120	63	55.29	1.14		
Occlusal	42	16	18.82	0.85	0.96	0.3284
MOD	55	20	17.18	1.16		
Proximal	220	141	132.01	1.07	1.40	0.2375
Buccal	166	95	103.99	0.91		
Proximal	220	141	125.48	1.12	9.10	0.0026
Lingual	48	22	37.52	0.59		
Proximal	220	141	128.09	1.10	3.80	0.0512
MO + DO	120	63	75.91	0.83		

Table 2:5.6.7A.

The Survival of six types of Restorations placed in patients aged between 51 and 60 years at the time of treatment cont.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	220	141	127.62	1.10	7.42	0.0064
MOD	55	20	33.38	0.60		
Buccal	166	95	84.78	1.12	4.47	0.0344
Lingual	48	22	32.22	0.68		
Buccal	166	95	90.78	1.05	0.45	0.5016
MO + DO	120	63	67.22	0.94		
Buccal	166	95	85.98	1.10	3.95	0.0468
MOD	55	20	29.02	0.69		
Lingual	48	22	27.86	0.79	1.67	0.1962
MO + DO	120	63	57.14	1.10		
Lingual	48	22	22.70	0.97	0.02	0.8854
MOD	55	20	19.30	1.04		
MO + DO	120	63	57.28	1.10	1.84	0.1746
MOD	55	20	25.72	0.78		

Table 2:5.6.8A.

The Survival of six types of Restorations placed in patients aged 61 years and older at the time of treatment.

	N	OL	EL	RLR	Chi Square (df=1)	p
Occlusal	13	3	5.88	0.51	1.52	0.2174
Proximal	145	79	76.12	1.04		
Occlusal	13	3	4.54	0.66	0.48	0.4873
Buccal	82	29	27.46	1.06		
Occlusal	13	3	4.72	0.64	0.94	0.3335
Lingual	23	10	8.28	1.21		
Occlusal	13	3	5.48	0.55	1.51	0.2194
MO + DO	48	22	19.52	1.13		
Occlusal	13	3	3.83	0.78	0.24	0.6269
MOD	23	8	7.17	1.12		
Proximal	145	79	73.67	1.07	1.14	0.2848
Buccal	82	29	34.33	0.84		
Proximal	145	79	80.05	0.99	0.09	0.7591
Lingual	23	10	8.95	1.12		
Proximal	145	79	78.11	1.01	0.03	0.8528
MO + DO	48	22	22.89	0.96		

Table 2:5.6.8A.

The Survival of six types of Restorations placed in patients aged
61 years and older at the time of treatment cont.

	N	OL	EL	RLR	Chi Square (df=1)	p
Proximal	145	79	76.43	1.03	0.75	0.3861
MOD	23	8	10.57	0.76		
Buccal	82	29	30.71	0.94	0.45	0.5033
Lingual	23	10	8.29	1.21		
Buccal	82	29	30.99	0.94	0.28	0.5949
MO + DO	48	22	20.01	1.10		
Buccal	82	29	28.30	1.02	0.05	0.8248
MOD	23	8	8.70	0.92		
Lingual	23	10	8.96	1.12	0.05	0.8158
MO + DO	48	22	23.04	0.95		
Lingual	23	10	8.67	1.15	0.32	0.5707
MOD	23	8	9.33	0.86		
MO + DO	48	22	20.84	1.06	0.21	0.6456
MOD	23	8	9.16	0.87		

CHAPTER 6

PART 1.

Table 2:6.2.1.The Durability of six types of Dental Restorations.

	N	OR	ER	RRR
Occlusal	898	171	329.89	0.52
Proximal	1319	691	410.34	1.68
Buccal	977	385	338.52	1.14
Lingual	252	70	87.29	0.80
MO + DO	1382	361	502.22	0.72
MOD	340	96	105.73	0.91

Chi Square = 333.73, d.f. = 5, $p < 0.0001$

Table 2:6.4.2.The Durability of Restorations according to material. *

	N	OR	ER	RRR
Amalgam	3641	881	1287.44	0.68
Gold	87	43	29.38	1.46
Silicate	1286	767	413.89	1.85
Sevriton	424	193	153.93	1.25
Composite	163	16	15.35	1.04

Chi Square = 445.83, d.f. = 4, $p < 0.0001$

* includes Crowns and Other Surface Combination restorations

Table 2:6.4.3.The Durability of six types of Amalgam Restorations.

	N	OR	ER	RRR
Occlusal	866	161	210.79	0.76
Proximal	167	36	41.34	0.87
Buccal	497	167	110.62	1.51
Lingual	211	47	49.70	0.95
MO + DO	1253	295	306.53	0.96
MOD	311	78	65.01	1.20

Chi Square = 45.71, d.f. = 5, $p < 0.0001$

Table 2:6.4.4.The Durability of six types of Silicate Restorations.

	N	OR	ER	RRR
Incisal	14	4	9.64	0.41
Proximal	896	555	506.80	1.10
Buccal	280	152	202.48	0.75
Lingual	34	19	21.04	0.90
MI + DI	39	28	18.45	1.52
MID	3	2	1.59	1.26

Chi Square = 28.43, d.f. = 5, $p < 0.0001$

Table 2:6.5.2.

The Durability of six types of Restorations in Maxillary Incisors and Canines.

	N	OR	ER	RRR
Incisal	14	6	5.19	1.16
Proximal	1027	607	573.66	1.06
Buccal	192	86	126.36	0.68
Lingual	85	36	49.63	0.73
MI + DI	89	54	34.10	1.58
MID	6	3	3.06	0.98

Chi Square = 33.21, d.f. = 5, $p < 0.0001$

Table 2:6.5.3.

The Durability of six types of Restorations in Mandibular Incisors and Canines.

	N	OR	ER	RRR
Incisal	12	3	4.61	0.65
Proximal	158	57	61.91	0.92
Buccal	69	27	25.18	1.07
Lingual	8	4	1.16	3.44
MI + DI	8	1	2.48	0.40
MID	5	4	0.66	6.06

Chi Square = 27.24, d.f. = 5, $p = 0.0001$

Table 2:6.5.4.The Durability of six types of Restorations in Maxillary Premolars.

	N	OR	ER	RRR
Occlusal	72	11	22.76	0.48
Proximal	40	12	9.01	1.33
Buccal	106	49	28.99	1.69
Lingual	22	8	6.26	1.28
MO + DO	323	83	100.25	0.83
MOD	148	46	41.73	1.10

Chi Square = 25.77, d.f. = 5, p = 0.0001

Table 2:6.5.5.The Durability of six types of Restorations in Mandibular Premolars.

	N	OR	ER	RRR
Occlusal	82	17	22.62	0.75
Proximal	22	4	7.34	0.55
Buccal	216	88	62.83	1.40
Lingual	5	0	1.39	0.00
MO + DO	231	56	70.95	0.79
MOD	78	20	19.88	1.01

Chi Square = 18.19, d.f. = 5, p = 0.0027

Table 2:6.5.6.The Durability of six types of Restorations in Maxillary Molars.

	N	OR	ER	RRR
Occlusal	363	51	64.44	0.79
Proximal	36	6	5.74	1.05
Buccal	74	14	13.66	1.03
Lingual	93	16	15.79	1.01
MO + DO	386	83	71.59	1.16
MOD	51	8	6.79	1.18

Chi Square = 4.95, d.f. = 5, p = 0.4223

Table 2:6.5.7.The Durability of six types of Restorations in Mandibular Molars.

	N	OR	ER	RRR
Occlusal	355	83	96.87	0.86
Proximal	36	5	12.98	0.39
Buccal	320	121	87.90	1.38
Lingual	39	6	11.79	0.51
MO + DO	345	84	92.17	0.91
MOD	52	15	12.29	1.22

Chi Square = 24.43, d.f. = 5, p = 0.0002

Table 2:6.6.2.

The Durability of six types of Restorations placed in patients aged 10 years and younger at the time of treatment.

	N	OR	ER	RRR
Occlusal	122	37	33.32	1.11
Proximal	24	18	8.77	2.05
Buccal	20	4	6.48	0.62
Lingual	17	3	8.08	0.37
MO + DO	33	7	12.67	0.55
MOD	2	1	0.68	1.47

Chi Square = 17.93, d.f. = 5, p = 0.0030

Table 2:6.6.3.

The Durability of six types of Restorations placed in patients aged between 11 and 20 years at the time of treatment.

	N	OR	ER	RRR
Occlusal	377	64	107.03	0.60
Proximal	160	108	51.24	2.11
Buccal	100	36	30.90	1.17
Lingual	55	21	15.43	1.36
MO + DO	267	64	83.74	0.76
MOD	62	16	20.67	0.77

Chi Square = 91.92, d.f. = 5, p < 0.0001

Table 2:6.6.4.

The Durability of six types of Restorations placed in patients aged between 21 and 30 years at the time of treatment.

	N	OR	ER	RRR
Occlusal	135	19	43.33	0.44
Proximal	171	103	46.13	2.23
Buccal	133	57	48.74	1.17
Lingual	27	7	8.70	0.80
MO + DO	280	64	92.60	0.69
MOD	88	16	26.50	0.60

Chi Square = 103.04, d.f. = 5, $p < 0.0001$

Table 2:6.6.5.

The Durability of six types of Restorations placed in patients aged between 31 and 40 years at the time of treatment.

	N	OR	ER	RRR
Occlusal	124	18	62.70	0.29
Proximal	263	158	100.86	1.57
Buccal	219	111	93.79	1.18
Lingual	36	9	14.68	0.61
MO + DO	335	107	138.50	0.77
MOD	55	24	16.47	1.46

Chi Square = 84.59, d.f. = 5, $p < 0.0001$

Table 2:6.6.6.

The Durability of six types of Restorations placed in patients aged between 41 and 50 years at the time of treatment.

	N	OR	ER	RRR
Occlusal	85	21	41.51	0.51
Proximal	336	169	119.46	1.41
Buccal	257	112	102.90	1.09
Lingual	46	15	19.09	0.79
MO + DO	299	80	120.69	0.66
MOD	55	25	18.34	1.36

Chi Square = 51.09, d.f. = 5, $p < 0.0001$

Table 2:6.6.7.

The Durability of six types of Restorations placed in patients aged between 51 and 60 years at the time of treatment.

	N	OR	ER	RRR
Occlusal	42	10	16.72	0.60
Proximal	220	96	65.03	1.48
Buccal	166	51	51.29	0.99
Lingual	48	10	18.79	0.53
MO + DO	120	30	37.96	0.79
MOD	55	10	17.20	0.58

Chi Square = 27.78, d.f. = 5, $p < 0.0001$

Table 2:6.6.8.

The Durability of six types of Restorations placed in patients aged 61 years and older at the time of treatment.

	N	OR	ER	RRR
Occlusal	13	2	2.89	0.69
Proximal	145	39	34.63	1.13
Buccal	82	14	16.40	0.85
Lingual	23	5	3.96	1.26
MO + DO	48	9	10.30	0.87
MOD	23	4	4.82	0.83

Chi Square = 1.87, d.f. = 5, p = 0.8671

Table 2:6.6.9.

The Durability of Occlusal Restorations according to the age of the patient at the time of treatment.

Age (years)	N	OR	ER	RRR
10 and younger	122	37	17.67	2.09
11 - 20	377	64	71.48	0.90
21 - 30	135	19	22.94	0.83
31 - 40	124	18	30.50	0.59
41 - 50	85	21	19.69	1.07
51 - 60	42	10	7.48	1.34
61 and older	13	2	1.24	1.61

Chi Square Overall = 30.43, d.f. = 6, $p < 0.0001$

Chi Square Trend = 2.77, d.f. = 1, $p = 0.0961$

Table 2:6.6.10.

The Durability of Proximal Restorations according to the age of the patient at the time of treatment.

Age (years)	N	OR	ER	RRR
10 and younger	24	18	13.65	1.32
11 - 20	160	108	111.54	0.97
21 - 30	171	103	77.42	1.33
31 - 40	263	158	169.34	0.93
41 - 50	336	169	190.00	0.89
51 - 60	220	96	89.16	1.08
61 and older	145	39	39.89	0.98

Chi Square Overall = 14.70, d.f. = 6, $p = 0.0227$

Chi Square Trend = 1.21, d.f. = 1, $p = 0.2703$

Table 2:6.6.11.

The Durability of Buccal Restorations according to the age of the patient at the time of treatment.

Age (years)	N	OR	ER	RRR
10 and younger	20	4	6.91	0.58
11 - 20	100	36	45.28	0.80
21 - 30	133	57	55.49	1.03
31 - 40	219	111	105.90	1.05
41 - 50	257	112	110.40	1.01
51 - 60	166	51	48.38	1.05
61 and older	82	14	12.63	1.11

Chi Square Overall = 3.93, d.f. = 6, p = 0.6858

Chi Square Trend = 1.99, d.f. = 1, p = 0.1585

Table 2:6.6.12.

The Durability of Lingual Restorations according to the age of the patient at the time of treatment.

Age (years)	N	OR	ER	RRR
10 and younger	17	3	5.14	0.58
11 - 20	55	21	16.17	1.30
21 - 30	27	7	7.17	0.98
31 - 40	36	9	10.85	0.83
41 - 50	46	15	14.19	1.06
51 - 60	48	10	13.33	0.75
61 and older	23	5	3.16	1.58

Chi Square Overall = 4.84, d.f. = 6, p = 0.5644

Chi Square Trend = 0.04, d.f. = 1, p = 0.8395

Table 2:6.6.13.

The Durability of MO + DO Restorations according to the age of the patient at the time of treatment.

Age (years)	N	OR	ER	RRR
10 and younger	33	7	8.70	0.80
11 - 20	267	64	76.74	0.83
21 - 30	280	64	66.67	0.96
31 - 40	335	107	97.18	1.10
41 - 50	299	80	82.40	0.97
51 - 60	120	30	23.43	1.28
61 and older	48	9	5.87	1.53

Chi Square Overall = 7.39, d.f. = 6, p = 0.2866

Chi Square Trend = 4.42, d.f. = 1, p = 0.0355

Table 2:6.6.14.

The Durability of MOD Restorations according to the age of the patient at the time of treatment.

Age (years)	N	OR	ER	RRR
10 and younger	2	1	0.58	1.73
11 - 20	62	16	23.78	0.67
21 - 30	88	16	24.98	0.64
31 - 40	55	24	14.99	1.60
41 - 50	55	25	15.83	1.58
51 - 60	55	10	12.45	0.80
61 and older	23	4	3.38	1.18

Chi Square Overall = 18.51, d.f. = 6, p = 0.0051

Chi Square Trend = 4.09, d.f. = 1, p = 0.0430

CHAPTER 6

PART 2.

Table 2:6.2.1A.The Durability of six types of Dental Restorations.

	N	OR	ER	RRR	Chi Square (df=1)	p
Occlusal	898	171	384.88	0.44	225.79	< 0.0001
Proximal	1319	691	477.11	1.45		
Occlusal	898	171	274.35	0.62	79.29	< 0.0001
Buccal	977	385	281.65	1.37		
Occlusal	898	171	190.13	0.90	9.21	0.0024
Lingual	252	70	50.87	1.38		
Occlusal	898	171	210.99	0.81	12.83	0.0003
MO + DO	1382	361	321.01	1.12		
Occlusal	898	171	200.29	0.85	18.42	< 0.0001
MOD	340	96	66.21	1.45		
Proximal	1319	691	586.59	1.18	43.28	< 0.0001
Buccal	977	385	489.40	0.79		
Proximal	1319	691	626.63	1.10	39.76	< 0.0001
Lingual	252	70	134.37	0.52		
Proximal	1319	691	472.36	1.46	193.71	< 0.0001
MO + DO	1382	361	579.63	0.62		

Table 2:6.2.1A.The Durability of six types of Dental Restorations cont.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	1319	691	627.50	1.10	33.87	<0.0001
MOD	340	96	159.49	0.60		
Buccal	977	385	361.83	1.06	7.27	0.0070
Lingual	252	70	93.16	0.75		
Buccal	977	385	300.33	1.28	41.27	<0.0001
MO + DO	1382	361	445.67	0.81		
Buccal	977	385	367.52	1.05	3.68	0.0552
MOD	340	96	113.48	0.85		
Lingual	252	70	64.03	1.09	0.56	0.4526
MO + DO	1382	361	366.97	0.98		
Lingual	252	70	74.25	0.94	0.41	0.5206
MOD	340	96	91.75	1.05		
MO + DO	1382	361	376.77	0.96	3.68	0.0550
MOD	340	96	80.23	1.20		

Table 2:6.3A.

The Durability of six types of Dental Restorations according to the sex of the patient.

		N	OR	ER	RRR	Chi Square (df=1)	p
Occlusal	Male	374	71	68.17	1.04	0.14	0.7129
	Female	524	100	102.82	0.97		
Proximal	Male	392	199	204.36	0.97	0.18	0.6742
	Female	927	492	486.63	1.01		
Buccal	Male	311	113	118.32	0.96	0.30	0.5851
	Female	666	272	266.68	1.02		
Lingual	Male	83	27	21.06	1.28	2.10	0.1474
	Female	169	43	48.94	0.88		
MO + DO	Male	482	121	122.79	0.99	0.02	0.8839
	Female	900	240	238.21	1.01		
MOD	Male	144	31	42.79	0.72	5.67	0.0173
	Female	196	65	53.21	1.22		

Table 2:6.4.2A.The Durability of Restorations according to Material. *

	N	OR	ER	RRR	Chi Square (df=1)	p
Amalgam	3641	881	903.36	0.98	25.54	< 0.0001
Gold	87	43	20.64	2.08		
Amalgam	3641	881	1245.93	0.71	458.21	< 0.0001
Silicate	1286	767	402.07	1.91		
Amalgam	3641	881	959.03	0.92	61.35	< 0.0001
Sevriton	424	193	114.97	1.68		
Amalgam	3641	881	885.25	1.00	1.65	0.1996
Composite	163	16	11.74	1.36		
Gold	87	43	54.32	0.79	2.75	0.0974
Silicate	1286	767	755.67	1.01		
Gold	87	43	37.33	1.15	1.08	0.2979
Sevriton	424	193	198.67	0.97		
Gold	87	43	38.33	1.12	2.75	0.0975
Composite	163	16	20.67	0.77		
Silicate	1286	767	695.31	1.10	29.46	< 0.0001
Sevriton	424	193	264.69	0.73		

Table 2:6.4.2A.The Durability of Restorations according to Material cont.*

	N	OR	ER	RRR	Chi Square (df=1)	p
Silicate	1286	767	759.44	1.01	2.84	0.0919
Composite	163	16	23.55	0.68		
Sevriton	424	193	191.66	1.01	0.14	0.7069
Composite	163	16	17.34	0.92		

* includes Crowns and Other Surface Combination restorations

Table 2:6.4.3A.The Durability of six types of Amalgam Restorations.

	N	OR	ER	RRR	Chi Square (df=1)	p
Occlusal	866	161	164.78	0.98	0.54	0.4618
Proximal	167	36	32.22	1.12		
Occlusal	866	161	214.92	0.75	40.50	< 0.0001
Buccal	497	167	113.08	1.48		
Occlusal	866	161	168.20	0.96	1.65	0.1994
Lingual	211	47	39.80	1.18		
Occlusal	866	161	185.81	0.87	5.73	0.0167
MO + DO	1253	295	270.19	1.09		
Occlusal	866	161	182.78	0.88	11.48	0.0007
MOD	311	78	56.22	1.39		
Proximal	167	36	54.76	0.66	9.18	0.0025
Buccal	497	167	148.24	1.13		
Proximal	167	36	37.39	0.96	0.10	0.7566
Lingual	211	47	45.61	1.03		
Proximal	167	36	39.49	0.91	0.36	0.5490
MO + DO	1253	295	291.51	1.01		

Table 2:6.4.3A.The Durability of six types of Amalgam Restorations cont.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	167	36	44.99	0.80	3.17	0.0752
MOD	311	78	69.01	1.13		
Buccal	497	167	147.86	1.13	8.35	0.0038
Lingual	211	47	66.14	0.71		
Buccal	497	167	122.41	1.36	22.85	< 0.0001
MO + DO	1253	295	339.59	0.87		
Buccal	497	167	153.82	1.09	3.20	0.0736
MOD	311	78	91.18	0.86		
Lingual	211	47	47.64	0.99	0.01	0.9203
MO + DO	1253	295	294.36	1.00		
Lingual	211	47	54.65	0.86	1.90	0.1681
MOD	311	78	70.35	1.11		
MO + DO	1253	295	308.77	0.96	3.72	0.0539
MOD	311	78	64.23	1.21		

Table 2:6.4.4A.The Durability of four types of Silicate Restorations.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	896	555	503.87	1.10	20.00	< 0.0001
Buccal	280	152	203.12	0.75		
Proximal	896	555	550.99	1.01	0.80	0.3710
Lingual	34	19	23.01	0.83		
Proximal	896	555	562.40	0.99	3.02	0.0824
MI + DI	39	28	20.60	1.36		
Buccal	280	152	154.99	0.98	0.66	0.4176
Lingual	34	19	16.01	1.19		
Buccal	280	152	165.32	0.92	14.21	0.0002
MI + DI	39	28	14.68	1.91		
Lingual	34	19	24.52	0.77	2.60	0.1069
MI + DI	39	28	22.48	1.25		

Table 2:6.4.5A.The Durability of three types of Sevriton Restorations.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	161	90	76.54	1.18	4.83	0.0280
Buccal	141	60	73.46	0.82		
Proximal	161	90	92.83	0.97	0.48	0.4884
MI + DI	61	23	20.17	1.14		
Buccal	141	60	67.21	0.89	4.07	0.0437
MI + DI	61	23	15.79	1.46		

Table 2:6.4.6A.The Durability of Proximal Restorations according to material.

	N	OR	ER	RRR	Chi Square (df=1)	p
Amalgam	167	36	112.33	0.32	70.56	< 0.0001
Silicate	896	555	478.67	1.16		
Amalgam	167	36	62.41	0.58	23.13	< 0.0001
Sevriton	161	90	63.59	1.42		
Silicate	896	555	519.69	1.07	12.35	0.0004
Sevriton	161	90	125.31	0.72		

Table 2:6.4.7A.The Durability of Buccal Restorations according to material.

	N	OR	ER	RRR	Chi Square (df=1)	p
Amalgam	497	167	193.45	0.86	9.71	0.0018
Silicate	280	152	125.55	1.21		
Amalgam	497	167	167.98	0.99	0.01	0.9398
Sevriton	141	60	59.02	1.02		
Silicate	280	152	135.65	1.12	5.54	0.0186
Sevriton	141	60	76.35	0.79		

Table 2:6.4.8A.The Durability of Lingual Restorations according to material.

	N	OR	ER	RRR	Chi Square (df=1)	p
Amalgam	211	47	57.16	0.82	14.03	0.0002
Silicate	34	19	8.84	2.15		

Table 2:6.4.9A.The Durability of MO + DO Restorations according to material.

	N	OR	ER	RRR	Chi Square (df=1)	p
Amalgam	1253	295	302.75	0.97	8.73	0.0031
Gold	27	15	7.24	2.07		
Amalgam	1253	295	308.34	0.96	18.99	< 0.0001
Sevriton (MI + DI)	61	23	9.66	2.38		
Gold	27	15	16.16	0.93	0.14	0.7083
Sevriton (MI + DI)	61	23	21.84	1.05		

Table 2:6.4.10A.The Durability of MOD Restorations according to material.

	N	OR	ER	RRR	Chi Square (df=1)	p
Amalgam	311	78	84.23	0.93	6.67	0.0098
Gold	21	13	6.77	1.92		

Table 2:6.5.2A.

The Durability of six types of Restorations in Maxillary Incisors and Canines.

	N	OR	ER	RRR	Chi Square (df=1)	p
Incisal	14	6	5.46	1.10	0.00	0.9882
Proximal	1027	607	607.54	1.00		
Incisal	14	6	3.50	1.71	1.59	0.2072
Buccal	192	86	88.50	0.97		
Incisal	14	6	4.88	1.23	0.35	0.5534
Lingual	85	36	37.32	0.96		
Incisal	14	6	7.77	0.77	0.46	0.4981
MI + DI	89	54	52.23	1.03		
Incisal	14	6	5.98	1.00	0.00	0.9539
MID	6	3	3.02	0.99		
Proximal	1027	607	567.24	1.07	16.41	0.0001
Buccal	192	86	125.76	0.68		
Proximal	1027	607	567.65	1.07	5.26	0.0219
Lingual	85	36	51.35	0.70		
Proximal	1027	607	624.16	0.97	9.10	0.0026
MI + DI	89	54	36.84	1.47		

Table 2:6.5.2A.

The Durability of six types of Restorations in Maxillary Incisors
and Canines cont.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	1027	607	606.82	1.00	0.00	0.9758
MID	6	3	3.18	0.94		
Buccal	192	86	87.48	0.98	0.04	0.8391
Lingual	85	36	34.52	1.04		
Buccal	192	86	109.44	0.79	24.88	< 0.0001
MI + DI	89	54	30.55	1.77		
Buccal	192	86	86.91	0.99	0.28	0.5938
MID	6	3	2.09	1.43		
Lingual	85	36	50.92	0.71	10.62	0.0011
MI + DI	89	54	39.08	1.38		
Lingual	85	36	36.50	0.99	0.03	0.8669
MID	6	3	2.50	1.20		
MI + DI	89	54	52.29	1.03	0.39	0.5312
MID	6	3	4.71	0.64		

Table 2:6.5.3A.

The Durability of six types of Restorations in Mandibular Incisors and Canines.

	N	OR	ER	RRR	Chi Square (df=1)	p
Incisal	12	3	4.09	0.73	0.10	0.7550
Proximal	158	57	55.91	1.02		
Incisal	12	3	4.68	0.64	0.56	0.4552
Buccal	69	27	25.32	1.07		
Incisal	12	3	4.99	0.60	2.47	0.1159
Lingual	8	4	2.01	1.99		
Incisal	12	3	2.38	1.26	0.27	0.6017
MI + DI	8	1	1.62	0.62		
Incisal	12	3	5.17	0.58	4.48	0.0343
MID	5	4	1.82	2.19		
Proximal	158	57	59.88	0.95	0.35	0.5562
Buccal	69	27	24.12	1.12		
Proximal	158	57	59.81	0.95	5.91	0.0150
Lingual	8	4	1.19	3.36		
Proximal	158	57	55.75	1.02	0.56	0.4524
MI + DI	8	1	2.25	0.44		

Table 2:6.5.3A.

The Durability of six types of Restorations in Mandibular Incisors
and Canines cont.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	158	57	60.28	0.95	14.91	0.0001
MID	5	4	0.72	5.56		
Buccal	69	27	29.84	0.90	5.23	0.0222
Lingual	8	4	1.16	3.45		
Buccal	69	27	25.63	1.05	0.62	0.4327
MI + DI	8	1	2.37	0.42		
Buccal	69	27	30.29	0.89	15.54	0.0001
MID	5	4	0.71	5.63		
Lingual	8	4	1.82	2.20	2.67	0.1023
MI + DI	8	1	3.18	0.31		
Lingual	8	4	5.00	0.80	0.36	0.5466
MID	5	4	3.00	1.33		
MI + DI	8	1	3.31	0.30	3.38	0.0661
MID	5	4	1.69	2.37		

Table 2:6.5.4A.

The Durability of six types of Restorations in Maxillary
Premolars.

	N	OR	ER	RRR	Chi Square (df=1)	p
Occlusal	72	11	16.48	0.67	5.46	0.0195
Proximal	40	12	6.52	1.84		
Occlusal	72	11	26.57	0.41	16.62	<0.0001
Buccal	106	49	33.43	1.47		
Occlusal	72	11	14.70	0.75	3.88	0.0488
Lingual	22	8	4.30	1.86		
Occlusal	72	11	17.32	0.64	2.80	0.0941
MO + DO	323	83	76.68	1.08		
Occlusal	72	11	19.99	0.55	6.34	0.0118
MOD	148	46	37.00	1.24		
Proximal	40	12	14.04	0.85	0.24	0.6267
Buccal	106	49	46.96	1.04		
Proximal	40	12	11.94	1.01	0.01	0.9314
Lingual	22	8	8.06	0.99		
Proximal	40	12	8.09	1.48	1.97	0.1605
MO + DO	323	83	86.91	0.95		

Table 2:6.5.4A.The Durability of six types of Restorations in MaxillaryPremolars cont.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	40	12	10.22	1.17	0.34	0.5598
MOD	148	46	47.78	0.96		
Buccal	106	49	47.13	1.04	0.25	0.6184
Lingual	22	8	9.87	0.81		
Buccal	106	49	29.53	1.66	16.79	< 0.0001
MO + DO	323	83	102.47	0.81		
Buccal	106	49	39.18	1.25	4.38	0.0364
MOD	148	46	55.82	0.82		
Lingual	22	8	5.42	1.48	0.88	0.3493
MO + DO	323	83	85.58	0.97		
Lingual	22	8	6.98	1.15	0.10	0.7499
MOD	148	46	47.02	0.98		
MO + DO	323	83	90.82	0.91	2.08	0.1497
MOD	148	46	38.18	1.20		

Table 2:6.5.5A.

The Durability of six types of Restorations in Mandibular
Premolars.

	N	OR	ER	RRR	Chi Square (df=1)	p
Occlusal	82	17	15.54	1.09	0.24	0.6256
Proximal	22	4	5.46	0.73		
Occlusal	82	17	27.10	0.63	5.08	0.0242
Buccal	216	88	77.90	1.13		
Occlusal	82	17	16.00	1.06	0.75	0.3860
Lingual	5	0	1.00	0.00		
Occlusal	82	17	18.37	0.93	0.12	0.7327
MO + DO	231	56	54.63	1.03		
Occlusal	82	17	19.66	0.86	0.73	0.3913
MOD	78	20	17.34	1.15		
Proximal	22	4	9.61	0.42	3.17	0.0748
Buccal	216	88	82.39	1.07		
Proximal	22	4	3.39	1.18	0.26	0.6134
Lingual	5	0	0.61	0.00		
Proximal	22	4	5.67	0.71	0.46	0.4995
MO + DO	231	56	54.33	1.03		

Table 2:6.5.5A.The Durability of six types of Restorations in MandibularPremolars cont.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	22	4	6.65	0.60	1.44	0.2309
MOD	78	20	17.35	1.15		
Buccal	216	88	86.16	1.02	1.04	0.3077
Lingual	5	0	1.84	0.00		
Buccal	216	88	67.66	1.30	11.68	0.0006
MO + DO	231	56	76.34	0.73		
Buccal	216	88	83.24	1.06	1.19	0.2743
MOD	78	20	24.76	0.81		
Lingual	5	0	1.14	0.00	0.38	0.5368
MO + DO	231	56	54.86	1.02		
Lingual	5	0	1.34	0.00	1.00	0.3182
MOD	78	20	18.66	1.07		
MO + DO	231	56	57.78	0.97	0.12	0.7249
MOD	78	20	18.22	1.10		

Table 2:6.5.6A.The Durability of six types of Restorations in Maxillary Molars.

	N	OR	ER	RRR	Chi Square (df=1)	p
Occlusal	363	51	52.26	0.98	0.13	0.7147
Proximal	36	6	4.74	1.26		
Occlusal	363	51	53.94	0.95	0.80	0.3701
Buccal	74	14	11.06	1.27		
Occlusal	363	51	53.72	0.95	0.62	0.4304
Lingual	93	16	13.28	1.20		
Occlusal	363	51	63.48	0.80	4.65	0.0310
MO + DO	386	83	70.51	1.18		
Occlusal	363	51	53.05	0.96	0.73	0.3934
MOD	51	8	5.95	1.34		
Proximal	36	6	6.08	0.99	0.04	0.8373
Buccal	74	14	13.92	1.01		
Proximal	36	6	5.66	1.06	0.00	0.9656
Lingual	93	16	16.34	0.98		
Proximal	36	6	6.64	0.90	0.04	0.8468
MO + DO	386	83	82.36	1.01		

Table 2:6.5.6A.

The Durability of six types of Restorations in Maxillary Molars
cont.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	36	6	5.97	1.00	0.00	0.9579
MOD	51	8	8.03	1.00		
Buccal	74	14	13.67	1.02	0.00	0.9485
Lingual	93	16	16.33	0.98		
Buccal	74	14	15.82	0.89	0.19	0.6634
MO + DO	386	83	81.18	1.02		
Buccal	74	14	13.99	1.00	0.00	0.9441
MOD	51	8	8.01	1.00		
Lingual	93	16	17.68	0.90	0.10	0.7540
MO + DO	386	83	81.32	1.02		
Lingual	93	16	16.68	0.96	0.04	0.8458
MOD	51	8	7.32	1.09		
MO + DO	386	83	83.65	0.99	0.00	0.9533
MOD	51	8	7.35	1.09		

Table 2:6.5.7A.The Durability of six types of Restorations in Mandibular Molars.

	N	OR	ER	RRR	Chi Square (df=1)	p
Occlusal	355	83	77.72	1.07	2.60	0.1066
Proximal	36	5	10.28	0.49		
Occlusal	355	83	106.81	0.78	11.38	0.0007
Buccal	320	121	97.19	1.25		
Occlusal	355	83	79.39	1.05	1.42	0.2327
Lingual	39	6	9.61	0.62		
Occlusal	355	83	85.63	0.97	0.15	0.6942
MO + DO	345	84	81.37	1.03		
Occlusal	355	83	87.04	0.95	1.68	0.1951
MOD	52	15	10.96	1.37		
Proximal	36	5	16.20	0.31	8.56	0.0034
Buccal	320	121	109.80	1.10		
Proximal	36	5	5.62	0.89	0.05	0.8237
Lingual	39	6	5.38	1.11		
Proximal	36	5	10.93	0.46	3.57	0.0588
MO + DO	345	84	78.07	1.08		

Table 2:6.5.7A.

The Durability of six types of Restorations in Mandibular Molars
cont.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	36	5	11.05	0.45	8.11	0.0044
MOD	52	15	8.95	1.68		
Buccal	320	121	112.08	1.08	5.67	0.0173
Lingual	39	6	14.92	0.40		
Buccal	320	121	100.16	1.21	8.64	0.0033
MO + DO	345	84	104.84	0.80		
Buccal	320	121	119.44	1.01	0.14	0.7050
MOD	52	15	16.56	0.91		
Lingual	39	6	10.15	0.59	1.52	0.2174
MO + DO	345	84	79.85	1.05		
Lingual	39	6	10.57	0.57	3.87	0.0491
MOD	52	15	10.43	1.44		
MO + DO	345	84	87.76	0.96	1.12	0.2896
MOD	52	15	11.24	1.33		

Table 2:6.5.8A.

The Durability of Occlusal Restorations according to the Type of
Tooth restored.

	N	OR	ER	RRR	Chi Square (df=1)	p
Incisors and Canines	26	9	3.77	2.39	6.23	0.0125
Premolars and Molars	872	162	167.23	0.97		
Maxillary Incisors and Canines	14	6	4.75	1.26	0.29	0.5913
Mandibular Incisors and Canines	12	3	4.25	0.71		
Maxillary Premolars	72	11	13.73	0.80	0.73	0.3923
Mandibular Premolars	82	17	14.27	1.19		
Maxillary Molars	363	57	72.34	0.79	13.37	0.0003
Mandibular Molars	355	83	61.66	1.35		
Maxillary Premolars	72	11	9.31	1.18	0.18	0.6706
Maxillary Molars	363	51	52.69	0.97		
Mandibular Premolars	82	17	18.80	0.90	0.11	0.7352
Mandibular Molars	355	83	81.20	1.02		
Maxillary Premolars	72	11	16.57	0.66	2.27	0.1319
Mandibular Molars	355	83	77.43	1.07		
Maxillary Molars	363	51	56.84	0.90	3.66	0.0557
Mandibular Premolars	82	17	11.17	1.52		

Table 2:6.5.9A.

The Durability of Proximal Restorations according to the Type of
Tooth restored.

	N	OR	ER	RRR	Chi Square (df=1)	p
Incisors and Canines	1185	664	604.84	1.10	49.62	< 0.0001
Premolars and Molars	134	27	86.16	0.31		
Maxillary Incisors and Canines	1027	607	561.49	1.08	25.55	< 0.0001
Mandibular Incisors and Canines	158	57	102.51	0.56		
Maxillary Premolars	40	12	8.29	1.45	2.74	0.0980
Mandibular Premolars	22	4	7.71	0.52		
Maxillary Molars	36	6	4.89	1.23	0.14	0.7074
Mandibular Molars	36	5	6.11	0.82		
Maxillary Premolars	40	12	8.23	1.46	2.48	0.1152
Maxillary Molars	36	6	9.77	0.61		
Mandibular Premolars	22	4	3.32	1.20	0.02	0.9025
Mandibular Molars	36	5	5.68	0.88		
Maxillary Premolars	40	12	6.39	1.88	7.89	0.0050
Mandibular Molars	36	5	10.61	0.47		
Maxillary Molars	36	6	5.96	1.01	0.00	0.9789
Mandibular Premolars	22	4	4.04	0.99		

Table 2:6.5.10A.

The Durability of Buccal Restorations according to the Type of
Tooth restored.

	N	OR	ER	RRR	Chi Square (df=1)	p
Incisors and Canines	261	113	99.87	1.13	2.27	0.1322
Premolars and Molars	716	272	285.12	0.95		
Maxillary Incisors and Canines	192	86	85.28	1.01	0.00	0.9607
Mandibular Incisors and Canines	69	27	27.72	0.97		
Maxillary Premolars	106	49	40.35	1.21	2.46	0.1169
Mandibular Premolars	216	88	96.64	0.91		
Maxillary Molars	74	14	28.47	0.49	9.17	0.0025
Mandibular Molars	320	121	106.52	1.14		
Maxillary Premolars	106	49	32.52	1.51	17.15	< 0.0001
Maxillary Molars	74	14	30.48	0.46		
Mandibular Premolars	216	88	85.54	1.03	0.08	0.7768
Mandibular Molars	320	121	123.46	0.98		
Maxillary Premolars	106	49	38.53	1.27	3.68	0.0551
Mandibular Molars	320	121	131.47	0.92		
Maxillary Molars	74	14	29.02	0.48	10.87	0.0010
Mandibular Premolars	216	88	72.98	1.21		

Table 2:6.5.11A.

The Durability of Lingual Restorations according to the Type of
Tooth restored.

	N	OR	ER	RRR	Chi Square (df=1)	p
Incisors and Canines	93	40	22.80	1.75	18.99	< 0.0001
Premolars and Molars	159	30	47.20	0.64		
Maxillary Incisors and Canines	85	36	38.06	0.95	1.44	0.2302
Mandibular Incisors and Canines	8	4	1.94	2.06		
Maxillary Premolars	22	8	6.50	1.23	0.86	0.3542
Mandibular Premolars	5	0	1.50	0.00		
Maxillary Molars	93	16	15.42	1.04	0.00	0.9715
Mandibular Molars	39	6	6.58	0.91		
Maxillary Premolars	22	8	4.11	1.95	3.47	0.0624
Maxillary Molars	93	16	19.89	0.80		
Mandibular Premolars	5	0	0.64	0.00	0.04	0.8506
Mandibular Molars	39	6	5.36	1.12		
Maxillary Premolars	22	8	4.88	1.64	3.06	0.0797
Mandibular Molars	39	6	9.12	0.66		
Maxillary Molars	93	16	15.26	1.05	0.78	0.3802
Mandibular Premolars	5	0	0.74	0.00		

Table 2:6.5.12A.

The Durability of MO + DO Restorations according to the Type of
Tooth restored.

	N	OR	ER	RRR	Chi Square (df=1)	p
Incisors and Canines	97	55	15.76	3.49	103.63	< 0.0001
Premolars and Molars	1285	306	345.24	0.89		
Maxillary Incisors and Canines	89	54	49.17	1.10	4.13	0.0420
Mandibular Incisors and Canines	8	1	5.83	0.17		
Maxillary Premolars	323	83	79.27	1.05	0.32	0.5733
Mandibular Premolars	231	56	59.73	0.94		
Maxillary Molars	386	83	97.24	0.85	4.79	0.0287
Mandibular Molars	345	84	69.76	1.20		
Maxillary Premolars	323	83	68.06	1.22	5.35	0.0207
Maxillary Molars	386	83	97.94	0.85		
Mandibular Premolars	231	56	59.37	0.94	0.25	0.6178
Mandibular Molars	345	84	80.63	1.04		
Maxillary Premolars	323	83	82.53	1.01	0.00	0.9437
Mandibular Molars	345	84	84.47	0.99		
Maxillary Molars	386	83	89.99	0.92	1.54	0.2146
Mandibular Premolars	231	56	49.01	1.14		

Table 2:6.5.13A.

The Durability of MOD Restorations according to the Type of
Tooth restored.

	N	OR	ER	RRR	Chi Square (df=1)	p
Incisors and Canines	11	7	2.13	3.29	9.59	0.0020
Premolars and Molars	329	89	93.87	0.95		
Maxillary Incisors and Canines	6	3	4.35	0.69	0.67	0.4141
Mandibular Incisors and Canines	5	4	2.65	1.51		
Maxillary Premolars	148	46	44.13	1.04	0.13	0.7136
Mandibular Premolars	78	20	21.87	0.91		
Maxillary Molars	51	8	11.85	0.68	2.07	0.1506
Mandibular Molars	52	15	11.15	1.35		
Maxillary Premolars	148	46	40.75	1.13	2.35	0.1250
Maxillary Molars	51	8	13.25	0.60		
Mandibular Premolars	78	20	20.88	0.96	0.02	0.8926
Mandibular Molars	52	15	14.12	1.06		
Maxillary Premolars	148	46	46.97	0.98	0.09	0.7642
Mandibular Molars	52	15	14.03	1.07		
Maxillary Molars	51	8	10.91	0.73	1.27	0.2598
Mandibular Premolars	78	20	17.09	1.17		

Table 2:6.6.2A.

The Durability of six types of Restorations placed in patients aged 10 years and younger at the time of treatment.

	N	OR	ER	RRR	Chi Square (df=1)	p
Occlusal	122	37	42.87	0.86	3.51	0.0609
Proximal	24	18	12.13	1.48		
Occlusal	122	37	34.37	1.08	1.09	0.2954
Buccal	20	4	6.63	0.60		
Occlusal	122	37	32.92	1.12	2.88	0.0899
Lingual	17	3	7.08	0.42		
Occlusal	122	37	31.37	1.18	3.62	0.0570
MO + DO	33	7	12.63	0.55		
Occlusal	122	37	37.28	0.99	0.05	0.8248
MOD	2	1	0.72	1.39		
Proximal	24	18	13.11	1.37	4.00	0.0456
Buccal	20	4	8.89	0.45		
Proximal	24	18	11.52	1.56	8.18	0.0042
Lingual	17	3	9.48	0.32		
Proximal	24	18	10.71	1.68	9.19	0.0024
MO + DO	33	7	14.29	0.49		

Table 2:6.6.2A.

The Durability of six types of Restorations placed in patients aged 10 years and younger at the time of treatment cont.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	24	18	17.67	1.02	0.04	0.8468
MOD	2	1	1.33	0.75		
Buccal	20	4	3.35	1.19	0.01	0.9079
Lingual	17	3	3.65	0.82		
Buccal	20	4	3.71	1.08	0.00	0.9781
MO + DO	33	7	7.29	0.96		
Buccal	20	4	4.31	0.93	0.04	0.8486
MOD	2	1	0.69	1.46		
Lingual	17	3	3.73	0.80	0.02	0.8770
MO + DO	33	7	6.27	1.12		
Lingual	17	3	3.42	0.88	0.07	0.7987
MOD	2	1	0.58	1.72		
MO + DO	33	7	7.79	0.90	0.45	0.5038
MOD	2	1	0.21	4.76		

Table 2:6.6.3A.

The Durability of six types of Restorations placed in patients aged between 11 and 20 years at the time of treatment.

	N	OR	ER	RRR	Chi Square (df=1)	p
Occlusal	377	64	115.65	0.55	72.05	< 0.0001
Proximal	160	108	56.35	1.92		
Occlusal	377	64	77.84	0.82	11.02	0.0009
Buccal	100	36	22.16	1.62		
Occlusal	377	64	74.32	0.86	11.34	0.0008
Lingual	55	21	10.68	1.97		
Occlusal	377	64	71.92	0.89	1.98	0.1598
MO + DO	267	64	56.08	1.14		
Occlusal	377	64	66.83	0.96	0.69	0.4048
MOD	62	16	13.17	1.21		
Proximal	160	108	89.92	1.20	9.73	0.0018
Buccal	100	36	54.08	0.67		
Proximal	160	108	99.53	1.09	3.19	0.0739
Lingual	55	21	29.47	0.71		
Proximal	160	108	65.42	1.65	46.26	< 0.0001
MO + DO	267	64	106.57	0.60		

Table 2:6.6.3A.

The Durability of six types of Restorations placed in patients aged
between 11 and 20 years at the time of treatment cont.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	160	108	89.11	1.21	14.97	0.0001
MOD	62	16	34.89	0.46		
Buccal	100	36	37.68	0.96	0.12	0.7341
Lingual	55	21	19.32	1.09		
Buccal	100	36	26.88	1.34	4.13	0.0422
MO + DO	267	64	73.12	0.88		
Buccal	100	36	30.90	1.16	2.01	0.1559
MOD	62	16	21.10	0.76		
Lingual	55	21	13.35	1.57	4.67	0.0307
MO + DO	267	64	71.65	0.89		
Lingual	55	21	15.62	1.34	3.02	0.0823
MOD	62	16	21.38	0.75		
MO + DO	267	64	64.09	1.00	0.01	0.9080
MOD	62	16	15.91	1.01		

Table 2:6.6.4A.

The Durability of six types of Restorations placed in patients aged between 21 and 30 years at the time of treatment.

	N	OR	ER	RRR	Chi Square (df=1)	p
Occlusal	135	19	58.40	0.33	53.03	< 0.0001
Proximal	171	103	63.60	1.62		
Occlusal	135	19	35.41	0.54	14.33	0.0002
Buccal	133	57	40.59	1.40		
Occlusal	135	19	21.66	0.88	1.75	0.1856
Lingual	27	7	4.34	1.61		
Occlusal	135	19	26.66	0.71	3.23	0.0722
MO + DO	280	64	56.34	1.14		
Occlusal	135	19	21.49	0.88	0.72	0.3949
MOD	88	16	13.51	1.18		
Proximal	171	103	77.10	1.34	17.67	< 0.0001
Buccal	33	57	82.90	0.69		
Proximal	171	103	92.71	1.11	7.56	0.0060
Lingual	27	7	17.29	0.40		
Proximal	171	103	56.47	1.82	61.14	< 0.0001
MO + DO	280	64	110.53	0.58		

Table 2:6.6.4A.

The Durability of six types of Restorations placed in patients aged between 21 and 30 years at the time of treatment cont.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	171	103	76.15	1.35	28.36	< 0.0001
MOD	88	16	42.85	0.37		
Buccal	133	57	54.42	1.05	0.56	0.4548
Lingual	27	7	9.58	0.73		
Buccal	133	57	41.78	1.36	8.49	0.0036
MO + DO	280	64	79.22	0.81		
Buccal	133	57	48.44	1.18	4.71	0.0299
MOD	88	16	24.55	0.65		
Lingual	27	7	6.10	1.15	0.03	0.8647
MO + DO	280	64	64.90	0.99		
Lingual	27	7	5.45	1.28	0.42	0.5169
MOD	88	16	17.55	0.91		
MO + DO	280	64	62.43	1.03	0.09	0.7672
MOD	88	16	17.57	0.91		

Table 2:6.6.5A.

The Durability of six types of Restorations placed in patients aged between 31 and 40 years at the time of treatment.

	N	OR	ER	RRR	Chi Square (df=1)	p
Occlusal	124	18	67.98	0.26	63.21	< 0.0001
Proximal	263	158	108.02	1.46		
Occlusal	124	18	57.79	0.31	37.75	< 0.0001
Buccal	219	111	77.21	1.44		
Occlusal	124	18	21.69	0.83	3.00	0.0833
Lingual	36	9	5.31	1.70		
Occlusal	124	18	38.09	0.47	15.57	0.0001
MO + DO	335	107	86.91	1.23		
Occlusal	124	18	32.10	0.56	27.69	< 0.0001
MOD	55	24	9.90	2.42		
Proximal	263	158	138.24	1.14	5.91	0.0151
Buccal	219	111	130.76	0.85		
Proximal	263	158	145.53	1.09	8.60	0.0034
Lingual	36	9	21.47	0.42		
Proximal	263	158	111.39	1.42	35.31	< 0.0001
MO + DO	335	107	153.61	0.70		

Table 2:6.6.5A.

The Durability of six types of Restorations placed in patients aged between 31 and 40 years at the time of treatment cont.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	263	158	157.04	1.01	0.03	0.8520
MOD	55	24	24.96	0.96		
Buccal	219	111	103.63	1.07	3.49	0.0618
Lingual	36	9	16.37	0.55		
Buccal	219	111	88.00	1.26	10.25	0.0014
MO + DO	335	107	130.00	0.82		
Buccal	219	111	115.34	0.96	1.10	0.2946
MOD	55	24	19.66	1.22		
Lingual	36	9	10.97	0.82	0.22	0.6361
MO + DO	335	107	105.03	1.02		
Lingual	36	9	14.69	0.61	3.92	0.0476
MOD	55	24	18.31	1.31		
MO + DO	335	107	116.48	0.92	6.55	0.0105
MOD	55	24	14.52	1.65		

Table 2:6.6.6A.

The Durability of six types of Restorations placed in patients aged between 41 and 50 years at the time of treatment.

	N	OR	ER	RRR	Chi Square (df=1)	p
Occlusal	85	21	48.45	0.43	21.61	< 0.0001
Proximal	336	169	141.55	1.19		
Occlusal	85	21	38.11	0.55	11.02	0.0009
Buccal	257	112	94.89	1.18		
Occlusal	85	21	24.37	0.86	1.36	0.2444
Lingual	46	15	11.63	1.29		
Occlusal	85	21	25.18	0.83	0.90	0.3421
MO + DO	299	80	75.82	1.06		
Occlusal	85	21	30.82	0.68	10.21	0.0014
MOD	55	25	15.18	1.65		
Proximal	336	169	150.59	1.12	4.88	0.0272
Buccal	257	112	130.40	0.86		
Proximal	336	169	158.20	1.07	5.35	0.0207
Lingual	46	15	25.80	0.58		
Proximal	336	169	123.66	1.37	34.48	< 0.0001
MO + DO	299	80	125.34	0.64		

Table 2:6.6.6A.

The Durability of six types of Restorations placed in patients aged between 41 and 50 years at the time of treatment cont.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	336	169	168.46	1.00	0.01	0.9280
MOD	55	25	25.54	0.98		
Buccal	257	112	107.20	1.04	1.17	0.2800
Lingual	46	15	19.80	0.76		
Buccal	257	112	88.91	1.26	11.47	0.0007
MO + DO	299	80	103.05	0.78		
Buccal	257	112	116.68	0.96	1.25	0.2629
MOD	55	25	20.32	1.23		
Lingual	46	15	12.93	1.16	0.23	0.6341
MO + DO	299	80	82.07	0.97		
Lingual	46	15	20.54	0.73	3.04	0.0812
MOD	55	25	19.46	1.28		
MO + DO	299	80	90.90	0.88	9.23	0.0024
MOD	55	25	14.10	1.77		

Table 2:6.6.7A.

The Durability of six types of Restorations placed in patients aged between 51 and 60 years at the time of treatment.

	N	OR	ER	RRR	Chi Square (df=1)	p
Occlusal	42	10	21.72	0.46	7.85	0.0051
Proximal	220	96	84.28	1.14		
Occlusal	42	10	15.37	0.65	2.41	0.1203
Buccal	166	51	45.63	1.12		
Occlusal	42	10	9.39	1.06	0.04	0.8402
Lingual	48	10	10.61	0.94		
Occlusal	42	10	12.02	0.83	0.44	0.5052
MO + DO	120	30	27.98	1.07		
Occlusal	42	10	9.79	1.02	0.00	0.9609
MOD	55	10	10.21	0.98		
Proximal	220	96	82.10	1.17	5.33	0.0210
Buccal	166	51	64.90	0.79		
Proximal	220	96	82.20	1.17	10.73	0.0011
Lingual	48	10	23.80	0.42		
Proximal	220	96	79.50	1.21	9.72	0.0018
MO + DO	120	30	46.50	0.65		

Table 2:6.6.7A.

The Durability of six types of Restorations placed in patients aged between 51 and 60 years at the time of treatment cont.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	220	96	84.04	1.14	8.66	0.0032
MOD	55	10	21.96	0.46		
Buccal	166	51	44.37	1.15	3.26	0.0710
Lingual	48	10	16.62	0.60		
Buccal	166	51	46.48	1.10	0.97	0.3253
MO + DO	120	30	34.52	0.87		
Buccal	166	51	45.42	1.12	2.64	0.1041
MOD	55	10	15.58	0.64		
Lingual	48	10	13.06	0.77	0.78	0.3785
MO + DO	120	30	26.94	1.11		
Lingual	48	10	10.42	0.96	0.01	0.9376
MOD	55	10	9.58	1.04		
MO + DO	120	30	27.37	1.10	0.55	0.4597
MOD	55	10	12.63	0.79		

Table 2:6.6.8A.

The Durability of six types of Restorations placed in patients aged 61 years and older at the time of treatment.

	N	OR	ER	RRR	Chi Square (df=1)	p
Occlusal	13	2	2.95	0.68	0.08	0.7786
Proximal	145	39	38.05	1.02		
Occlusal	13	2	2.36	0.85	0.01	0.9363
Buccal	82	14	13.64	1.03		
Occlusal	13	2	2.54	0.79	0.10	0.7563
Lingual	23	5	4.46	1.12		
Occlusal	13	2	2.72	0.74	0.19	0.6651
MO + DO	48	9	8.28	1.09		
Occlusal	13	2	2.10	0.95	0.00	0.9983
MOD	23	4	3.90	1.03		
Proximal	145	39	36.10	1.08	0.54	0.4642
Buccal	82	14	16.90	0.83		
Proximal	145	39	39.66	0.98	0.05	0.8273
Lingual	23	5	4.34	1.15		
Proximal	145	39	36.99	1.05	0.43	0.5130
MO + DO	48	9	11.01	0.82		

Table 2:6.6.8A.

The Durability of six types of Restorations placed in patients aged 61 years and older at the time of treatment cont.

	N	OR	ER	RRR	Chi Square (df=1)	p
Proximal	145	39	37.85	1.03	0.25	0.6138
MOD	23	4	5.15	0.78		
Buccal	82	14	14.74	0.95	0.02	0.8906
Lingual	23	5	4.26	1.17		
Buccal	82	14	13.96	1.00	0.01	0.9270
MO + DO	48	9	9.04	1.00		
Buccal	82	14	13.69	1.02	0.01	0.9357
MOD	23	4	4.31	0.93		
Lingual	23	5	3.62	1.38	0.33	0.5674
MO + DO	48	9	10.38	0.87		
Lingual	23	5	4.40	1.14	0.06	0.8061
MOD	23	4	4.60	0.87		
MO + DO	48	9	9.32	0.97	0.01	0.9088
MOD	23	4	3.68	1.09		

SECTION C

LIFETABLES

PREFACE

Each lifetable has three parts. The first two columns headed T and N refer to the time at risk and the number of restorations at risk. The next four columns, headed All Fates, refer to the actual survival of restorations described in Chapter 5. The last four columns, headed Replacements Alone, refer to the latent durability of the restorations described in Chapter 6.

- p = lifetable estimate of proportion surviving.
- S.E. = standard error of the estimate.
- L = number of lost restorations (includes replacements, conversions and extractions).
- R = number of replaced restorations.
- C = number of restorations with censored survival times.

Lifetable 2:1.The Survival of Amalgam Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	3641	0.952	0.0036	176	70	0.975	0.0026	91	155
2	3395	0.877	0.0055	267	86	0.941	0.0040	119	234
3	3042	0.808	0.0066	238	88	0.910	0.0049	100	226
4	2716	0.735	0.0075	247	61	0.877	0.0057	99	209
5	2408	0.679	0.0080	184	62	0.845	0.0065	87	159
6	2162	0.628	0.0083	162	59	0.820	0.0070	64	157
7	1941	0.585	0.0085	132	73	0.795	0.0075	59	146
8	1736	0.547	0.0087	114	78	0.777	0.0078	39	153
9	1544	0.513	0.0088	96	89	0.759	0.0082	37	148
10	1359	0.482	0.0089	81	70	0.742	0.0086	30	121
11	1208	0.453	0.0090	74	69	0.724	0.0090	29	114
12	1065	0.425	0.0091	66	69	0.707	0.0094	25	110
13	930	0.396	0.0092	62	71	0.688	0.0099	25	108
14	797	0.372	0.0092	48	77	0.671	0.0104	20	105
15	672	0.353	0.0093	35	48	0.655	0.0109	16	67
16	589	0.331	0.0094	36	52	0.640	0.0113	13	75
17	501	0.317	0.0095	21	39	0.631	0.0117	7	53
18	441	0.296	0.0096	30	25	0.623	0.0120	6	49
19	386	0.288	0.0097	10	47	0.621	0.0121	1	56
20	329	0.277	0.0098	13	29	0.616	0.0124	3	39
21	287	0.266	0.0099	11	25	0.609	0.0128	3	33
22	251	0.252	0.0101	13	44	0.599	0.0135	4	53
23	194	0.241	0.0104	9	36	0.590	0.0143	3	42
24	149	0.231	0.0107	6	30	0.590	0.0143	0	36
25	113	0.221	0.0112	5	34	0.585	0.0151	1	38
26	74	0.221	0.0112	0	29	0.585	0.0151	0	29
27	45	0.206	0.0133	3	24	0.585	0.0151	0	27
28	18	0.195	0.0168	1	17	0.585	0.0151	0	18

Lifetable 2:2.The Survival of Gold Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	87	0.897	0.0327	9	1	0.920	0.0292	7	3
2	77	0.803	0.0428	8	1	0.824	0.0413	8	1
3	68	0.768	0.0455	3	1	0.812	0.0424	1	3
4	64	0.684	0.0504	7	0	0.748	0.0477	5	2
5	57	0.660	0.0514	2	1	0.722	0.0495	2	1
6	54	0.550	0.0544	9	1	0.629	0.0543	7	3
7	44	0.487	0.0549	5	4	0.586	0.0559	3	6
8	35	0.446	0.0552	3	2	0.569	0.0568	1	4
9	30	0.416	0.0554	2	3	0.550	0.0580	1	4
10	25	0.383	0.0558	2	0	0.506	0.0611	2	0
11	23	0.383	0.0558	0	1	0.506	0.0611	0	1
12	22	0.383	0.0558	0	2	0.506	0.0611	0	2
13	20	0.383	0.0558	0	0	0.506	0.0611	0	0
14	20	0.325	0.0564	3	1	0.455	0.0646	2	2
15	16	0.325	0.0564	0	0	0.455	0.0646	0	0
16	16	0.325	0.0564	0	2	0.455	0.0646	0	2
17	14	0.325	0.0564	0	1	0.455	0.0646	0	1
18	13	0.300	0.0573	1	0	0.420	0.0685	1	0
19	12	0.275	0.0578	1	2	0.385	0.0712	1	2
20	9	0.214	0.0589	2	0	0.343	0.0751	1	1
21	7	0.183	0.0579	1	0	0.294	0.0787	1	0
22	6	0.183	0.0579	0	1	0.294	0.0787	0	1
23	5	0.183	0.0579	0	1	0.294	0.0787	0	1
24	4	0.183	0.0579	0	1	0.294	0.0787	0	1
25	3	0.183	0.0579	0	2	0.294	0.0787	0	2
26	1	0.183	0.0579	0	2	0.294	0.0787	0	0
27	1	0.183	0.0579	0	1	0.294	0.0787	0	1

Lifetable 2:3.The Survival of Silicate Restorations.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	1286	0.927	0.0073	94	4	0.946	0.0063	69	29
2	1188	0.842	0.0102	109	7	0.881	0.0091	82	34
3	1072	0.758	0.0120	107	10	0.816	0.0110	79	38
4	955	0.672	0.0132	108	9	0.755	0.0123	72	45
5	838	0.597	0.0138	94	20	0.687	0.0135	75	39
6	724	0.527	0.0141	85	14	0.622	0.0143	69	30
7	625	0.476	0.0142	60	7	0.575	0.0148	47	20
8	558	0.416	0.0141	70	15	0.516	0.0152	57	28
9	473	0.366	0.0139	57	18	0.470	0.0154	42	33
10	398	0.323	0.0136	47	11	0.422	0.0155	41	17
11	340	0.285	0.0133	40	12	0.385	0.0156	30	22
12	288	0.259	0.0130	26	13	0.362	0.0156	17	22
13	249	0.232	0.0127	26	18	0.336	0.0157	18	26
14	205	0.204	0.0123	25	18	0.306	0.0157	18	25
15	162	0.186	0.0121	14	7	0.287	0.0159	10	11
16	141	0.164	0.0118	17	16	0.267	0.0160	10	23
17	108	0.153	0.0117	7	11	0.252	0.0162	6	12
18	90	0.140	0.0116	8	8	0.233	0.0166	7	9
19	74	0.126	0.0115	7	9	0.217	0.0169	5	11
20	58	0.118	0.0115	4	7	0.206	0.0172	3	8
21	47	0.115	0.0116	1	3	0.206	0.0172	0	4
22	43	0.112	0.0116	1	3	0.206	0.0172	0	4
23	39	0.101	0.0118	4	2	0.200	0.0175	1	5
24	33	0.089	0.0118	4	4	0.176	0.0192	4	4
25	25	0.071	0.0118	5	6	0.141	0.0208	5	6
26	14	0.071	0.0118	0	6	0.141	0.0208	0	6
27	8	0.071	0.0118	0	7	0.141	0.0208	0	7
28	1	0.071	0.0118	0	1	0.141	0.0208	0	1

Lifetable 2:4.The Survival of Sevriton Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	424	0.932	0.0123	29	10	0.953	0.0103	20	19
2	385	0.844	0.0177	36	15	0.903	0.0145	20	31
3	334	0.794	0.0200	20	17	0.876	0.0164	10	27
4	297	0.703	0.0230	34	2	0.814	0.0201	21	15
5	261	0.660	0.0240	16	5	0.780	0.0217	11	10
6	240	0.605	0.0249	20	2	0.725	0.0240	17	5
7	218	0.541	0.0256	23	3	0.678	0.0255	14	12
8	192	0.510	0.0258	11	3	0.650	0.0263	8	6
9	178	0.479	0.0259	11	0	0.628	0.0269	6	5
10	167	0.424	0.0258	19	3	0.590	0.0278	10	12
11	145	0.392	0.0256	11	1	0.566	0.0284	6	6
12	133	0.374	0.0254	6	2	0.549	0.0288	4	4
13	125	0.338	0.0250	12	1	0.509	0.0295	9	4
14	112	0.314	0.0246	8	0	0.482	0.0300	6	2
15	104	0.305	0.0245	3	1	0.473	0.0301	2	2
16	100	0.287	0.0241	6	1	0.449	0.0304	5	2
17	93	0.278	0.0239	3	3	0.435	0.0306	3	3
18	87	0.255	0.0234	7	0	0.415	0.0308	4	3
19	80	0.246	0.0232	3	0	0.399	0.0309	3	0
20	77	0.236	0.0230	3	3	0.384	0.0310	3	3
21	71	0.216	0.0224	6	14	0.362	0.0310	4	16
22	51	0.195	0.0221	5	10	0.334	0.0317	4	11
23	36	0.173	0.0222	4	9	0.315	0.0325	2	11
24	23	0.166	0.0224	1	16	0.301	0.0339	1	16
25	6	0.166	0.0224	0	5	0.301	0.0339	0	5
26	1	0.166	0.0224	0	0	0.301	0.0339	0	0
27	1	0.166	0.0224	0	1	0.301	0.0339	0	1

Lifetable 2:5.The Survival of Composite Restorations.

		ALL FATES				REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	163	0.957	0.0159	7	32	0.963	0.0147	6	33
2	124	0.903	0.0249	7	44	0.917	0.0233	6	45
3	73	0.854	0.0336	4	48	0.879	0.0308	3	49
4	21	0.813	0.0510	1	20	0.837	0.0503	1	20

Lifetable 2:6.The Survival of Occlusal Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	898	0.954	0.0070	41	7	0.980	0.0047	18	30
2	850	0.877	0.0110	69	13	0.945	0.0077	30	52
3	768	0.789	0.0137	77	7	0.924	0.0090	17	67
4	684	0.705	0.0154	73	9	0.895	0.0107	22	60
5	602	0.646	0.0162	50	12	0.874	0.0118	14	48
6	540	0.602	0.0166	37	12	0.861	0.0125	8	41
7	491	0.555	0.0170	38	11	0.840	0.0136	12	37
8	442	0.509	0.0172	37	8	0.821	0.0146	10	35
9	397	0.474	0.0173	27	13	0.802	0.0155	9	31
10	357	0.449	0.0173	19	16	0.800	0.0156	1	34
11	322	0.414	0.0173	25	18	0.790	0.0162	4	39
12	279	0.387	0.0173	18	15	0.776	0.0171	5	28
13	246	0.361	0.0173	17	18	0.757	0.0183	6	29
14	211	0.354	0.0173	4	20	0.750	0.0189	2	22
15	187	0.339	0.0173	8	17	0.738	0.0198	3	22
16	162	0.314	0.0175	12	10	0.724	0.0209	3	19
17	140	0.302	0.0176	5	8	0.719	0.0214	1	12
18	127	0.279	0.0177	10	6	0.702	0.0230	3	13
19	111	0.274	0.0178	2	8	0.702	0.0230	0	10
20	101	0.268	0.0178	2	12	0.695	0.0238	1	13
21	87	0.250	0.0181	6	9	0.687	0.0249	1	14
22	72	0.243	0.0183	2	14	0.687	0.0249	0	16
23	56	0.234	0.0186	2	9	0.675	0.0273	1	10
24	45	0.234	0.0186	0	11	0.675	0.0273	0	11
25	34	0.227	0.0193	1	11	0.675	0.0273	0	12
26	22	0.227	0.0193	0	9	0.675	0.0273	0	9
27	13	0.192	0.0280	2	5	0.675	0.0273	0	7
28	6	0.192	0.0280	0	6	0.675	0.0273	0	6

Lifetable 2:7.The Survival of Proximal Restorations.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	1319	0.928	0.0071	95	26	0.946	0.0062	71	50
2	1198	0.849	0.0099	102	33	0.885	0.0089	77	58
3	1063	0.769	0.0118	100	52	0.825	0.0107	72	80
4	911	0.682	0.0132	103	22	0.771	0.0121	60	65
5	786	0.614	0.0139	79	21	0.712	0.0133	60	40
6	686	0.545	0.0144	77	14	0.649	0.0144	61	30
7	595	0.492	0.0146	58	5	0.601	0.0151	44	19
8	532	0.442	0.0146	54	14	0.553	0.0155	42	26
9	464	0.392	0.0145	52	12	0.509	0.0159	37	27
10	400	0.344	0.0143	49	7	0.463	0.0162	36	20
11	344	0.300	0.0139	44	11	0.423	0.0164	30	25
12	289	0.276	0.0136	23	11	0.403	0.0165	14	20
13	255	0.250	0.0134	24	15	0.369	0.0166	21	18
14	216	0.225	0.0131	22	12	0.344	0.0167	15	19
15	182	0.210	0.0129	12	10	0.329	0.0168	8	14
16	160	0.186	0.0126	18	14	0.306	0.0170	11	21
17	128	0.182	0.0125	3	12	0.299	0.0171	3	12
18	113	0.159	0.0123	14	10	0.275	0.0175	9	15
19	89	0.145	0.0122	8	9	0.257	0.0179	6	11
20	72	0.135	0.0122	5	5	0.242	0.0182	4	6
21	62	0.126	0.0121	4	4	0.238	0.0184	1	7
22	54	0.115	0.0121	5	4	0.221	0.0190	4	5
23	45	0.102	0.0120	5	11	0.216	0.0192	1	15
24	29	0.098	0.0121	1	10	0.208	0.0199	1	10
25	18	0.077	0.0135	4	3	0.174	0.0247	3	4
26	11	0.077	0.0135	0	6	0.174	0.0247	0	6
27	5	0.077	0.0135	0	4	0.174	0.0247	0	4
28	1	0.077	0.0135	0	1	0.174	0.0247	0	1

Lifetable 2:8.The Survival of Buccal Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	977	0.954	0.0067	45	27	0.974	0.0051	25	47
2	905	0.875	0.0107	75	38	0.928	0.0084	43	70
3	792	0.816	0.0126	53	37	0.892	0.0103	31	59
4	702	0.741	0.0145	65	23	0.840	0.0125	41	47
5	614	0.678	0.0157	52	10	0.782	0.0145	42	20
6	552	0.624	0.0164	44	10	0.740	0.0156	30	24
7	498	0.571	0.0169	42	12	0.700	0.0166	27	27
8	444	0.516	0.0173	43	13	0.652	0.0176	30	26
9	388	0.483	0.0174	25	18	0.624	0.0181	17	26
10	345	0.441	0.0175	30	16	0.584	0.0188	22	24
11	299	0.423	0.0175	12	10	0.570	0.0191	7	15
12	277	0.397	0.0175	17	10	0.550	0.0195	10	17
13	250	0.364	0.0175	21	10	0.526	0.0199	11	20
14	219	0.332	0.0174	19	20	0.494	0.0205	13	26
15	180	0.316	0.0174	9	4	0.478	0.0209	6	7
16	167	0.302	0.0174	7	8	0.464	0.0213	5	10
17	152	0.286	0.0174	8	10	0.445	0.0217	6	12
18	134	0.276	0.0174	5	4	0.439	0.0219	2	7
19	125	0.267	0.0173	4	15	0.432	0.0221	2	17
20	106	0.259	0.0174	3	5	0.423	0.0224	2	6
21	98	0.251	0.0175	3	17	0.411	0.0229	3	17
22	78	0.242	0.0177	3	14	0.405	0.0232	1	16
23	61	0.222	0.0183	5	9	0.385	0.0248	3	11
24	47	0.198	0.0192	5	10	0.353	0.0276	4	11
25	32	0.180	0.0201	3	12	0.330	0.0299	2	13
26	17	0.180	0.0201	0	3	0.330	0.0299	0	3
27	14	0.167	0.0224	1	10	0.330	0.0299	0	11
28	3	0.111	0.0478	1	2	0.330	0.0299	0	3

Lifetable 2:9.The Survival of Lingual Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	252	0.940	0.0149	15	4	0.952	0.0134	12	7
2	233	0.852	0.0225	22	9	0.895	0.0195	14	17
3	202	0.797	0.0257	13	6	0.886	0.0203	2	17
4	183	0.723	0.0289	17	5	0.852	0.0232	7	15
5	161	0.691	0.0300	7	5	0.821	0.0257	6	6
6	149	0.613	0.0321	17	7	0.766	0.0293	10	14
7	125	0.593	0.0325	4	6	0.759	0.0297	1	9
8	115	0.567	0.0331	5	5	0.740	0.0310	3	7
9	105	0.513	0.0341	10	4	0.704	0.0333	5	9
10	91	0.485	0.0344	5	3	0.689	0.0343	2	6
11	83	0.473	0.0346	2	8	0.681	0.0349	1	9
12	73	0.447	0.0350	4	5	0.671	0.0357	1	8
13	64	0.405	0.0357	6	6	0.629	0.0391	4	8
14	52	0.382	0.0361	3	4	0.617	0.0402	1	6
15	45	0.365	0.0364	2	0	0.617	0.0402	0	2
16	43	0.365	0.0364	0	4	0.617	0.0402	0	4
17	39	0.365	0.0364	0	5	0.617	0.0402	0	5
18	34	0.333	0.0377	3	3	0.599	0.0429	1	5
19	28	0.321	0.0382	1	4	0.599	0.0429	0	5
20	23	0.321	0.0382	0	1	0.599	0.0429	0	1
21	22	0.321	0.0382	0	3	0.599	0.0429	0	3
22	19	0.304	0.0397	1	5	0.599	0.0429	0	6
23	13	0.304	0.0397	0	3	0.599	0.0429	0	3
24	10	0.274	0.0459	1	6	0.599	0.0429	0	7
25	3	0.274	0.0459	0	2	0.599	0.0429	0	2
26	1	0.274	0.0459	0	0	0.599	0.0429	0	0
27	1	0.274	0.0459	0	0	0.599	0.0429	0	0
28	1	0.274	0.0459	0	1	0.599	0.0429	0	1

Lifetable 2:10.The Survival of MO + DO Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	1382	0.939	0.0064	84	27	0.969	0.0047	43	68
2	1271	0.867	0.0092	98	36	0.936	0.0067	43	91
3	1137	0.803	0.0109	84	26	0.904	0.0082	39	71
4	1027	0.731	0.0122	92	13	0.871	0.0095	38	67
5	922	0.666	0.0131	82	19	0.834	0.0108	39	62
6	821	0.620	0.0135	57	15	0.810	0.0115	23	49
7	749	0.577	0.0138	52	24	0.784	0.0123	24	52
8	673	0.545	0.0140	37	22	0.772	0.0127	11	48
9	614	0.516	0.0142	33	27	0.759	0.0131	10	50
10	554	0.481	0.0143	37	23	0.737	0.0138	16	44
11	494	0.453	0.0144	29	21	0.718	0.0145	13	37
12	444	0.427	0.0145	25	27	0.700	0.0151	11	41
13	392	0.402	0.0145	23	32	0.686	0.0156	8	47
14	337	0.369	0.0146	28	26	0.657	0.0167	14	40
15	283	0.347	0.0147	17	15	0.634	0.0176	10	22
16	251	0.326	0.0148	15	26	0.619	0.0183	6	35
17	210	0.307	0.0149	12	13	0.610	0.0187	3	22
18	185	0.287	0.0150	12	7	0.607	0.0189	1	18
19	166	0.277	0.0150	6	12	0.599	0.0194	2	16
20	148	0.260	0.0151	9	16	0.591	0.0199	2	23
21	123	0.252	0.0152	4	9	0.586	0.0203	1	12
22	110	0.236	0.0154	7	18	0.576	0.0213	2	23
23	85	0.222	0.0157	5	14	0.569	0.0221	1	18
24	66	0.208	0.0161	4	11	0.569	0.0221	0	15
25	51	0.200	0.0165	2	17	0.558	0.0243	1	18
26	32	0.200	0.0165	0	15	0.558	0.0243	0	15
27	17	0.200	0.0165	0	11	0.558	0.0243	0	11
28	6	0.200	0.0165	0	6	0.558	0.0243	0	6

Lifetable 2:11.The Survival of MOD Restorations.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	340	0.971	0.0092	10	13	0.974	0.0087	9	14
2	317	0.906	0.0160	21	15	0.931	0.0140	14	22
3	281	0.868	0.0188	12	16	0.897	0.0170	10	18
4	253	0.792	0.0231	22	10	0.848	0.0206	14	18
5	221	0.756	0.0247	10	6	0.825	0.0221	6	10
6	205	0.694	0.0269	17	10	0.776	0.0248	12	15
7	178	0.651	0.0282	11	16	0.737	0.0268	9	18
8	151	0.616	0.0292	8	28	0.713	0.0280	5	31
9	115	0.584	0.0305	6	24	0.688	0.0297	4	26
10	85	0.577	0.0309	1	9	0.680	0.0304	1	9
11	75	0.546	0.0329	4	6	0.653	0.0330	3	7
12	65	0.513	0.0349	4	11	0.633	0.0349	2	13
13	50	0.472	0.0376	4	5	0.633	0.0349	0	9
14	41	0.437	0.0398	3	8	0.617	0.0373	1	10
15	30	0.437	0.0398	0	5	0.617	0.0373	0	5
16	25	0.402	0.0436	2	3	0.617	0.0373	0	5
17	20	0.342	0.0491	3	1	0.525	0.0586	3	1
18	16	0.321	0.0504	1	0	0.492	0.0634	1	0
19	15	0.321	0.0504	0	6	0.492	0.0634	0	6
20	9	0.249	0.0593	2	0	0.437	0.0764	1	1
21	7	0.214	0.0606	1	0	0.375	0.0874	1	0
22	6	0.214	0.0606	0	1	0.375	0.0874	0	1
23	5	0.214	0.0606	0	0	0.375	0.0874	0	0
24	5	0.214	0.0606	0	1	0.375	0.0874	0	1
25	4	0.214	0.0606	0	1	0.375	0.0874	0	1
26	3	0.214	0.0606	0	1	0.375	0.0874	0	1
27	2	0.214	0.0606	0	1	0.375	0.0874	0	1
28	1	0.214	0.0606	0	1	0.375	0.0874	0	1

Lifetable 2:12.The Survival of Occlusal Restorations in Males.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	374	0.933	0.0129	25	2	0.981	0.0070	7	20
2	347	0.866	0.0176	25	6	0.961	0.0101	7	24
3	316	0.770	0.0219	35	3	0.928	0.0139	11	27
4	278	0.692	0.0241	28	3	0.895	0.0169	10	21
5	247	0.636	0.0252	20	4	0.866	0.0192	8	16
6	223	0.594	0.0258	15	4	0.850	0.0204	4	15
7	204	0.535	0.0264	20	6	0.821	0.0225	7	19
8	178	0.496	0.0266	13	2	0.803	0.0238	4	11
9	163	0.457	0.0266	13	7	0.783	0.0252	4	16
10	143	0.428	0.0266	9	11	0.783	0.0252	0	20
11	123	0.393	0.0266	10	7	0.776	0.0258	1	16
12	106	0.367	0.0266	7	9	0.769	0.0265	1	15
13	90	0.343	0.0267	6	10	0.752	0.0286	2	14
14	74	0.333	0.0267	2	8	0.742	0.0299	1	9
15	64	0.328	0.0268	1	9	0.730	0.0316	1	9
16	54	0.298	0.0276	5	6	0.730	0.0316	0	11
17	43	0.277	0.0281	3	4	0.713	0.0352	1	6
18	36	0.254	0.0288	3	3	0.674	0.0429	2	4
19	30	0.254	0.0288	0	3	0.674	0.0429	0	3
20	27	0.254	0.0288	0	6	0.674	0.0429	0	6
21	21	0.242	0.0298	1	0	0.674	0.0429	0	1
22	20	0.242	0.0298	0	2	0.674	0.0429	0	2
23	18	0.242	0.0298	0	6	0.674	0.0429	0	6
24	12	0.242	0.0298	0	4	0.674	0.0429	0	4
25	8	0.242	0.0298	0	1	0.674	0.0429	0	1
26	7	0.242	0.0298	0	1	0.674	0.0429	0	1
27	6	0.161	0.0506	2	2	0.674	0.0429	0	4
28	2	0.161	0.0506	0	2	0.674	0.0429	0	2

Lifetable 2:13.The Survival of Occlusal Restorations in Females.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	524	0.969	0.0075	16	5	0.979	0.0063	11	10
2	503	0.885	0.0140	44	7	0.934	0.0109	23	28
3	452	0.802	0.0175	42	4	0.922	0.0119	6	40
4	406	0.714	0.0200	45	6	0.895	0.0139	12	39
5	355	0.653	0.0211	30	8	0.879	0.0150	6	32
6	317	0.608	0.0217	22	8	0.868	0.0158	4	26
7	287	0.570	0.0222	18	5	0.853	0.0169	5	18
8	264	0.518	0.0225	24	6	0.834	0.0183	6	24
9	234	0.487	0.0227	14	6	0.816	0.0195	5	15
10	214	0.464	0.0227	10	5	0.812	0.0198	1	14
11	199	0.429	0.0227	15	11	0.800	0.0207	3	23
12	173	0.402	0.0227	11	6	0.781	0.0222	4	13
13	156	0.374	0.0227	11	8	0.761	0.0238	4	15
14	137	0.368	0.0227	2	12	0.756	0.0243	1	13
15	123	0.347	0.0227	7	8	0.744	0.0254	2	13
16	108	0.325	0.0228	7	4	0.723	0.0273	3	8
17	97	0.318	0.0228	2	4	0.723	0.0273	0	6
18	91	0.294	0.0228	7	3	0.715	0.0282	1	9
19	81	0.286	0.0228	2	5	0.715	0.0282	0	7
20	74	0.279	0.0229	2	6	0.705	0.0294	1	7
21	66	0.257	0.0230	5	9	0.695	0.0308	1	13
22	52	0.248	0.0232	2	12	0.695	0.0308	0	14
23	38	0.235	0.0237	2	3	0.676	0.0350	1	4
24	33	0.235	0.0237	0	7	0.676	0.0350	0	7
25	26	0.225	0.0244	1	10	0.676	0.0350	0	11
26	15	0.225	0.0244	0	8	0.676	0.0350	0	8
27	7	0.225	0.0244	0	3	0.676	0.0350	0	3
28	4	0.225	0.0244	0	4	0.676	0.0350	0	4

Lifetable 2:14.The Survival of Proximal Restorations in Males.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	392	0.952	0.0108	19	13	0.964	0.0094	14	18
2	360	0.862	0.0177	34	11	0.892	0.0159	27	18
3	315	0.796	0.0208	24	10	0.838	0.0192	19	15
4	281	0.703	0.0239	33	8	0.796	0.0212	14	27
5	240	0.632	0.0254	24	8	0.737	0.0238	18	14
6	208	0.568	0.0264	21	4	0.680	0.0259	16	9
7	183	0.503	0.0269	21	1	0.628	0.0274	14	8
8	161	0.447	0.0270	18	6	0.573	0.0286	14	10
9	137	0.372	0.0266	23	6	0.506	0.0298	16	13
10	108	0.331	0.0262	12	2	0.460	0.0305	10	4
11	94	0.288	0.0255	12	2	0.416	0.0309	9	5
12	80	0.260	0.0249	8	5	0.390	0.0311	5	8
13	67	0.232	0.0243	7	4	0.360	0.0314	5	6
14	56	0.216	0.0240	4	5	0.335	0.0316	4	5
15	47	0.207	0.0238	2	3	0.335	0.0316	0	5
16	42	0.202	0.0238	1	6	0.327	0.0319	1	6
17	35	0.202	0.0238	0	1	0.327	0.0319	0	1
18	34	0.178	0.0237	4	3	0.298	0.0331	3	4
19	27	0.152	0.0236	4	2	0.265	0.0345	3	3
20	21	0.152	0.0236	0	2	0.265	0.0345	0	2
21	19	0.152	0.0236	0	1	0.265	0.0345	0	1
22	18	0.126	0.0238	3	1	0.221	0.0370	3	1
23	14	0.117	0.0237	1	3	0.205	0.0376	1	3
24	10	0.117	0.0237	0	2	0.205	0.0376	0	2
25	8	0.059	0.0239	4	0	0.128	0.0422	3	1
26	4	0.059	0.0239	0	2	0.128	0.0422	0	2
27	2	0.059	0.0239	0	1	0.128	0.0422	0	1
28	1	0.059	0.0239	0	1	0.128	0.0422	0	1

Lifetable 2:15.The Survival of Proximal Restorations in Females.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	927	0.918	0.0090	76	13	0.939	0.0079	57	32
2	838	0.844	0.0120	68	22	0.883	0.0107	50	40
3	748	0.758	0.0142	76	42	0.820	0.0129	53	65
4	630	0.674	0.0158	70	14	0.760	0.0147	46	38
5	546	0.606	0.0167	55	13	0.702	0.0161	42	26
6	478	0.535	0.0172	56	10	0.636	0.0173	45	21
7	412	0.487	0.0174	37	4	0.589	0.0180	30	11
8	371	0.440	0.0174	36	8	0.545	0.0185	28	16
9	327	0.401	0.0173	29	6	0.510	0.0188	21	14
10	292	0.350	0.0170	37	5	0.464	0.0191	26	16
11	250	0.305	0.0166	32	9	0.425	0.0193	21	20
12	209	0.283	0.0163	15	6	0.407	0.0194	9	12
13	188	0.258	0.0160	17	11	0.372	0.0196	16	12
14	160	0.229	0.0156	18	7	0.347	0.0197	11	14
15	135	0.212	0.0153	10	7	0.326	0.0199	8	9
16	118	0.181	0.0148	17	8	0.299	0.0200	10	15
17	93	0.175	0.0147	3	11	0.289	0.0201	3	11
18	79	0.153	0.0144	10	7	0.267	0.0205	6	11
19	62	0.143	0.0143	4	7	0.254	0.0208	3	8
20	51	0.129	0.0142	5	3	0.234	0.0214	4	4
21	43	0.117	0.0141	4	3	0.229	0.0216	1	6
22	36	0.111	0.0140	2	3	0.222	0.0219	1	4
23	31	0.096	0.0139	4	8	0.222	0.0219	0	12
24	19	0.091	0.0141	1	8	0.211	0.0237	1	8
25	10	0.091	0.0141	0	3	0.211	0.0237	0	3
26	7	0.091	0.0141	0	4	0.211	0.0237	0	4
27	3	0.091	0.0141	0	3	0.211	0.0237	0	3

Lifetable 2:16.The Survival of Buccal Restorations in Males.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	311	0.965	0.0105	11	11	0.981	0.0078	6	16
2	289	0.881	0.0186	25	14	0.930	0.0148	15	24
3	250	0.828	0.0219	15	14	0.900	0.0177	8	21
4	221	0.757	0.0254	19	12	0.843	0.0222	14	17
5	190	0.685	0.0281	18	4	0.763	0.0269	18	4
6	168	0.628	0.0296	14	2	0.727	0.0285	8	8
7	152	0.579	0.0305	12	7	0.693	0.0299	7	12
8	133	0.535	0.0312	10	7	0.657	0.0313	7	10
9	116	0.503	0.0316	7	6	0.623	0.0326	6	7
10	103	0.464	0.0320	8	3	0.587	0.0339	6	5
11	92	0.449	0.0321	3	3	0.574	0.0344	2	4
12	86	0.433	0.0323	3	6	0.561	0.0348	2	7
13	77	0.411	0.0325	4	5	0.539	0.0357	3	6
14	68	0.374	0.0328	6	10	0.499	0.0372	5	11
15	52	0.367	0.0330	1	0	0.499	0.0372	0	1
16	51	0.353	0.0332	2	3	0.499	0.0372	0	5
17	46	0.330	0.0336	3	6	0.467	0.0392	3	6
18	37	0.330	0.0336	0	1	0.467	0.0392	0	1
19	36	0.330	0.0336	0	5	0.467	0.0392	0	5
20	31	0.308	0.0346	2	0	0.451	0.0408	1	1
21	29	0.298	0.0350	1	9	0.436	0.0422	1	9
22	19	0.298	0.0350	0	3	0.436	0.0422	0	3
23	16	0.279	0.0375	1	2	0.409	0.0476	1	2
24	13	0.258	0.0403	1	5	0.409	0.0476	0	6
25	7	0.258	0.0403	0	2	0.409	0.0476	0	2
26	5	0.258	0.0403	0	2	0.409	0.0476	0	2
27	3	0.172	0.0751	1	1	0.409	0.0476	0	2
28	1	0.172	0.0751	0	1	0.409	0.0476	0	1

Lifetable 2:17.The Survival of Buccal Restorations in Females.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	666	0.949	0.0085	34	16	0.971	0.0065	19	31
2	616	0.872	0.0131	50	24	0.927	0.0102	28	46
3	542	0.811	0.0155	38	23	0.888	0.0127	23	38
4	481	0.733	0.0177	46	11	0.838	0.0152	27	30
5	424	0.674	0.0189	34	6	0.791	0.0171	24	16
6	384	0.622	0.0198	30	8	0.745	0.0187	22	16
7	346	0.568	0.0203	30	5	0.702	0.0199	20	15
8	311	0.508	0.0207	33	6	0.650	0.0212	23	16
9	272	0.474	0.0208	18	12	0.624	0.0218	11	19
10	242	0.431	0.0208	22	13	0.583	0.0226	16	19
11	207	0.412	0.0209	9	7	0.569	0.0229	5	11
12	191	0.382	0.0208	14	4	0.545	0.0235	8	10
13	173	0.344	0.0207	17	5	0.520	0.0240	8	14
14	151	0.315	0.0205	13	10	0.492	0.0246	8	15
15	128	0.295	0.0203	8	4	0.469	0.0252	6	6
16	116	0.282	0.0202	5	5	0.449	0.0257	5	5
17	106	0.269	0.0201	5	4	0.436	0.0260	3	6
18	97	0.255	0.0200	5	3	0.427	0.0262	2	6
19	89	0.244	0.0199	4	10	0.418	0.0265	2	12
20	75	0.240	0.0199	1	5	0.412	0.0267	1	5
21	69	0.234	0.0200	2	8	0.400	0.0273	2	8
22	59	0.222	0.0201	3	11	0.393	0.0276	1	13
23	45	0.202	0.0206	4	7	0.376	0.0290	2	9
24	34	0.178	0.0213	4	5	0.332	0.0330	4	5
25	25	0.157	0.0220	3	10	0.305	0.0353	2	11
26	12	0.157	0.0220	0	1	0.305	0.0353	0	1
27	11	0.157	0.0220	0	9	0.305	0.0353	0	9
28	2	0.078	0.0565	1	1	0.305	0.0353	0	2

Lifetable 2:18.The Survival of Lingual Restorations in Males.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	83	0.952	0.0235	4	1	0.964	0.0205	3	2
2	78	0.818	0.0426	11	4	0.865	0.0379	8	7
3	63	0.753	0.0481	5	2	0.851	0.0397	1	6
4	56	0.618	0.0552	10	1	0.775	0.0486	5	6
5	45	0.605	0.0556	1	1	0.758	0.0504	1	1
6	43	0.534	0.0574	5	2	0.705	0.0554	3	4
7	36	0.519	0.0577	1	5	0.705	0.0554	0	6
8	30	0.502	0.0583	1	0	0.682	0.0583	1	0
9	29	0.467	0.0592	2	0	0.635	0.0631	2	0
10	27	0.450	0.0595	1	2	0.611	0.0650	1	2
11	24	0.413	0.0601	2	1	0.586	0.0671	1	2
12	21	0.373	0.0605	2	3	0.586	0.0671	0	5
13	16	0.373	0.0605	0	2	0.586	0.0671	0	2
14	14	0.373	0.0605	0	1	0.586	0.0671	0	1
15	13	0.345	0.0623	1	0	0.586	0.0671	0	1
16	12	0.345	0.0623	0	3	0.586	0.0671	0	3
17	9	0.345	0.0623	0	2	0.586	0.0671	0	2
18	7	0.295	0.0702	1	1	0.502	0.0965	1	1
19	5	0.295	0.0702	0	2	0.502	0.0965	0	2
20	3	0.295	0.0702	0	0	0.502	0.0965	0	0
21	3	0.295	0.0702	0	0	0.502	0.0965	0	0
22	3	0.295	0.0702	0	2	0.502	0.0965	0	2
23	1	0.295	0.0702	0	1	0.502	0.0965	0	1

Lifetable 2:19.The Survival of Lingual Restorations in Females.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	169	0.935	0.0190	11	3	0.947	0.0173	9	5
2	155	0.869	0.0261	11	5	0.910	0.0222	6	10
3	139	0.819	0.0300	8	4	0.904	0.0229	1	11
4	127	0.773	0.0328	7	4	0.889	0.0247	2	9
5	116	0.733	0.0350	6	4	0.851	0.0290	5	5
6	106	0.650	0.0384	12	5	0.795	0.0340	7	10
7	89	0.628	0.0391	3	1	0.786	0.0347	1	3
8	85	0.599	0.0400	4	5	0.767	0.0363	2	7
9	76	0.536	0.0415	8	4	0.737	0.0388	3	9
10	64	0.502	0.0422	4	1	0.726	0.0399	1	4
11	59	0.502	0.0422	0	7	0.726	0.0399	0	7
12	52	0.483	0.0427	2	2	0.712	0.0415	1	3
13	48	0.423	0.0439	6	4	0.652	0.0475	4	6
14	38	0.389	0.0445	3	3	0.635	0.0492	1	5
15	32	0.377	0.0447	1	0	0.635	0.0492	0	1
16	31	0.377	0.0447	0	1	0.635	0.0492	0	1
17	30	0.377	0.0447	0	3	0.635	0.0492	0	3
18	27	0.349	0.0455	2	2	0.635	0.0492	0	4
19	23	0.334	0.0460	1	2	0.635	0.0492	0	3
20	20	0.334	0.0460	0	1	0.635	0.0492	0	1
21	19	0.334	0.0460	0	3	0.635	0.0492	0	3
22	16	0.313	0.0477	1	3	0.635	0.0492	0	4
23	12	0.313	0.0477	0	2	0.635	0.0492	0	2
24	10	0.282	0.0522	1	6	0.635	0.0492	0	7
25	3	0.282	0.0522	0	2	0.635	0.0492	0	2
26	3	0.282	0.0522	0	0	0.635	0.0492	0	0
27	3	0.282	0.0522	0	0	0.635	0.0492	0	0
28	1	0.282	0.0522	0	1	0.635	0.0492	0	1

Lifetable 2:20.The Survival of MO + DO Restorations in Males.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	482	0.936	0.0112	31	9	0.959	0.0091	20	20
2	442	0.870	0.0154	31	11	0.932	0.0115	12	30
3	400	0.807	0.0182	29	14	0.905	0.0137	12	31
4	357	0.723	0.0209	37	4	0.869	0.0161	14	27
5	316	0.662	0.0222	27	11	0.836	0.0181	12	26
6	278	0.623	0.0229	16	6	0.818	0.0192	6	16
7	256	0.582	0.0235	17	11	0.786	0.0209	10	18
8	228	0.562	0.0237	8	10	0.779	0.0213	2	16
9	210	0.530	0.0241	12	12	0.768	0.0219	3	21
10	186	0.507	0.0244	8	10	0.747	0.0232	5	13
11	168	0.468	0.0248	13	7	0.721	0.0248	6	14
12	148	0.445	0.0250	7	11	0.706	0.0257	3	15
13	130	0.411	0.0253	10	15	0.690	0.0268	3	22
14	105	0.376	0.0257	9	9	0.657	0.0292	5	13
15	87	0.359	0.0260	4	2	0.634	0.0310	3	3
16	81	0.341	0.0261	4	14	0.626	0.0316	1	17
17	63	0.336	0.0263	1	4	0.617	0.0326	1	4
18	58	0.318	0.0268	3	3	0.606	0.0338	1	5
19	52	0.318	0.0268	0	4	0.606	0.0338	0	4
20	48	0.278	0.0279	6	4	0.581	0.0368	2	8
21	38	0.271	0.0281	1	5	0.581	0.0368	0	6
22	32	0.246	0.0291	3	6	0.581	0.0368	0	9
23	23	0.235	0.0297	1	5	0.581	0.0368	0	6
24	17	0.207	0.0320	2	1	0.581	0.0368	0	3
25	14	0.207	0.0320	0	6	0.581	0.0368	0	6
26	8	0.207	0.0320	0	4	0.581	0.0368	0	4
27	4	0.207	0.0320	0	2	0.581	0.0368	0	2
28	2	0.207	0.0320	0	2	0.581	0.0368	0	2

Lifetable 2:21.The Survival of MO + DO Restorations in Females.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	900	0.941	0.0078	53	18	0.974	0.0053	23	48
2	829	0.865	0.0115	67	25	0.938	0.0082	31	61
3	737	0.800	0.0135	55	12	0.904	0.0102	27	40
4	670	0.735	0.0150	55	9	0.871	0.0118	24	40
5	606	0.668	0.0161	55	8	0.832	0.0134	27	36
6	543	0.618	0.0167	41	9	0.806	0.0144	17	33
7	493	0.574	0.0171	35	13	0.783	0.0152	14	34
8	445	0.536	0.0173	29	12	0.768	0.0158	9	32
9	404	0.509	0.0175	21	15	0.754	0.0163	7	29
10	368	0.468	0.0176	29	13	0.732	0.0172	11	31
11	326	0.445	0.0177	16	14	0.716	0.0178	7	23
12	296	0.418	0.0177	18	16	0.697	0.0186	8	26
13	262	0.398	0.0177	13	17	0.683	0.0192	5	25
14	232	0.365	0.0178	19	17	0.657	0.0204	9	27
15	196	0.341	0.0178	13	13	0.633	0.0215	7	19
16	170	0.319	0.0179	11	12	0.615	0.0224	5	18
17	147	0.295	0.0179	11	9	0.606	0.0229	2	18
18	127	0.274	0.0180	9	4	0.606	0.0229	0	13
19	114	0.260	0.0180	6	8	0.596	0.0237	2	12
20	100	0.252	0.0180	3	12	0.596	0.0237	0	15
21	85	0.243	0.0181	3	4	0.589	0.0244	1	6
22	78	0.230	0.0182	4	12	0.574	0.0260	2	14
23	62	0.216	0.0185	4	9	0.564	0.0272	1	12
24	49	0.207	0.0187	2	10	0.564	0.0272	0	12
25	37	0.196	0.0193	2	11	0.549	0.0304	1	12
26	24	0.196	0.0193	0	11	0.549	0.0304	0	11
27	13	0.196	0.0193	0	9	0.549	0.0304	0	9
28	4	0.196	0.0193	0	4	0.549	0.0304	0	4

Lifetable 2:22.The Survival of MOD Restorations in Males.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	144	0.986	0.0098	2	4	0.993	0.0069	1	5
2	138	0.936	0.0206	7	7	0.957	0.0171	5	9
3	124	0.929	0.0218	1	8	0.949	0.0187	1	8
4	115	0.872	0.0291	7	3	0.916	0.0242	4	6
5	105	0.855	0.0308	2	3	0.908	0.0255	1	4
6	100	0.813	0.0347	5	4	0.862	0.0313	5	4
7	91	0.750	0.0393	7	9	0.796	0.0376	7	9
8	75	0.720	0.0413	3	17	0.764	0.0404	3	17
9	55	0.694	0.0438	2	19	0.750	0.0419	1	20
10	34	0.694	0.0438	0	2	0.750	0.0419	0	2
11	32	0.672	0.0475	1	4	0.750	0.0419	0	5
12	27	0.672	0.0475	0	4	0.750	0.0419	0	4
13	23	0.585	0.0627	3	4	0.750	0.0419	0	7
14	16	0.511	0.0731	2	5	0.703	0.0601	1	6
15	9	0.511	0.0731	0	1	0.703	0.0601	0	1
16	8	0.511	0.0731	0	3	0.703	0.0601	0	3
17	5	0.409	0.1086	1	0	0.563	0.1347	1	0
18	4	0.307	0.1203	1	0	0.422	0.1582	1	0
19	3	0.307	0.1203	0	1	0.422	0.1582	0	1
20	2	0.307	0.1203	0	0	0.422	0.1582	0	0
21	2	0.307	0.1203	0	0	0.422	0.1582	0	0
22	2	0.307	0.1203	0	0	0.422	0.1582	0	0
23	2	0.307	0.1203	0	0	0.422	0.1582	0	0
24	2	0.307	0.1203	0	0	0.422	0.1582	0	0
25	2	0.307	0.1203	0	1	0.422	0.1582	0	1
26	1	0.307	0.1203	0	0	0.422	0.1582	0	0
27	1	0.307	0.1203	0	0	0.422	0.1582	0	0
28	1	0.307	0.1203	0	1	0.422	0.1582	0	1

Lifetable 2:23.The Survival of MOD Restorations in Females.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	196	0.959	0.0141	8	9	0.959	0.0141	8	9
2	179	0.884	0.0232	14	8	0.911	0.0206	9	13
3	157	0.822	0.0281	11	8	0.859	0.0258	9	10
4	138	0.733	0.0332	15	7	0.797	0.0305	10	12
5	116	0.682	0.0354	8	3	0.762	0.0328	5	6
6	105	0.604	0.0378	12	6	0.711	0.0358	7	11
7	87	0.577	0.0386	4	7	0.695	0.0368	2	9
8	76	0.539	0.0396	5	11	0.677	0.0380	2	14
9	60	0.503	0.0408	4	5	0.643	0.0409	3	6
10	51	0.493	0.0412	1	7	0.630	0.0420	1	7
11	43	0.458	0.0428	3	2	0.586	0.0461	3	2
12	38	0.410	0.0446	4	7	0.555	0.0485	2	9
13	27	0.395	0.0455	1	1	0.555	0.0485	0	2
14	25	0.379	0.0463	1	3	0.555	0.0485	0	4
15	21	0.379	0.0463	0	4	0.555	0.0485	0	4
16	17	0.335	0.0505	2	0	0.555	0.0485	0	2
17	15	0.290	0.0527	2	1	0.481	0.0644	2	1
18	12	0.290	0.0527	0	0	0.481	0.0644	0	0
19	12	0.290	0.0527	0	5	0.481	0.0644	0	5
20	7	0.207	0.0622	2	0	0.413	0.0843	1	1
21	5	0.166	0.0620	1	0	0.330	0.1000	1	0
22	4	0.166	0.0620	0	1	0.330	0.1000	0	1
23	4	0.166	0.0620	0	0	0.330	0.1000	0	0
24	3	0.166	0.0620	0	1	0.330	0.1000	0	1
25	2	0.166	0.0620	0	0	0.330	0.1000	0	0
26	2	0.166	0.0620	0	1	0.330	0.1000	0	1
27	1	0.166	0.0620	0	1	0.330	0.1000	0	1

Lifetable 2:24.The Survival of Occlusal Amalgam Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	866	0.957	0.0069	37	7	0.983	0.0044	15	29
2	822	0.880	0.0111	66	9	0.949	0.0075	28	47
3	747	0.790	0.0139	77	7	0.928	0.0090	17	67
4	663	0.709	0.0156	68	7	0.902	0.0105	18	57
5	588	0.648	0.0164	50	11	0.881	0.0118	14	47
6	527	0.604	0.0169	36	12	0.868	0.0125	8	40
7	479	0.557	0.0172	37	11	0.848	0.0136	11	37
8	431	0.512	0.0175	35	8	0.828	0.0146	10	33
9	388	0.477	0.0175	27	12	0.809	0.0156	9	30
10	349	0.451	0.0176	19	15	0.806	0.0157	1	33
11	315	0.415	0.0176	25	18	0.796	0.0164	4	39
12	272	0.387	0.0176	18	15	0.782	0.0173	5	28
13	239	0.360	0.0175	17	18	0.762	0.0186	6	29
14	204	0.353	0.0175	4	20	0.754	0.0192	2	22
15	180	0.337	0.0176	8	17	0.742	0.0202	3	22
16	155	0.313	0.0178	11	10	0.728	0.0214	3	18
17	134	0.301	0.0179	5	6	0.722	0.0220	1	10
18	123	0.277	0.0180	10	6	0.705	0.0237	3	13
19	107	0.272	0.0180	2	8	0.705	0.0237	0	10
20	97	0.266	0.0181	2	11	0.697	0.0245	1	12
21	84	0.247	0.0184	6	9	0.689	0.0256	1	14
22	69	0.240	0.0186	2	14	0.689	0.0256	0	16
23	53	0.231	0.0189	2	9	0.676	0.0282	1	10
24	42	0.231	0.0189	0	11	0.676	0.0282	0	11
25	31	0.224	0.0197	1	10	0.676	0.0282	0	11
26	20	0.224	0.0197	0	9	0.676	0.0282	0	9
27	11	0.183	0.0306	2	3	0.676	0.0282	0	5
28	6	0.183	0.0306	0	6	0.676	0.0282	0	6

Lifetable 2:25.The Survival of Proximal Amalgam Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	167	0.958	0.0155	7	1	0.982	0.0103	3	5
2	159	0.886	0.0247	12	4	0.945	0.0178	6	10
3	143	0.811	0.0305	12	5	0.912	0.0225	5	12
4	126	0.715	0.0357	15	1	0.890	0.0252	3	13
5	110	0.695	0.0364	3	4	0.882	0.0263	1	6
6	103	0.635	0.0385	9	6	0.865	0.0284	2	13
7	88	0.591	0.0397	6	1	0.836	0.0321	3	4
8	81	0.562	0.0403	4	2	0.836	0.0321	0	6
9	75	0.525	0.0410	5	1	0.813	0.0349	2	4
10	69	0.464	0.0415	8	2	0.778	0.0389	3	7
11	59	0.425	0.0415	5	2	0.738	0.0431	3	4
12	52	0.408	0.0415	2	1	0.724	0.0446	1	2
13	49	0.392	0.0414	2	0	0.695	0.0474	2	0
14	47	0.375	0.0413	2	0	0.680	0.0486	1	1
15	45	0.375	0.0413	0	4	0.680	0.0486	0	4
16	41	0.357	0.0413	2	4	0.680	0.0486	0	6
17	35	0.357	0.0413	0	6	0.680	0.0486	0	6
18	29	0.332	0.0419	2	4	0.680	0.0486	0	6
19	23	0.303	0.0430	2	3	0.680	0.0486	0	5
20	18	0.286	0.0438	1	0	0.680	0.0486	0	1
21	17	0.286	0.0438	0	0	0.680	0.0486	0	0
22	17	0.269	0.0443	1	3	0.640	0.0600	1	3
23	13	0.249	0.0455	1	4	0.640	0.0600	0	5
24	8	0.249	0.0455	0	0	0.640	0.0600	0	0
25	8	0.218	0.0493	1	0	0.640	0.0600	0	1
26	7	0.218	0.0493	0	3	0.640	0.0600	0	3
27	4	0.218	0.0493	0	3	0.640	0.0600	0	3
28	1	0.218	0.0493	0	1	0.640	0.0600	0	1

Lifetable 2:26.The Survival of Buccal Amalgam Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	497	0.956	0.0092	22	16	0.974	0.0072	13	25
2	459	0.872	0.0151	40	12	0.923	0.0122	24	28
3	407	0.817	0.0177	26	18	0.891	0.0144	14	30
4	363	0.740	0.0203	34	17	0.840	0.0174	21	30
5	312	0.664	0.0222	32	6	0.770	0.0207	26	12
6	274	0.621	0.0230	18	6	0.744	0.0217	9	15
7	250	0.566	0.0238	22	9	0.703	0.0231	14	17
8	219	0.514	0.0242	20	8	0.664	0.0244	12	16
9	191	0.479	0.0245	13	12	0.640	0.0252	7	18
10	166	0.448	0.0246	11	11	0.617	0.0260	6	16
11	144	0.432	0.0247	5	8	0.604	0.0265	3	10
12	131	0.406	0.0249	8	6	0.585	0.0272	4	10
13	117	0.378	0.0251	8	7	0.565	0.0281	4	11
14	102	0.352	0.0252	7	16	0.543	0.0291	4	19
15	79	0.325	0.0255	6	3	0.523	0.0303	3	6
16	70	0.316	0.0256	2	3	0.515	0.0308	1	4
17	65	0.311	0.0257	1	6	0.515	0.0308	0	7
18	58	0.295	0.0260	3	3	0.506	0.0315	1	5
19	52	0.295	0.0260	0	12	0.506	0.0315	0	12
20	40	0.288	0.0264	1	3	0.506	0.0315	0	4
21	36	0.288	0.0264	0	4	0.506	0.0315	0	4
22	32	0.279	0.0270	1	7	0.506	0.0315	0	8
23	24	0.267	0.0283	1	5	0.485	0.0366	1	5
24	18	0.252	0.0304	1	2	0.485	0.0366	0	3
25	15	0.235	0.0327	1	5	0.485	0.0366	0	6
26	9	0.235	0.0327	0	0	0.485	0.0366	0	0
27	9	0.209	0.0381	1	6	0.485	0.0366	0	7
28	2	0.105	0.0764	1	1	0.485	0.0366	0	2

Lifetable 2:27.The Survival of Lingual Amalgam Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	211	0.943	0.0159	12	2	0.957	0.0139	9	5
2	197	0.867	0.0235	16	8	0.914	0.0195	9	15
3	173	0.806	0.0275	12	6	0.903	0.0206	2	16
4	155	0.744	0.0307	12	5	0.886	0.0226	3	14
5	138	0.717	0.0319	5	5	0.860	0.0253	4	6
6	128	0.650	0.0343	12	7	0.820	0.0290	6	13
7	109	0.632	0.0349	3	6	0.812	0.0297	1	8
8	100	0.613	0.0355	3	5	0.804	0.0305	1	7
9	92	0.573	0.0368	6	4	0.778	0.0330	3	7
10	82	0.545	0.0375	4	3	0.759	0.0348	2	5
11	75	0.531	0.0379	2	8	0.749	0.0358	1	9
12	65	0.498	0.0389	4	5	0.737	0.0371	1	8
13	56	0.462	0.0400	4	6	0.698	0.0415	3	7
14	46	0.432	0.0410	3	4	0.682	0.0433	1	6
15	39	0.421	0.0414	1	0	0.682	0.0433	0	1
16	38	0.421	0.0414	0	3	0.682	0.0433	0	3
17	35	0.421	0.0414	0	4	0.682	0.0433	0	4
18	31	0.380	0.0436	3	2	0.660	0.0472	1	4
19	26	0.366	0.0443	1	4	0.660	0.0472	0	5
20	21	0.366	0.0443	0	1	0.660	0.0472	0	1
21	20	0.366	0.0443	0	3	0.660	0.0472	0	3
22	17	0.344	0.0466	1	4	0.660	0.0472	0	5
23	12	0.344	0.0466	0	3	0.660	0.0472	0	3
24	9	0.306	0.0549	1	6	0.660	0.0472	0	7
25	2	0.306	0.0549	0	1	0.660	0.0472	0	1
26	1	0.306	0.0549	0	0	0.660	0.0472	0	0
27	1	0.306	0.0549	0	0	0.660	0.0472	0	0
28	1	0.306	0.0549	0	1	0.660	0.0472	0	1

Lifetable 2:28.The Survival of MO + DO Amalgam Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	1253	0.944	0.0065	70	23	0.974	0.0045	32	61
2	1160	0.878	0.0093	81	31	0.948	0.0064	32	80
3	1048	0.814	0.0111	77	24	0.915	0.0081	36	65
4	947	0.742	0.0126	83	13	0.883	0.0096	33	63
5	851	0.683	0.0135	68	19	0.854	0.0107	28	59
6	764	0.637	0.0140	51	13	0.833	0.0115	19	45
7	700	0.599	0.0144	42	24	0.813	0.0122	17	49
8	634	0.567	0.0146	34	19	0.801	0.0126	9	44
9	581	0.536	0.0148	32	27	0.789	0.0131	9	50
10	522	0.502	0.0150	33	22	0.766	0.0140	15	40
11	467	0.473	0.0152	27	19	0.748	0.0147	11	35
12	421	0.446	0.0153	24	24	0.730	0.0154	10	38
13	373	0.418	0.0154	23	32	0.715	0.0160	8	47
14	318	0.386	0.0155	25	25	0.690	0.0171	11	39
15	268	0.363	0.0156	16	15	0.667	0.0182	9	22
16	237	0.340	0.0157	15	25	0.650	0.0190	6	34
17	197	0.319	0.0158	12	13	0.640	0.0195	3	22
18	172	0.297	0.0160	12	7	0.636	0.0198	1	18
19	153	0.287	0.0160	5	12	0.632	0.0201	1	16
20	136	0.272	0.0162	7	14	0.627	0.0205	1	20
21	115	0.265	0.0162	3	9	0.627	0.0205	0	12
22	103	0.247	0.0165	7	15	0.615	0.0218	2	20
23	81	0.232	0.0168	5	13	0.608	0.0228	1	17
24	63	0.217	0.0173	4	10	0.608	0.0228	0	14
25	49	0.208	0.0177	2	16	0.595	0.0255	1	17
26	31	0.208	0.0177	0	15	0.595	0.0255	0	15
27	16	0.208	0.0177	0	10	0.595	0.0255	0	10
28	6	0.208	0.0177	0	6	0.595	0.0255	0	6

Lifetable 2:29.The Survival of MOD Amalgam Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	311	0.971	0.0095	9	13	0.974	0.0090	8	14
2	289	0.917	0.0159	16	15	0.944	0.0132	9	22
3	258	0.882	0.0188	10	15	0.915	0.0164	8	17
4	233	0.821	0.0228	16	10	0.879	0.0195	9	17
5	207	0.782	0.0249	10	5	0.854	0.0215	6	9
6	192	0.725	0.0274	14	10	0.814	0.0243	9	15
7	168	0.686	0.0288	9	16	0.775	0.0267	8	17
8	143	0.647	0.0302	8	28	0.748	0.0284	5	31
9	107	0.617	0.0317	5	24	0.720	0.0306	4	25
10	78	0.609	0.0322	1	9	0.711	0.0316	1	9
11	68	0.573	0.0350	4	6	0.679	0.0350	3	7
12	58	0.534	0.0377	4	11	0.656	0.0375	2	13
13	43	0.484	0.0416	4	5	0.656	0.0375	0	9
14	34	0.456	0.0438	2	8	0.637	0.0411	1	9
15	24	0.456	0.0438	0	5	0.637	0.0411	0	5
16	19	0.432	0.0476	1	3	0.637	0.0411	0	4
17	15	0.345	0.0586	3	1	0.509	0.0735	3	1
18	11	0.345	0.0586	0	0	0.509	0.0735	0	0
19	11	0.345	0.0586	0	4	0.509	0.0735	0	4
20	7	0.296	0.0679	1	0	0.437	0.0922	1	0
21	6	0.247	0.0723	1	0	0.364	0.1016	1	0
22	5	0.247	0.0723	0	1	0.364	0.1016	0	1
23	5	0.247	0.0723	0	0	0.364	0.1016	0	0
24	4	0.247	0.0723	0	0	0.364	0.1016	0	0
25	4	0.247	0.0723	0	1	0.364	0.1016	0	1
26	3	0.247	0.0723	0	1	0.364	0.1016	0	1
27	2	0.247	0.0723	0	1	0.364	0.1016	0	1
28	1	0.247	0.0723	0	1	0.364	0.1016	0	1

Lifetable 2:30.The Survival of Proximal Silicate Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	896	0.920	0.0091	72	3	0.939	0.0080	55	20
2	821	0.833	0.0125	77	6	0.868	0.0114	62	21
3	738	0.741	0.0147	82	9	0.795	0.0137	62	29
4	647	0.657	0.0160	73	7	0.736	0.0151	48	32
5	567	0.580	0.0167	67	17	0.668	0.0164	52	32
6	483	0.509	0.0170	59	8	0.599	0.0173	50	17
7	416	0.459	0.0170	41	4	0.552	0.0178	33	12
8	371	0.404	0.0169	44	12	0.495	0.0182	38	18
9	315	0.349	0.0165	43	11	0.443	0.0184	33	21
10	261	0.306	0.0161	32	5	0.396	0.0185	28	9
11	224	0.262	0.0156	32	9	0.355	0.0184	23	18
12	183	0.234	0.0151	20	10	0.330	0.0184	13	17
13	153	0.211	0.0148	15	15	0.302	0.0184	13	17
14	123	0.180	0.0143	18	12	0.272	0.0185	12	18
15	93	0.161	0.0140	10	6	0.252	0.0186	7	9
16	77	0.138	0.0136	11	10	0.229	0.0188	7	14
17	56	0.133	0.0136	2	6	0.221	0.0190	2	6
18	48	0.111	0.0134	8	6	0.189	0.0198	7	7
19	34	0.098	0.0133	4	6	0.166	0.0203	4	6
20	24	0.090	0.0134	2	4	0.153	0.0209	2	4
21	18	0.085	0.0135	1	2	0.153	0.0209	0	3
22	15	0.085	0.0135	0	0	0.153	0.0209	0	0
23	15	0.068	0.0139	3	2	0.142	0.0218	1	4
24	10	0.068	0.0139	0	3	0.142	0.0218	0	3
25	7	0.039	0.0149	3	0	0.081	0.0294	3	0
26	4	0.039	0.0149	0	3	0.081	0.0294	0	3
27	1	0.039	0.0149	0	1	0.081	0.0294	0	1

Lifetable 2:31.The Survival of Buccal Silicate Restorations.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	280	0.946	0.0135	15	1	0.971	0.0100	8	8
2	264	0.885	0.0191	17	0	0.938	0.0145	9	8
3	247	0.832	0.0224	15	1	0.897	0.0185	11	5
4	231	0.745	0.0261	24	1	0.834	0.0228	16	9
5	206	0.684	0.0279	17	2	0.778	0.0258	14	5
6	187	0.618	0.0292	18	4	0.719	0.0282	14	8
7	165	0.566	0.0299	14	3	0.676	0.0297	10	7
8	148	0.489	0.0304	20	3	0.607	0.0315	15	8
9	125	0.462	0.0304	7	6	0.573	0.0323	7	6
10	112	0.408	0.0303	13	5	0.512	0.0333	12	6
11	94	0.386	0.0302	5	2	0.490	0.0336	4	3
12	87	0.360	0.0300	6	3	0.468	0.0339	4	5
13	78	0.323	0.0296	8	3	0.444	0.0342	4	7
14	67	0.289	0.0291	7	4	0.404	0.0348	6	5
15	56	0.274	0.0289	3	1	0.382	0.0351	3	1
16	52	0.253	0.0285	4	5	0.360	0.0353	3	6
17	43	0.223	0.0281	5	4	0.327	0.0358	4	5
18	34	0.223	0.0281	0	1	0.327	0.0358	0	1
19	33	0.203	0.0279	3	3	0.317	0.0360	1	5
20	27	0.195	0.0278	1	1	0.305	0.0366	1	1
21	25	0.195	0.0278	0	1	0.305	0.0366	0	1
22	24	0.187	0.0278	1	2	0.305	0.0366	0	3
23	21	0.178	0.0279	1	0	0.305	0.0366	0	1
24	20	0.143	0.0274	4	1	0.244	0.0400	4	1
25	15	0.124	0.0269	2	5	0.212	0.0408	2	5
26	8	0.124	0.0269	0	3	0.212	0.0408	0	3
27	5	0.124	0.0269	0	4	0.212	0.0408	0	4
28	1	0.124	0.0269	0	1	0.212	0.0408	0	1

Lifetable 2:32.The Survival of Lingual Silicate Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	34	0.912	0.0486	3	0	0.912	0.0486	3	0
2	31	0.824	0.0654	3	0	0.853	0.0607	2	1
3	28	0.794	0.0693	1	0	0.853	0.0607	0	1
4	27	0.676	0.0802	4	0	0.758	0.0747	3	1
5	23	0.618	0.0833	2	0	0.692	0.0814	2	0
6	21	0.471	0.0856	5	0	0.560	0.0887	4	1
7	16	0.441	0.0852	1	0	0.560	0.0887	0	1
8	15	0.382	0.0833	2	0	0.486	0.0913	2	0
9	13	0.265	0.0757	4	0	0.411	0.0912	2	2
10	9	0.235	0.0727	1	0	0.411	0.0912	0	1
11	8	0.235	0.0727	0	0	0.411	0.0912	0	0
12	8	0.235	0.0727	0	0	0.411	0.0912	0	0
13	8	0.176	0.0654	2	0	0.360	0.0932	1	1
14	6	0.176	0.0654	0	0	0.360	0.0932	0	0
15	6	0.147	0.0607	1	0	0.360	0.0932	0	1
16	5	0.147	0.0607	0	1	0.360	0.0932	0	1
17	4	0.147	0.0607	0	1	0.360	0.0932	0	1
18	3	0.147	0.0607	0	1	0.360	0.0932	0	1
19	2	0.147	0.0607	0	0	0.360	0.0932	0	0
20	2	0.147	0.0607	0	0	0.360	0.0932	0	0
21	2	0.147	0.0607	0	0	0.360	0.0932	0	0
22	2	0.147	0.0607	0	1	0.360	0.0932	0	1
23	1	0.147	0.0607	0	0	0.360	0.0932	0	0
24	1	0.147	0.0607	0	0	0.360	0.0932	0	0
25	1	0.147	0.0607	0	1	0.360	0.0932	0	1

Lifetable 2:33.The Survival of MI + DI Silicate Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	39	0.923	0.0427	3	0	0.949	0.0353	2	11
2	36	0.744	0.0699	7	0	0.817	0.0626	5	2
3	29	0.692	0.0739	2	0	0.761	0.0698	2	0
4	27	0.590	0.0788	4	0	0.676	0.0772	3	1
5	23	0.385	0.0779	8	0	0.470	0.0842	7	11
6	15	0.333	0.0755	2	0	0.439	0.0842	1	1
7	13	0.256	0.0699	3	0	0.338	0.0827	3	0
8	10	0.205	0.0647	2	0	0.270	0.0787	2	0
9	8	0.205	0.0647	0	0	0.270	0.0787	0	0
10	8	0.179	0.0615	1	0	0.236	0.0758	1	0
11	7	0.128	0.0535	2	1	0.169	0.0675	2	11
12	4	0.128	0.0535	0	0	0.169	0.0675	0	0
13	4	0.128	0.0535	0	0	0.169	0.0675	0	0
14	4	0.128	0.0535	0	1	0.169	0.0675	0	1
15	3	0.128	0.0535	0	0	0.169	0.0675	0	0
16	3	0.128	0.0535	0	0	0.169	0.0675	0	0
17	3	0.128	0.0535	0	0	0.169	0.0675	0	0
18	3	0.128	0.0535	0	0	0.169	0.0675	0	0
19	3	0.128	0.0535	0	0	0.169	0.0675	0	0
20	3	0.085	0.0499	1	2	0.169	0.0675	0	3

Lifetable 2:34.The Survival of Proximal Sevriton Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	161	0.925	0.0207	12	1	0.944	0.0181	9	4
2	148	0.863	0.0271	10	4	0.906	0.0232	6	8
3	134	0.837	0.0292	4	7	0.879	0.0261	4	7
4	123	0.742	0.0353	14	1	0.822	0.0313	8	7
5	108	0.680	0.0379	9	0	0.768	0.0351	7	2
6	99	0.618	0.0397	9	0	0.699	0.0389	9	0
7	90	0.550	0.0408	10	0	0.644	0.0409	7	3
8	80	0.508	0.0410	6	0	0.612	0.0419	4	2
9	74	0.481	0.0411	4	0	0.595	0.0424	2	2
10	70	0.419	0.0406	9	0	0.553	0.0434	5	4
11	61	0.371	0.0398	7	0	0.517	0.0442	4	3
12	54	0.364	0.0397	1	0	0.517	0.0442	0	11
13	53	0.316	0.0384	7	0	0.458	0.0452	6	1
14	46	0.302	0.0379	2	0	0.438	0.0454	2	0
15	44	0.289	0.0374	2	0	0.428	0.0454	1	1
16	42	0.254	0.0360	5	0	0.387	0.0454	4	1
17	37	0.247	0.0357	1	0	0.377	0.0454	1	0
18	36	0.220	0.0342	4	0	0.356	0.0452	2	2
19	32	0.206	0.0334	2	0	0.334	0.0451	2	0
20	30	0.192	0.0326	2	1	0.312	0.0447	2	1
21	27	0.171	0.0312	3	2	0.300	0.0445	1	4
22	22	0.140	0.0292	4	1	0.259	0.0443	3	2
23	17	0.132	0.0286	1	5	0.259	0.0443	0	6
24	11	0.120	0.0284	1	7	0.236	0.0461	1	7
25	3	0.120	0.0284	0	3	0.236	0.0461	0	3

Lifetable 2:35.The Survival of Buccal Sevriton Restorations.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	141	0.957	0.0170	6	2	0.979	0.0122	3	5
2	133	0.849	0.0303	15	4	0.920	0.0232	8	11
3	114	0.775	0.0356	10	2	0.888	0.0274	4	8
4	102	0.722	0.0384	7	0	0.853	0.0314	4	3
5	95	0.699	0.0394	3	2	0.835	0.0332	2	3
6	90	0.645	0.0414	7	0	0.779	0.0380	6	1
7	83	0.598	0.0425	6	0	0.751	0.0399	3	3
8	77	0.575	0.0429	3	2	0.722	0.0418	3	2
9	72	0.535	0.0435	5	0	0.692	0.0435	3	2
10	67	0.487	0.0438	6	0	0.650	0.0455	4	2
11	61	0.471	0.0438	2	0	0.650	0.0455	0	2
12	59	0.447	0.0437	3	1	0.628	0.0466	2	2
13	55	0.406	0.0433	5	0	0.594	0.0481	3	2
14	50	0.366	0.0426	5	0	0.558	0.0494	3	2
15	45	0.366	0.0426	0	0	0.558	0.0494	0	0
16	45	0.358	0.0425	1	0	0.546	0.0498	1	0
17	44	0.341	0.0421	2	0	0.521	0.0506	2	0
18	42	0.325	0.0416	2	0	0.509	0.0509	1	1
19	40	0.317	0.0413	1	0	0.496	0.0512	1	0
20	39	0.309	0.0411	1	1	0.483	0.0514	1	1
21	37	0.284	0.0402	3	12	0.444	0.0520	3	12
22	22	0.271	0.0404	1	5	0.424	0.0534	1	5
23	16	0.220	0.0421	3	4	0.371	0.0584	2	5
24	9	0.220	0.0421	0	7	0.371	0.0584	0	7
25	2	0.220	0.0421	0	2	0.371	0.0584	0	2

Lifetable 2:36.The Survival of MI + DI Sevriton Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	61	0.885	0.0408	7	3	0.918	0.0351	5	5
2	51	0.746	0.0567	8	4	0.846	0.0474	4	8
3	39	0.670	0.0625	4	2	0.824	0.0509	1	5
4	33	0.589	0.0668	4	0	0.774	0.0588	2	2
5	29	0.507	0.0688	4	0	0.721	0.0657	2	2
6	25	0.447	0.0690	3	2	0.663	0.0720	2	3
7	20	0.290	0.0654	7	0	0.531	0.0827	4	3
8	13	0.268	0.0641	1	1	0.531	0.0827	0	2
9	11	0.268	0.0641	0	0	0.531	0.0827	0	0
10	11	0.195	0.0589	3	1	0.531	0.0827	0	4
11	7	0.195	0.0589	0	0	0.531	0.0827	0	0
12	7	0.167	0.0567	1	1	0.455	0.0998	1	1
13	5	0.167	0.0567	0	0	0.455	0.0998	0	0
14	5	0.134	0.0543	1	0	0.364	0.1140	1	0
15	4	0.100	0.0499	1	0	0.273	0.1162	1	0
16	3	0.100	0.0499	0	0	0.273	0.1162	0	0
17	3	0.100	0.0499	0	0	0.273	0.1162	0	0
18	3	0.100	0.0499	0	0	0.273	0.1162	0	0
19	3	0.100	0.0499	0	0	0.273	0.1162	0	0
20	3	0.100	0.0499	0	0	0.273	0.1162	0	0
21	3	0.100	0.0499	0	0	0.273	0.1162	0	0
22	3	0.100	0.0499	0	2	0.273	0.1162	0	2
23	1	0.100	0.0499	0	0	0.273	0.1162	0	0
24	1	0.100	0.0499	0	1	0.273	0.1162	0	1

Lifetable 2:37.The Survival of MO + DO Gold Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	27	0.852	0.0684	4	0	0.852	0.0684	4	0
2	23	0.778	0.0800	2	0	0.778	0.0800	2	0
3	21	0.741	0.0843	1	0	0.778	0.0800	0	1
4	20	0.704	0.0879	1	0	0.778	0.0800	0	1
5	19	0.630	0.0929	2	0	0.696	0.0901	2	0
6	17	0.593	0.0946	1	0	0.655	0.0937	1	0
7	16	0.593	0.0946	0	0	0.655	0.0937	0	0
8	16	0.593	0.0946	0	2	0.655	0.0937	0	2
9	14	0.550	0.0968	1	0	0.608	0.0980	1	0
10	13	0.550	0.0968	0	0	0.608	0.0980	0	0
11	13	0.550	0.0968	0	1	0.608	0.0980	0	1
12	12	0.550	0.0968	0	2	0.608	0.0980	0	2
13	10	0.550	0.0968	0	0	0.608	0.0980	0	0
14	10	0.440	0.1041	2	0	0.487	0.1098	2	0
15	8	0.440	0.1041	0	0	0.487	0.1098	0	0
16	8	0.440	0.1041	0	1	0.487	0.1098	0	1
17	7	0.440	0.1041	0	0	0.487	0.1098	0	0
18	7	0.440	0.1041	0	0	0.487	0.1098	0	0
19	7	0.377	0.1066	1	0	0.417	0.1140	1	0
20	6	0.314	0.1057	1	0	0.348	0.1143	1	0
21	5	0.252	0.1016	1	0	0.278	0.1105	1	0
22	4	0.252	0.1016	0	1	0.278	0.1105	0	1
23	3	0.252	0.1016	0	1	0.278	0.1105	0	1
24	2	0.252	0.1016	0	0	0.278	0.1105	0	0
25	2	0.252	0.1016	0	1	0.278	0.1105	0	1
26	1	0.252	0.1016	0	0	0.278	0.1105	0	0
27	1	0.252	0.1016	0	1	0.278	0.1105	0	1

Lifetable 2:38.The Survival of MOD Gold Restorations.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	21	1.000	0.0000	0	0	1.000	0.0000	0	0
2	21	0.810	0.0857	4	0	0.810	0.0857	4	0
3	17	0.762	0.0929	1	0	0.762	0.0929	1	0
4	16	0.571	0.1080	4	0	0.619	0.1060	3	1
5	12	0.571	0.1080	0	0	0.619	0.1060	0	0
6	12	0.429	0.1080	3	0	0.464	0.1109	3	0
7	9	0.333	0.1029	2	0	0.413	0.1099	1	1
8	7	0.333	0.1029	0	0	0.413	0.1099	0	0
9	7	0.286	0.0986	1	0	0.413	0.1099	0	1
10	6	0.286	0.0986	0	0	0.413	0.1099	0	0
11	6	0.286	0.0986	0	0	0.413	0.1099	0	0
12	6	0.286	0.0986	0	0	0.413	0.1099	0	0
13	6	0.286	0.0986	0	0	0.413	0.1099	0	0
14	6	0.238	0.0929	1	0	0.413	0.1099	0	1
15	5	0.238	0.0929	0	0	0.413	0.1099	0	0
16	5	0.238	0.0929	0	0	0.413	0.1099	0	0
17	5	0.238	0.0929	0	0	0.413	0.1099	0	0
18	5	0.190	0.0857	1	0	0.330	0.1148	1	0
19	4	0.190	0.0857	0	2	0.330	0.1148	0	2
20	2	0.095	0.0798	1	0	0.330	0.1148	0	1
21	1	0.095	0.0798	0	0	0.330	0.1148	0	0
22	1	0.095	0.0798	0	0	0.330	0.1148	0	0
23	1	0.095	0.0798	0	0	0.330	0.1148	0	0
24	1	0.095	0.0798	0	1	0.330	0.1148	0	1

Lifetable 2:39.The Survival of Incisal Edge Restorations of Incisors and Canines.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	26	0.885	0.0627	3	0	0.923	0.0523	2	1
2	23	0.769	0.0826	3	2	0.843	0.0722	2	3
3	18	0.726	0.0884	1	1	0.843	0.0722	0	2
4	16	0.499	0.1038	5	2	0.632	0.1061	4	3
5	9	0.499	0.1038	0	1	0.632	0.1061	0	1
6	8	0.499	0.1038	0	0	0.632	0.1061	0	0
7	8	0.437	0.1080	1	0	0.553	0.1187	1	0
8	7	0.375	0.1091	1	0	0.553	0.1187	0	1
9	6	0.375	0.1091	0	1	0.553	0.1187	0	1
10	5	0.375	0.1091	0	0	0.553	0.1187	0	0
11	5	0.375	0.1091	0	0	0.553	0.1187	0	0
12	5	0.375	0.1091	0	0	0.553	0.1187	0	0
13	5	0.375	0.1091	0	0	0.553	0.1187	0	0
14	5	0.375	0.1091	0	0	0.553	0.1187	0	0
15	5	0.375	0.1091	0	0	0.553	0.1187	0	0
16	5	0.375	0.1091	0	0	0.553	0.1187	0	0
17	5	0.375	0.1091	0	2	0.553	0.1187	0	2
18	3	0.375	0.1091	0	0	0.553	0.1187	0	0
19	3	0.375	0.1091	0	0	0.553	0.1187	0	0
20	3	0.375	0.1091	0	1	0.553	0.1187	0	1
21	2	0.375	0.1091	0	0	0.553	0.1187	0	0
22	2	0.375	0.1091	0	0	0.553	0.1187	0	0
23	2	0.375	0.1091	0	0	0.553	0.1187	0	0
24	2	0.375	0.1091	0	0	0.553	0.1187	0	0
25	2	0.375	0.1091	0	0	0.553	0.1187	0	0
26	2	0.375	0.1091	0	0	0.553	0.1187	0	0
27	2	0.375	0.1091	0	2	0.553	0.1187	0	2

Lifetable 2:40.The Survival of Proximal Restorations of Incisors and Canines.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	1185	0.925	0.0077	89	26	0.942	0.0068	69	46
2	1070	0.847	0.0105	90	30	0.878	0.0096	72	48
3	950	0.766	0.0125	91	49	0.815	0.0116	69	71
4	810	0.683	0.0139	88	22	0.757	0.0130	57	53
5	700	0.609	0.0148	76	18	0.693	0.0143	59	35
6	606	0.540	0.0153	68	11	0.625	0.0154	60	19
7	527	0.487	0.0155	52	4	0.575	0.0160	42	14
8	471	0.434	0.0154	51	14	0.524	0.0164	42	23
9	406	0.384	0.0153	47	11	0.479	0.0167	35	23
10	348	0.333	0.0150	46	5	0.430	0.0169	35	16
11	297	0.287	0.0145	41	9	0.390	0.0169	28	22
12	247	0.264	0.0143	20	10	0.369	0.0170	13	17
13	217	0.236	0.0139	23	14	0.335	0.0170	20	17
14	180	0.210	0.0135	20	11	0.309	0.0171	14	17
15	149	0.193	0.0133	12	8	0.293	0.0171	8	12
16	129	0.166	0.0129	18	11	0.268	0.0172	11	18
17	100	0.161	0.0128	3	11	0.260	0.0173	3	11
18	86	0.142	0.0126	10	7	0.239	0.0177	7	10
19	69	0.130	0.0125	6	8	0.218	0.0180	6	8
20	55	0.120	0.0124	4	5	0.202	0.0184	4	5
21	46	0.110	0.0124	4	4	0.198	0.0185	1	7
22	38	0.096	0.0123	5	1	0.177	0.0193	4	2
23	32	0.087	0.0122	3	7	0.171	0.0194	1	9
24	22	0.083	0.0123	1	10	0.163	0.0200	1	10
25	11	0.060	0.0142	3	3	0.119	0.0263	3	3
26	5	0.060	0.0142	0	3	0.119	0.0263	0	3
27	2	0.060	0.0142	0	1	0.119	0.0263	0	1
28	1	0.060	0.0142	0	1	0.119	0.0263	0	1

Lifetable 2:41.The Survival of Buccal Restorations of Incisors and Canines.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	261	0.962	0.0119	10	6	0.985	0.0076	4	12
2	245	0.903	0.0185	15	16	0.953	0.0134	8	23
3	214	0.848	0.0228	13	15	0.908	0.0188	10	18
4	186	0.784	0.0267	14	9	0.859	0.0232	10	13
5	163	0.702	0.0304	17	1	0.791	0.0281	13	5
6	145	0.620	0.0327	17	2	0.714	0.0320	14	5
7	126	0.581	0.0335	8	3	0.680	0.0333	6	5
8	115	0.515	0.0343	13	3	0.621	0.0353	10	6
9	99	0.479	0.0345	7	5	0.584	0.0363	6	6
10	87	0.424	0.0347	10	4	0.530	0.0376	8	6
11	73	0.412	0.0347	2	1	0.530	0.0376	0	3
12	70	0.394	0.0347	3	2	0.507	0.0382	3	2
13	65	0.352	0.0344	7	2	0.476	0.0389	4	5
14	56	0.302	0.0338	8	3	0.433	0.0398	5	6
15	45	0.295	0.0337	1	1	0.424	0.0401	1	1
16	43	0.288	0.0336	1	4	0.414	0.0403	1	4
17	38	0.258	0.0333	4	2	0.370	0.0416	4	2
18	32	0.258	0.0333	0	1	0.370	0.0416	0	1
19	31	0.241	0.0332	2	2	0.358	0.0419	1	3
20	27	0.223	0.0330	2	1	0.332	0.0428	2	1
21	24	0.223	0.0330	0	6	0.332	0.0428	0	6
22	18	0.223	0.0330	0	4	0.332	0.0428	0	4
23	14	0.207	0.0343	1	4	0.308	0.0458	1	4
24	9	0.184	0.0374	1	5	0.274	0.0520	1	5
25	3	0.123	0.0560	1	1	0.183	0.0822	1	1
26	1	0.123	0.0560	0	1	0.183	0.0822	0	1

Lifetable 2:42.The Survival of Lingual Restorations of Incisors and Canines.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	93	0.935	0.0255	6	4	0.935	0.0255	6	4
2	83	0.800	0.0422	12	4	0.834	0.0392	9	7
3	67	0.764	0.0451	3	5	0.822	0.0405	1	7
4	59	0.674	0.0511	7	2	0.738	0.0487	6	3
5	50	0.647	0.0525	2	2	0.709	0.0510	2	2
6	46	0.534	0.0565	8	1	0.616	0.0566	6	3
7	37	0.505	0.0570	2	1	0.599	0.0575	1	2
8	34	0.476	0.0574	2	2	0.564	0.0593	2	2
9	30	0.396	0.0577	5	0	0.508	0.0616	3	2
10	25	0.396	0.0577	0	1	0.508	0.0616	0	1
11	24	0.396	0.0577	0	2	0.508	0.0616	0	2
12	22	0.378	0.0579	1	1	0.508	0.0616	0	2
13	20	0.322	0.0577	3	1	0.457	0.0651	2	2
14	16	0.281	0.0571	2	1	0.428	0.0670	1	2
15	13	0.260	0.0566	1	0	0.428	0.0670	0	1
16	12	0.260	0.0566	0	2	0.428	0.0670	0	2
17	10	0.260	0.0566	0	3	0.428	0.0670	0	3
18	7	0.223	0.0595	1	2	0.367	0.0807	1	2
19	4	0.223	0.0595	0	0	0.367	0.0807	0	0
20	4	0.223	0.0595	0	0	0.367	0.0807	0	0
21	4	0.223	0.0595	0	0	0.367	0.0807	0	0
22	4	0.223	0.0595	0	1	0.367	0.0807	0	1
23	3	0.223	0.0595	0	0	0.367	0.0807	0	0
24	3	0.223	0.0595	0	2	0.367	0.0807	0	2
25	1	0.223	0.0595	0	1	0.367	0.0807	0	1

Lifetable 2:43.The Survival of MI + DI Restorations of Incisors and Canines.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	97	0.856	0.0357	14	4	0.887	0.0322	11	7
2	79	0.682	0.0480	16	5	0.763	0.0443	11	10
3	58	0.624	0.0506	5	2	0.737	0.0465	2	5
4	51	0.550	0.0528	6	0	0.679	0.0510	4	2
5	45	0.440	0.0535	9	0	0.558	0.0571	8	1
6	36	0.379	0.0526	5	2	0.496	0.0586	4	3
7	29	0.248	0.0480	10	0	0.376	0.0594	7	3
8	19	0.235	0.0472	1	2	0.357	0.0595	1	2
9	16	0.221	0.0465	1	0	0.334	0.0598	1	0
10	15	0.162	0.0424	4	1	0.312	0.0598	1	4
11	10	0.146	0.0411	1	0	0.281	0.0615	1	0
12	9	0.129	0.0396	1	1	0.250	0.0620	1	1
13	7	0.129	0.0396	0	0	0.250	0.0620	0	0
14	7	0.092	0.0359	2	1	0.178	0.0615	2	1
15	4	0.092	0.0359	0	0	0.178	0.0615	0	0
16	4	0.092	0.0359	0	1	0.178	0.0615	0	1
17	3	0.092	0.0359	0	0	0.178	0.0615	0	0
18	3	0.092	0.0359	0	0	0.178	0.0615	0	0
19	3	0.062	0.0347	1	0	0.119	0.0635	1	0
20	2	0.062	0.0347	0	0	0.119	0.0635	0	0
21	2	0.062	0.0347	0	0	0.119	0.0635	0	0
22	2	0.062	0.0347	0	1	0.119	0.0635	0	1
23	1	0.062	0.0347	0	0	0.119	0.0635	0	0
24	1	0.062	0.0347	0	1	0.119	0.0635	0	1

Lifetable 2:44.The Survival of MID Restorations of Incisors and Canines.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	11	1.000	0.0000	0	0	1.000	0.0000	0	0
2	11	0.727	0.1343	3	0	0.727	0.1343	3	0
3	8	0.727	0.1343	0	1	0.727	0.1343	0	1
4	7	0.416	0.1562	3	0	0.416	0.1562	3	0
5	4	0.416	0.1562	0	1	0.416	0.1562	0	1
6	3	0.416	0.1562	0	0	0.416	0.1562	0	0
7	3	0.277	0.1537	1	0	0.277	0.1537	1	0
8	2	0.277	0.1537	0	0	0.277	0.1537	0	0
9	2	0.139	0.1245	1	0	0.277	0.1537	0	1
10	1	0.139	0.1245	0	0	0.277	0.1537	0	0
11	1	0.139	0.1245	0	0	0.277	0.1537	0	0
12	1	0.139	0.1245	0	0	0.277	0.1537	0	0
13	1	0.139	0.1245	0	0	0.277	0.1537	0	0
14	1	0.000	0.0000	1	0	0.277	0.1537	0	1

Lifetable 2:45.The Survival of Occlusal Restorations of Premolars and Molars.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	872	0.956	0.0069	38	7	0.982	0.0045	16	29
2	827	0.880	0.0110	66	11	0.948	0.0076	28	49
3	750	0.791	0.0139	76	6	0.927	0.0090	17	65
4	668	0.710	0.0155	68	7	0.902	0.0105	18	57
5	593	0.650	0.0164	50	11	0.881	0.0117	14	47
6	532	0.605	0.0168	37	12	0.867	0.0124	8	41
7	483	0.559	0.0172	37	11	0.848	0.0135	11	37
8	435	0.513	0.0174	36	8	0.828	0.0145	10	34
9	391	0.477	0.0175	27	12	0.809	0.0155	9	30
10	352	0.451	0.0175	19	16	0.807	0.0157	1	34
11	317	0.416	0.0175	25	18	0.797	0.0163	4	39
12	274	0.389	0.0175	18	15	0.782	0.0172	5	28
13	241	0.361	0.0175	17	18	0.763	0.0185	6	29
14	206	0.354	0.0175	4	20	0.755	0.0191	2	22
15	182	0.339	0.0176	8	17	0.743	0.0201	3	22
16	157	0.313	0.0177	12	10	0.729	0.0213	3	19
17	135	0.301	0.0178	5	6	0.723	0.0218	1	10
18	124	0.277	0.0180	10	6	0.706	0.0235	3	13
19	108	0.272	0.0180	2	8	0.706	0.0235	0	10
20	98	0.266	0.0181	2	11	0.698	0.0243	1	12
21	85	0.247	0.0183	6	9	0.690	0.0254	1	14
22	70	0.240	0.0185	2	14	0.690	0.0254	0	16
23	54	0.231	0.0188	2	9	0.677	0.0280	1	10
24	43	0.231	0.0188	0	11	0.677	0.0280	0	11
25	32	0.224	0.0196	1	11	0.677	0.0280	0	12
26	20	0.224	0.0196	0	9	0.677	0.0280	0	9
27	11	0.183	0.0306	2	3	0.677	0.0280	0	5
28	6	0.183	0.0306	0	6	0.677	0.0280	0	6

Lifetable 2:46.The Survival of Proximal Restorations of Premolars and Molars.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	134	0.955	0.0179	6	0	0.985	0.0105	2	4
2	128	0.866	0.0295	12	3	0.947	0.0196	5	10
3	113	0.797	0.0349	9	3	0.921	0.0239	3	9
4	101	0.678	0.0410	15	0	0.894	0.0279	3	12
5	86	0.655	0.0418	3	3	0.884	0.0295	1	5
6	80	0.581	0.0437	9	3	0.873	0.0311	1	11
7	68	0.530	0.0446	6	1	0.847	0.0351	2	5
8	61	0.504	0.0448	3	0	0.847	0.0351	0	3
9	58	0.460	0.0450	5	1	0.818	0.0395	2	4
10	52	0.434	0.0449	3	2	0.802	0.0417	1	4
11	47	0.406	0.0448	3	2	0.768	0.0464	2	3
12	42	0.377	0.0446	3	1	0.750	0.0488	1	3
13	38	0.367	0.0446	1	1	0.730	0.0513	1	1
14	36	0.347	0.0443	2	1	0.710	0.0538	1	2
15	33	0.347	0.0443	0	2	0.710	0.0538	0	2
16	31	0.347	0.0443	0	3	0.710	0.0538	0	3
17	28	0.347	0.0443	0	1	0.710	0.0538	0	1
18	27	0.295	0.0446	4	3	0.657	0.0613	2	5
19	20	0.266	0.0448	2	1	0.657	0.0613	0	3
20	17	0.250	0.0448	1	0	0.657	0.0613	0	1
21	16	0.250	0.0448	0	0	0.657	0.0613	0	0
22	16	0.250	0.0448	0	3	0.657	0.0613	0	3
23	13	0.212	0.0454	2	4	0.657	0.0613	0	6
24	7	0.212	0.0454	0	0	0.657	0.0613	0	0
25	7	0.181	0.0480	1	0	0.657	0.0613	0	1
26	6	0.181	0.0480	0	3	0.657	0.0613	0	3
27	3	0.181	0.0480	0	3	0.657	0.0613	0	3

Lifetable 2:47.The Survival of Buccal Restorations of Premolars and Molars.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	716	0.951	0.0081	35	21	0.971	0.0063	21	35
2	660	0.865	0.0129	60	22	0.919	0.0104	35	47
3	578	0.805	0.0151	40	22	0.886	0.0123	21	41
4	516	0.725	0.0172	51	14	0.833	0.0148	31	34
5	451	0.669	0.0183	35	9	0.779	0.0169	29	15
6	407	0.625	0.0190	27	8	0.748	0.0179	16	19
7	372	0.568	0.0196	34	9	0.706	0.0191	21	22
8	329	0.516	0.0200	30	10	0.663	0.0202	20	20
9	289	0.484	0.0201	18	13	0.638	0.0208	11	20
10	258	0.446	0.0202	20	12	0.603	0.0216	14	18
11	226	0.426	0.0203	10	9	0.585	0.0221	7	12
12	207	0.398	0.0203	14	8	0.565	0.0226	7	15
13	185	0.367	0.0203	14	8	0.544	0.0231	7	15
14	163	0.343	0.0203	11	17	0.517	0.0238	8	20
15	135	0.322	0.0203	8	3	0.498	0.0244	5	6
16	124	0.307	0.0203	6	4	0.482	0.0249	4	6
17	114	0.296	0.0203	4	8	0.473	0.0252	2	10
18	102	0.282	0.0203	5	3	0.464	0.0255	2	6
19	94	0.276	0.0203	2	13	0.459	0.0257	1	14
20	79	0.272	0.0203	1	4	0.459	0.0257	0	5
21	74	0.261	0.0205	3	11	0.440	0.0269	3	11
22	60	0.248	0.0208	3	10	0.433	0.0274	1	12
23	47	0.227	0.0215	4	5	0.415	0.0292	2	7
24	38	0.203	0.0223	4	5	0.382	0.0324	3	6
25	29	0.189	0.0229	2	11	0.369	0.0339	1	12
26	16	0.189	0.0229	0	2	0.369	0.0339	0	2
27	14	0.175	0.0249	1	10	0.369	0.0339	0	11
28	3	0.117	0.0506	1	2	0.369	0.0339	0	3

Lifetable 2:48.The Survival of Lingual Restorations of Premolars and Molars.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	159	0.943	0.0183	9	0	0.962	0.0151	6	3
2	150	0.881	0.0257	10	5	0.930	0.0203	5	10
3	135	0.815	0.0310	10	1	0.923	0.0213	1	10
4	124	0.750	0.0348	10	3	0.916	0.0224	1	12
5	111	0.716	0.0363	5	3	0.883	0.0270	4	4
6	103	0.653	0.0387	9	6	0.849	0.0309	4	11
7	88	0.638	0.0392	2	5	0.849	0.0309	0	7
8	81	0.615	0.0401	3	3	0.838	0.0322	1	5
9	75	0.574	0.0414	5	4	0.816	0.0350	2	7
10	66	0.530	0.0426	5	2	0.791	0.0381	2	5
11	59	0.512	0.0430	2	6	0.778	0.0397	1	7
12	51	0.482	0.0438	3	4	0.762	0.0418	1	6
13	44	0.449	0.0448	3	5	0.728	0.0465	2	6
14	36	0.437	0.0452	1	3	0.728	0.0465	0	4
15	32	0.423	0.0458	1	0	0.728	0.0465	0	1
16	31	0.423	0.0458	0	2	0.728	0.0465	0	2
17	29	0.423	0.0458	0	2	0.728	0.0465	0	2
18	27	0.392	0.0475	2	1	0.728	0.0465	0	3
19	24	0.375	0.0482	1	4	0.728	0.0465	0	5
20	19	0.375	0.0482	0	1	0.728	0.0465	0	1
21	18	0.375	0.0482	0	3	0.728	0.0465	0	3
22	15	0.350	0.0511	1	4	0.728	0.0465	0	5
23	10	0.350	0.0511	0	3	0.728	0.0465	0	3
24	7	0.300	0.0638	1	4	0.728	0.0465	0	5
25	2	0.300	0.0638	0	1	0.728	0.0465	0	1
26	2	0.300	0.0638	0	0	0.728	0.0465	0	0
27	2	0.300	0.0638	0	0	0.728	0.0465	0	0
28	1	0.300	0.0638	0	1	0.728	0.0465	0	1

Lifetable 2:49.The Survival of MO + DO Restorations of Premolars and Molars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	1285	0.946	0.0063	70	23	0.975	0.0043	32	61
2	1192	0.880	0.0091	82	31	0.949	0.0062	32	81
3	1079	0.816	0.0109	79	24	0.916	0.0080	37	66
4	976	0.744	0.0124	86	13	0.884	0.0094	34	65
5	877	0.682	0.0133	73	19	0.853	0.0106	31	61
6	785	0.637	0.0139	52	13	0.833	0.0114	19	46
7	720	0.600	0.0142	42	24	0.813	0.0121	17	49
8	654	0.567	0.0144	36	20	0.800	0.0125	10	46
9	598	0.536	0.0146	32	27	0.788	0.0129	9	50
10	539	0.504	0.0148	33	22	0.766	0.0138	15	40
11	484	0.474	0.0149	28	21	0.747	0.0145	12	37
12	435	0.448	0.0150	24	26	0.730	0.0151	10	40
13	385	0.422	0.0151	23	32	0.715	0.0157	8	47
14	330	0.388	0.0153	26	25	0.689	0.0169	12	39
15	279	0.365	0.0154	17	15	0.664	0.0180	10	22
16	247	0.343	0.0155	15	25	0.648	0.0187	6	34
17	207	0.323	0.0156	12	13	0.639	0.0192	3	22
18	182	0.301	0.0157	12	7	0.635	0.0194	1	18
19	163	0.292	0.0158	5	12	0.631	0.0197	1	16
20	146	0.274	0.0159	9	16	0.623	0.0203	2	23
21	121	0.265	0.0160	4	9	0.618	0.0208	1	12
22	108	0.248	0.0162	7	17	0.606	0.0219	2	22
23	84	0.233	0.0166	5	14	0.599	0.0228	1	18
24	65	0.219	0.0170	4	10	0.599	0.0228	0	14
25	51	0.210	0.0174	2	17	0.587	0.0252	1	18
26	32	0.210	0.0174	0	15	0.587	0.0252	0	15
27	17	0.210	0.0174	0	11	0.587	0.0252	0	11
28	6	0.210	0.0174	0	6	0.587	0.0252	0	6

Lifetable 2:50.The Survival of MOD Restorations of Premolars and Molars.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	329	0.970	0.0095	10	13	0.973	0.0090	9	14
2	306	0.913	0.0158	18	15	0.938	0.0135	11	22
3	273	0.872	0.0189	12	15	0.903	0.0168	10	17
4	246	0.805	0.0229	19	10	0.863	0.0200	11	18
5	217	0.768	0.0247	10	5	0.839	0.0217	6	9
6	202	0.703	0.0271	17	10	0.789	0.0247	12	15
7	175	0.663	0.0284	10	16	0.753	0.0267	8	18
8	149	0.628	0.0295	8	28	0.728	0.0281	5	31
9	113	0.600	0.0307	5	24	0.702	0.0299	4	25
10	84	0.593	0.0312	1	9	0.694	0.0307	1	9
11	74	0.561	0.0333	4	6	0.666	0.0335	3	7
12	64	0.526	0.0356	4	11	0.645	0.0355	2	13
13	49	0.483	0.0386	4	5	0.645	0.0355	0	9
14	40	0.459	0.0403	2	8	0.629	0.0381	1	9
15	30	0.459	0.0403	0	5	0.629	0.0381	0	5
16	25	0.422	0.0446	2	3	0.629	0.0381	0	5
17	20	0.359	0.0507	3	1	0.534	0.0597	3	1
18	16	0.336	0.0523	1	0	0.501	0.0647	1	0
19	15	0.336	0.0523	0	6	0.501	0.0647	0	6
20	9	0.261	0.0618	2	0	0.445	0.0778	1	1
21	7	0.224	0.0633	1	0	0.382	0.0890	1	0
22	6	0.224	0.0633	0	1	0.382	0.0890	0	1
23	6	0.224	0.0633	0	0	0.382	0.0890	0	0
24	5	0.224	0.0633	0	1	0.382	0.0890	0	1
25	4	0.224	0.0633	0	1	0.382	0.0890	0	1
26	3	0.224	0.0633	0	1	0.382	0.0890	0	1
27	2	0.224	0.0633	0	1	0.382	0.0890	0	1
28	1	0.224	0.0633	0	1	0.382	0.0890	0	1

Lifetable 2:51.

The Survival of Incisal Edge Restorations of Maxillary
Incisors and Canines.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	14	0.857	0.0935	2	0	0.857	0.0935	2	0
2	12	0.643	0.1281	3	0	0.714	0.1207	2	1
3	9	0.643	0.1281	0	0	0.714	0.1207	0	0
4	9	0.429	0.1323	3	2	0.556	0.1364	2	3
5	4	0.429	0.1323	0	1	0.556	0.1364	0	1
6	4	0.429	0.1323	0	0	0.556	0.1364	0	0
7	3	0.429	0.1323	0	0	0.556	0.1364	0	0
8	3	0.286	0.1462	1	0	0.556	0.1364	0	1
9	2	0.286	0.1462	0	1	0.556	0.1364	0	1
10	2	0.286	0.1462	0	0	0.556	0.1364	0	0
11	2	0.286	0.1462	0	0	0.556	0.1364	0	0
12	2	0.286	0.1462	0	0	0.556	0.1364	0	0
13	2	0.286	0.1462	0	0	0.556	0.1364	0	0
14	2	0.286	0.1462	0	0	0.556	0.1364	0	0
15	2	0.286	0.1462	0	0	0.556	0.1364	0	0
16	2	0.286	0.1462	0	0	0.556	0.1364	0	0
17	1	0.286	0.1462	0	0	0.556	0.1364	0	0
18	1	0.286	0.1462	0	0	0.556	0.1364	0	0
19	1	0.286	0.1462	0	0	0.556	0.1364	0	0
20	1	0.286	0.1462	0	1	0.556	0.1364	0	1

Lifetable 2:52.The Survival of Proximal Restorations of Maxillary Incisors
and Canines.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	1027	0.922	0.0084	80	24	0.938	0.0075	64	40
2	923	0.844	0.0114	78	24	0.871	0.0106	66	36
3	821	0.760	0.0135	82	40	0.804	0.0127	63	59
4	699	0.673	0.0151	80	15	0.742	0.0143	54	41
5	604	0.594	0.0160	71	16	0.673	0.0156	56	31
6	517	0.525	0.0164	60	7	0.604	0.0166	53	14
7	450	0.476	0.0165	42	3	0.557	0.0171	35	10
8	405	0.419	0.0164	48	10	0.503	0.0175	39	19
9	347	0.364	0.0162	46	10	0.454	0.0177	34	22
10	291	0.311	0.0157	42	3	0.404	0.0178	32	13
11	246	0.268	0.0152	34	8	0.363	0.0178	25	17
12	204	0.243	0.0148	19	9	0.340	0.0178	13	15
13	176	0.213	0.0143	22	12	0.303	0.0178	19	15
14	142	0.186	0.0138	18	11	0.275	0.0177	13	16
15	113	0.169	0.0136	10	6	0.258	0.0178	7	9
16	97	0.150	0.0132	11	11	0.240	0.0178	7	15
17	75	0.144	0.0131	3	10	0.230	0.0179	3	10
18	62	0.126	0.0130	8	4	0.212	0.0183	5	7
19	50	0.113	0.0128	5	4	0.190	0.0188	5	4
20	41	0.102	0.0127	4	2	0.172	0.0191	4	2
21	35	0.090	0.0125	4	1	0.167	0.0192	1	4
22	30	0.075	0.0121	5	1	0.145	0.0196	4	2
23	24	0.072	0.0120	1	6	0.139	0.0197	1	6
24	17	0.068	0.0120	1	9	0.130	0.0201	1	9
25	7	0.039	0.0144	3	3	0.075	0.0270	3	3
26	1	0.039	0.0144	0	1	0.075	0.0270	0	1

Lifetable 2:53.The Survival of Buccal Restorations of Maxillary Incisors and Canines.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	192	0.948	0.0160	10	4	0.979	0.0103	4	10
2	178	0.884	0.0233	12	10	0.946	0.0166	6	16
3	156	0.816	0.0286	12	8	0.892	0.0236	9	11
4	136	0.756	0.0322	10	3	0.846	0.0280	7	6
5	123	0.682	0.0354	12	1	0.784	0.0327	9	4
6	110	0.595	0.0377	14	2	0.705	0.0370	11	5
7	94	0.564	0.0383	5	2	0.675	0.0383	4	3
8	87	0.492	0.0390	11	2	0.613	0.0406	8	4
9	74	0.459	0.0391	5	3	0.580	0.0417	4	4
10	66	0.397	0.0390	9	2	0.519	0.0433	7	4
11	55	0.382	0.0388	2	1	0.519	0.0433	0	3
12	52	0.367	0.0387	2	0	0.499	0.0438	2	0
13	50	0.316	0.0379	7	1	0.459	0.0446	4	4
14	42	0.271	0.0367	6	3	0.426	0.0453	3	6
15	33	0.271	0.0367	0	0	0.426	0.0453	0	0
16	33	0.263	0.0365	1	3	0.413	0.0457	1	3
17	29	0.245	0.0361	2	1	0.385	0.0468	2	1
18	26	0.245	0.0361	0	1	0.385	0.0468	0	1
19	25	0.225	0.0358	2	2	0.369	0.0474	1	3
20	21	0.214	0.0357	1	1	0.352	0.0483	1	1
21	19	0.214	0.0357	0	4	0.352	0.0483	0	4
22	15	0.214	0.0357	0	2	0.352	0.0483	0	2
23	13	0.198	0.0365	1	3	0.325	0.0516	1	3
24	9	0.176	0.0385	1	5	0.289	0.0571	1	5
25	3	0.117	0.0543	1	1	0.192	0.0873	1	1
26	1	0.117	0.0543	0	1	0.192	0.0873	0	1

Lifetable 2:54.The Survival of Lingual Restorations of Maxillary Incisors and Canines.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	85	0.941	0.0255	5	3	0.941	0.0255	5	3
2	77	0.807	0.0434	11	4	0.831	0.0412	9	6
3	62	0.794	0.0446	1	5	0.831	0.0412	0	6
4	56	0.709	0.0516	6	2	0.742	0.0503	6	2
5	48	0.694	0.0526	1	2	0.727	0.0516	1	2
6	45	0.571	0.0586	8	1	0.630	0.0579	6	3
7	36	0.539	0.0595	2	1	0.612	0.0589	1	2
8	33	0.506	0.0602	2	2	0.575	0.0609	2	2
9	29	0.436	0.0612	4	0	0.535	0.0628	2	2
10	25	0.436	0.0612	0	1	0.535	0.0628	0	1
11	24	0.436	0.0612	0	2	0.535	0.0628	0	2
12	22	0.417	0.0615	1	1	0.535	0.0628	0	2
13	20	0.354	0.0620	3	1	0.482	0.0670	2	2
14	16	0.310	0.0616	2	1	0.452	0.0692	1	2
15	13	0.286	0.0613	1	0	0.452	0.0692	0	1
16	12	0.286	0.0613	0	2	0.452	0.0692	0	2
17	10	0.286	0.0613	0	3	0.452	0.0692	0	3
18	7	0.245	0.0648	1	2	0.387	0.0842	1	2
19	7	0.245	0.0648	0	0	0.387	0.0842	0	0
20	7	0.245	0.0648	0	0	0.387	0.0842	0	0
21	7	0.245	0.0648	0	0	0.387	0.0842	0	0
22	4	0.245	0.0648	0	1	0.387	0.0842	0	1
23	4	0.245	0.0648	0	0	0.387	0.0842	0	0
24	3	0.245	0.0648	0	2	0.387	0.0842	0	2
25	1	0.245	0.0648	0	1	0.387	0.0842	0	1

Lifetable 2:55.

The Survival of MI + DI Restorations of Maxillary Incisors and Canines.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	89	0.843	0.0386	14	4	0.876	0.0349	11	7
2	71	0.653	0.0514	16	4	0.741	0.0478	11	9
3	51	0.589	0.0537	5	0	0.712	0.0502	2	3
4	46	0.512	0.0551	6	0	0.650	0.0545	4	2
5	40	0.410	0.0547	8	0	0.536	0.0595	7	1
6	32	0.346	0.0531	5	0	0.469	0.0608	4	1
7	27	0.218	0.0464	10	0	0.347	0.0599	7	3
8	17	0.205	0.0454	1	2	0.327	0.0598	1	2
9	14	0.190	0.0444	1	0	0.304	0.0599	1	0
10	13	0.132	0.0392	4	1	0.280	0.0597	1	4
11	8	0.115	0.0376	1	0	0.245	0.0617	1	0
12	7	0.099	0.0357	1	1	0.210	0.0620	1	1
13	7	0.099	0.0357	0	0	0.210	0.0620	0	0
14	5	0.059	0.0304	2	0	0.126	0.0592	2	0
15	5	0.059	0.0304	0	0	0.126	0.0592	0	0
16	3	0.059	0.0304	0	0	0.126	0.0592	0	0
17	3	0.059	0.0304	0	0	0.126	0.0592	0	0
18	3	0.059	0.0304	0	0	0.126	0.0592	0	0
19	3	0.039	0.0259	1	0	0.084	0.0523	1	0
20	3	0.039	0.0259	0	0	0.084	0.0523	0	0
21	3	0.039	0.0259	0	0	0.084	0.0523	0	0
22	2	0.039	0.0259	0	1	0.084	0.0523	0	1
23	2	0.039	0.0259	0	0	0.084	0.0523	0	0
24	1	0.039	0.0259	0	1	0.084	0.0523	0	1

Lifetable 2:56.The Survival of MID Restorations of Maxillary Incisors and Canines.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	6	1.000	0.0000	0	0	1.000	0.0000	0	0
2	6	0.833	0.1521	1	0	0.833	0.1521	1	0
3	5	0.833	0.1521	0	1	0.833	0.1521	0	1
4	4	0.625	0.2135	1	0	0.625	0.2135	1	0
5	3	0.625	0.2135	0	0	0.625	0.2135	0	0
6	3	0.625	0.2135	0	0	0.625	0.2135	0	0
7	3	0.417	0.2218	1	0	0.417	0.2218	1	0
8	3	0.417	0.2218	0	0	0.417	0.2218	0	0
9	2	0.208	0.1844	1	0	0.417	0.2218	0	1
10	2	0.208	0.1844	0	0	0.417	0.2218	0	0
11	2	0.208	0.1844	0	0	0.417	0.2218	0	0
12	2	0.208	0.1844	0	0	0.417	0.2218	0	0
13	2	0.208	0.1844	0	0	0.417	0.2218	0	0
14	1	0.000	0.0000	1	0	0.417	0.2218	0	1

Lifetable 2:57.The Survival of Incisal Edge Restorations of MandibularIncisors and Canines.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	12	0.917	0.0798	1	0	1.000	0.0000	0	1
2	11	0.917	0.0798	0	2	1.000	0.0000	0	2
3	9	0.815	0.1194	1	1	1.000	0.0000	0	2
4	7	0.582	0.1632	2	0	0.714	0.1707	2	0
5	5	0.582	0.1632	0	0	0.714	0.1707	0	0
6	5	0.582	0.1632	0	0	0.714	0.1707	0	0
7	5	0.466	0.1670	1	0	0.571	0.1870	1	0
8	4	0.466	0.1670	0	0	0.571	0.1870	0	0
9	4	0.466	0.1670	0	0	0.571	0.1870	0	0
10	4	0.466	0.1670	0	0	0.571	0.1870	0	0
11	4	0.466	0.1670	0	0	0.571	0.1870	0	0
12	4	0.466	0.1670	0	0	0.571	0.1870	0	0
13	4	0.466	0.1670	0	0	0.571	0.1870	0	0
14	4	0.466	0.1670	0	0	0.571	0.1870	0	0
15	4	0.466	0.1670	0	0	0.571	0.1870	0	0
16	4	0.466	0.1670	0	0	0.571	0.1870	0	0
17	4	0.466	0.1670	0	2	0.571	0.1870	0	2
18	4	0.466	0.1670	0	0	0.571	0.1870	0	0
19	4	0.466	0.1670	0	0	0.571	0.1870	0	0
20	2	0.466	0.1670	0	0	0.571	0.1870	0	0
21	2	0.466	0.1670	0	0	0.571	0.1870	0	0
22	2	0.466	0.1670	0	0	0.571	0.1870	0	0
23	2	0.466	0.1670	0	0	0.571	0.1870	0	0
24	2	0.466	0.1670	0	0	0.571	0.1870	0	0
25	2	0.466	0.1670	0	0	0.571	0.1870	0	0
26	2	0.466	0.1670	0	0	0.571	0.1870	0	0
27	2	0.466	0.1670	0	2	0.571	0.1870	0	2

Lifetable 2:58.The Survival of Proximal Restorations of Mandibular Incisors
and Canines.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	158	0.943	0.0184	9	2	0.968	0.0139	5	6
2	147	0.866	0.0272	12	6	0.929	0.0207	6	12
3	129	0.806	0.0319	9	9	0.886	0.0262	6	12
4	111	0.748	0.0356	8	7	0.862	0.0289	3	12
5	96	0.709	0.0378	5	2	0.835	0.0319	3	4
6	89	0.645	0.0405	8	4	0.769	0.0378	7	5
7	77	0.561	0.0431	10	1	0.699	0.0426	7	4
8	66	0.536	0.0436	3	4	0.667	0.0445	3	4
9	59	0.527	0.0437	1	1	0.656	0.0451	1	1
10	57	0.490	0.0444	4	2	0.622	0.0470	3	3
11	51	0.422	0.0450	7	1	0.585	0.0487	3	5
12	43	0.413	0.0450	1	1	0.585	0.0487	0	2
13	41	0.403	0.0450	1	2	0.571	0.0496	1	2
14	38	0.381	0.0451	2	0	0.556	0.0505	1	1
15	36	0.360	0.0450	2	2	0.540	0.0514	1	3
16	32	0.281	0.0439	7	0	0.473	0.0550	4	3
17	25	0.281	0.0439	0	1	0.473	0.0550	0	1
18	24	0.258	0.0433	2	3	0.433	0.0570	2	3
19	19	0.244	0.0431	1	4	0.411	0.0584	1	4
20	14	0.244	0.0431	0	3	0.411	0.0584	0	3
21	11	0.244	0.0431	0	3	0.411	0.0584	0	3
22	8	0.244	0.0431	0	0	0.411	0.0584	0	0
23	8	0.183	0.0494	2	1	0.411	0.0584	0	3
24	5	0.183	0.0494	0	1	0.411	0.0584	0	1
25	4	0.183	0.0494	0	0	0.411	0.0584	0	0
26	4	0.183	0.0494	0	2	0.411	0.0584	0	2
27	2	0.183	0.0494	0	1	0.411	0.0584	0	1
28	1	0.183	0.0494	0	1	0.411	0.0584	0	1

Lifetable 2:59.The Survival of Buccal Restorations of Mandibular Incisors and Canines.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	69	1.000	0.0000	0	2	1.000	0.0000	0	2
2	67	0.955	0.0253	3	6	0.970	0.0208	2	7
3	58	0.939	0.0297	1	7	0.953	0.0263	1	7
4	50	0.864	0.0452	4	6	0.896	0.0405	3	7
5	40	0.756	0.0600	5	0	0.807	0.0560	4	1
6	35	0.691	0.0655	3	0	0.737	0.0638	3	0
7	32	0.626	0.0692	3	1	0.691	0.0677	2	2
8	28	0.581	0.0711	2	1	0.642	0.0713	2	1
9	25	0.535	0.0727	2	2	0.591	0.0742	2	2
10	21	0.509	0.0735	1	2	0.563	0.0759	1	2
11	18	0.509	0.0735	0	0	0.563	0.0759	0	0
12	18	0.481	0.0747	1	2	0.531	0.0778	1	2
13	15	0.481	0.0747	0	1	0.531	0.0778	0	1
14	14	0.412	0.0783	2	0	0.455	0.0832	2	0
15	12	0.378	0.0789	1	1	0.417	0.0845	1	1
16	10	0.378	0.0789	0	1	0.417	0.0845	0	1
17	9	0.294	0.0807	2	1	0.325	0.0875	2	1
18	6	0.294	0.0807	0	0	0.325	0.0875	0	0
19	6	0.294	0.0807	0	0	0.325	0.0875	0	0
20	6	0.245	0.0808	1	0	0.271	0.0881	1	0
21	5	0.245	0.0808	0	2	0.271	0.0881	0	2
22	3	0.245	0.0808	0	2	0.271	0.0881	0	2
23	1	0.245	0.0808	0	1	0.271	0.0881	0	1

Lifetable 2:60.

The Survival of Lingual Restorations of Mandibular Incisors and Canines.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	8	0.875	0.1169	1	1	0.875	0.1169	1	1
2	6	0.729	0.1650	1	0	0.875	0.1169	0	1
3	5	0.437	0.1879	2	0	0.700	0.1823	1	1
4	3	0.292	0.1728	1	0	0.700	0.1823	0	1
5	2	0.146	0.1345	1	0	0.350	0.2637	1	0
6	1	0.146	0.1345	0	0	0.350	0.2637	0	0
7	1	0.146	0.1345	0	0	0.350	0.2637	0	0
8	1	0.146	0.1345	0	0	0.350	0.2637	0	0
9	1	0.000	0.0000	1	0	0.000	0.0000	1	0

Lifetable 2:61.

The Survival of MI + DI Restorations of Mandibular Incisors and Canines.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	8	1.000	0.0000	0	0	1.000	0.0000	0	0
2	8	1.000	0.0000	0	1	1.000	0.0000	0	1
3	7	1.000	0.0000	0	2	1.000	0.0000	0	2
4	5	1.000	0.0000	0	0	1.000	0.0000	0	0
5	5	0.800	0.1789	1	0	0.800	0.1789	1	0
6	4	0.800	0.1789	0	2	0.800	0.1789	0	2
7	2	0.800	0.1789	0	0	0.800	0.1789	0	0
8	2	0.800	0.1789	0	0	0.800	0.1789	0	0
9	2	0.800	0.1789	0	0	0.800	0.1789	0	0
10	2	0.800	0.1789	0	0	0.800	0.1789	0	0
11	2	0.800	0.1789	0	0	0.800	0.1789	0	0
12	2	0.800	0.1789	0	0	0.800	0.1789	0	0
13	2	0.800	0.1789	0	0	0.800	0.1789	0	0
14	2	0.800	0.1789	0	1	0.800	0.1789	0	1
15	2	0.800	0.1789	0	0	0.800	0.1789	0	0
16	1	0.800	0.1789	0	1	0.800	0.1789	0	1

Lifetable 2:62.The Survival of MID Restorations of Mandibular Incisors and
Canines.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	5	1.000	0.0000	0	0	1.000	0.0000	0	0
2	5	0.600	0.2191	2	0	0.600	0.2191	2	0
3	3	0.600	0.2191	0	0	0.600	0.2191	0	0
4	3	0.200	0.1789	2	0	0.200	0.1789	2	0
5	1	0.200	0.1789	0	1	0.200	0.1789	0	1

Lifetable 2:63.The Survival of Occlusal Restorations of Maxillary Premolars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	72	0.972	0.0194	2	2	1.000	0.0000	0	4
2	68	0.915	0.0332	4	1	0.985	0.0146	1	4
3	63	0.857	0.0419	4	0	0.985	0.0146	0	4
4	59	0.784	0.0494	5	2	0.952	0.0272	2	5
5	52	0.694	0.0558	6	3	0.934	0.0322	1	8
6	43	0.629	0.0592	4	0	0.934	0.0322	0	4
7	39	0.581	0.0609	3	1	0.910	0.0393	1	3
8	35	0.498	0.0625	5	0	0.910	0.0393	0	5
9	30	0.465	0.0626	2	1	0.879	0.0483	1	2
10	27	0.447	0.0626	1	0	0.879	0.0483	0	1
11	26	0.413	0.0623	2	2	0.846	0.0571	1	3
12	22	0.376	0.0621	2	1	0.807	0.0662	1	2
13	19	0.336	0.0615	2	2	0.765	0.0751	1	3
14	15	0.336	0.0615	0	4	0.765	0.0751	0	4
15	11	0.305	0.0630	1	1	0.765	0.0751	0	2
16	9	0.204	0.0638	3	0	0.595	0.1210	2	1
17	9	0.204	0.0638	0	0	0.595	0.1210	0	0
18	9	0.204	0.0638	0	0	0.595	0.1210	0	0
19	6	0.204	0.0638	0	0	0.595	0.1210	0	0
20	6	0.204	0.0638	0	0	0.595	0.1210	0	0
21	6	0.204	0.0638	0	0	0.595	0.1210	0	0
22	6	0.204	0.0638	0	1	0.595	0.1210	0	1
23	5	0.204	0.0638	0	2	0.595	0.1210	0	2
24	3	0.204	0.0638	0	1	0.595	0.1210	0	1
25	2	0.204	0.0638	0	0	0.595	0.1210	0	0
26	2	0.204	0.0638	0	1	0.595	0.1210	0	1
27	2	0.204	0.0638	0	0	0.595	0.1210	0	0
28	1	0.204	0.0638	0	1	0.595	0.1210	0	1

Lifetable 2:64.The Survival of Proximal Restorations of Maxillary Premolars.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	40	0.900	0.0474	4	0	0.975	0.0247	1	3
2	36	0.800	0.0632	4	3	0.948	0.0359	1	6
3	29	0.745	0.0699	2	2	0.883	0.0557	2	2
4	25	0.566	0.0829	6	0	0.812	0.0702	2	4
5	19	0.536	0.0837	1	2	0.812	0.0702	0	3
6	16	0.469	0.0856	2	1	0.761	0.0821	1	2
7	13	0.361	0.0857	3	0	0.703	0.0944	1	2
8	10	0.361	0.0857	0	0	0.703	0.0944	0	0
9	10	0.325	0.0844	1	0	0.703	0.0944	0	1
10	9	0.253	0.0796	2	0	0.625	0.1116	1	1
11	7	0.217	0.0760	1	0	0.535	0.1264	1	0
12	6	0.217	0.0760	0	0	0.535	0.1264	0	0
13	6	0.217	0.0760	0	0	0.535	0.1264	0	0
14	6	0.144	0.0656	2	0	0.446	0.1331	1	1
15	6	0.144	0.0656	0	0	0.446	0.1331	0	0
16	4	0.144	0.0656	0	1	0.446	0.1331	0	1
17	4	0.144	0.0656	0	0	0.446	0.1331	0	0
18	3	0.096	0.0588	1	0	0.297	0.1504	1	0
19	2	0.096	0.0588	0	0	0.297	0.1504	0	0
20	2	0.048	0.0450	1	0	0.297	0.1504	0	1
21	2	0.048	0.0450	0	0	0.297	0.1504	0	0
22	2	0.048	0.0450	0	0	0.297	0.1504	0	0
23	1	0.048	0.0450	0	1	0.297	0.1504	0	1

Lifetable 2:65.The Survival of Buccal Restorations of Maxillary Premolars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	106	0.896	0.0296	11	4	0.943	0.0224	6	9
2	91	0.827	0.0371	7	5	0.912	0.0280	3	9
3	79	0.775	0.0415	5	2	0.901	0.0299	1	6
4	72	0.678	0.0472	9	2	0.826	0.0402	6	5
5	61	0.667	0.0477	1	2	0.812	0.0417	1	2
6	58	0.552	0.0515	10	1	0.714	0.0505	7	4
7	47	0.493	0.0523	5	4	0.669	0.0537	3	6
8	38	0.454	0.0528	3	2	0.616	0.0575	3	2
9	33	0.399	0.0531	4	0	0.541	0.0614	4	0
10	29	0.330	0.0521	4	1	0.448	0.0635	5	1
11	23	0.316	0.0518	1	0	0.428	0.0636	1	0
12	22	0.302	0.0514	1	1	0.409	0.0636	1	1
13	20	0.272	0.0505	2	0	0.388	0.0636	1	1
14	18	0.256	0.0499	1	0	0.367	0.0637	1	0
15	17	0.241	0.0492	1	0	0.345	0.0635	1	0
16	16	0.226	0.0484	1	0	0.345	0.0635	0	1
17	15	0.211	0.0474	1	2	0.345	0.0635	0	3
18	12	0.194	0.0466	1	0	0.317	0.0644	1	0
19	11	0.194	0.0466	0	1	0.317	0.0644	0	1
20	10	0.194	0.0466	0	0	0.317	0.0644	0	0
21	10	0.155	0.0446	2	1	0.253	0.0652	2	1
22	7	0.155	0.0446	0	0	0.253	0.0652	0	0
23	7	0.133	0.0434	1	0	0.217	0.0652	1	0
24	6	0.111	0.0414	1	2	0.181	0.0636	1	2
25	3	0.111	0.0414	0	1	0.181	0.0636	0	1
26	2	0.111	0.0414	0	0	0.181	0.0636	0	0
27	2	0.111	0.0414	0	1	0.181	0.0636	0	1
28	1	0.111	0.0414	0	1	0.181	0.0636	0	1

Lifetable 2:66.The Survival of Lingual Restorations of Maxillary Premolars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	22	0.955	0.0444	1	0	0.955	0.0444	1	0
2	21	0.818	0.0822	3	2	0.818	0.0822	3	2
3	21	0.818	0.0822	0	0	0.818	0.0822	0	0
4	16	0.767	0.0916	1	0	0.818	0.0822	0	1
5	15	0.665	0.1041	2	1	0.764	0.0931	1	2
6	12	0.499	0.1140	3	0	0.636	0.1130	2	1
7	9	0.499	0.1140	0	2	0.636	0.1130	0	2
8	9	0.499	0.1140	0	0	0.636	0.1130	0	0
9	9	0.499	0.1140	0	0	0.636	0.1130	0	0
10	7	0.427	0.1179	1	0	0.636	0.1130	0	1
11	6	0.427	0.1179	0	0	0.636	0.1130	0	0
12	6	0.427	0.1179	0	1	0.636	0.1130	0	1
13	5	0.342	0.1214	1	0	0.509	0.1454	1	0
14	5	0.342	0.1214	0	0	0.509	0.1454	0	0
15	5	0.342	0.1214	0	0	0.509	0.1454	0	0
16	4	0.342	0.1214	0	1	0.509	0.1454	0	-1
17	4	0.342	0.1214	0	0	0.509	0.1454	0	0
18	3	0.228	0.1233	1	0	0.509	0.1454	0	1
19	3	0.228	0.1233	0	0	0.509	0.1454	0	0
20	3	0.228	0.1233	0	0	0.509	0.1454	0	0
21	2	0.228	0.1233	0	1	0.509	0.1454	0	1
22	1	0.228	0.1233	0	1	0.509	0.1454	0	1

Lifetable 2:67.The Survival of M0 + D0 Restorations of Maxillary Premolars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	323	0.950	0.0121	16	2	0.981	0.0075	6	12
2	305	0.863	0.0192	28	4	0.946	0.0127	11	21
3	273	0.800	0.0224	20	3	0.915	0.0160	9	14
4	250	0.688	0.0260	35	5	0.864	0.0201	14	26
5	210	0.613	0.0275	23	1	0.827	0.0227	9	15
6	186	0.557	0.0282	17	2	0.813	0.0236	3	16
7	167	0.523	0.0284	10	2	0.794	0.0250	4	8
8	155	0.476	0.0285	14	1	0.784	0.0257	2	13
9	140	0.442	0.0284	10	5	0.772	0.0265	2	13
10	125	0.403	0.0282	11	2	0.729	0.0297	7	6
11	112	0.382	0.0281	6	7	0.710	0.0309	3	10
12	99	0.358	0.0279	6	6	0.695	0.0319	2	10
13	87	0.313	0.0275	11	7	0.695	0.0319	0	18
14	69	0.295	0.0274	4	5	0.675	0.0340	2	7
15	60	0.270	0.0272	5	6	0.641	0.0375	3	8
16	49	0.237	0.0270	6	9	0.602	0.0415	3	12
17	34	0.202	0.0272	5	2	0.584	0.0439	1	6
18	27	0.180	0.0271	3	0	0.584	0.0439	0	3
19	24	0.172	0.0270	1	0	0.584	0.0439	0	1
20	23	0.165	0.0268	1	0	0.559	0.0488	1	0
21	22	0.165	0.0268	0	1	0.559	0.0488	0	1
22	21	0.157	0.0267	1	3	0.559	0.0488	0	4
23	17	0.148	0.0267	1	2	0.526	0.0559	1	2
24	14	0.137	0.0268	1	2	0.526	0.0559	0	3
25	11	0.137	0.0268	0	3	0.526	0.0559	0	3
26	8	0.137	0.0268	0	4	0.526	0.0559	0	4
27	4	0.137	0.0268	0	3	0.526	0.0559	0	3
28	1	0.137	0.0268	0	1	0.526	0.0559	0	1

Lifetable 2:68.The Survival of MOD Restorations of Maxillary Premolars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	148	0.973	0.0133	4	5	0.973	0.0133	4	5
2	139	0.910	0.0238	9	7	0.945	0.0189	4	12
3	123	0.866	0.0287	6	7	0.907	0.0248	5	8
4	110	0.811	0.0336	7	3	0.857	0.0305	6	4
5	100	0.762	0.0370	6	2	0.831	0.0330	3	5
6	92	0.679	0.0412	10	1	0.768	0.0382	7	4
7	81	0.637	0.0427	5	7	0.730	0.0408	4	8
8	69	0.600	0.0441	4	7	0.698	0.0429	3	8
9	58	0.580	0.0449	2	12	0.674	0.0447	2	12
10	44	0.580	0.0449	0	4	0.674	0.0447	0	4
11	40	0.522	0.0489	4	0	0.624	0.0500	3	1
12	36	0.478	0.0508	3	5	0.606	0.0515	1	7
13	28	0.444	0.0526	2	3	0.606	0.0515	0	5
14	23	0.425	0.0538	1	5	0.580	0.0556	1	5
15	17	0.425	0.0538	0	4	0.580	0.0556	0	4
16	13	0.392	0.0587	1	2	0.580	0.0556	0	3
17	10	0.314	0.0683	2	1	0.464	0.0858	2	1
18	10	0.314	0.0683	0	0	0.464	0.0858	0	0
19	7	0.314	0.0683	0	3	0.464	0.0858	0	3
20	7	0.314	0.0683	0	0	0.464	0.0858	0	0
21	4	0.235	0.0851	1	0	0.348	0.1193	1	0
22	4	0.235	0.0851	0	0	0.348	0.1193	0	0
23	4	0.235	0.0851	0	0	0.348	0.1193	0	0
24	3	0.235	0.0851	0	1	0.348	0.1193	0	1
25	3	0.235	0.0851	0	0	0.348	0.1193	0	0
26	2	0.235	0.0851	0	1	0.348	0.1193	0	1
27	1	0.235	0.0851	0	1	0.348	0.1193	0	1

Lifetable 2:69.The Survival of Occlusal Restorations of Mandibular Premolars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	82	0.939	0.0264	5	0	0.976	0.0170	2	3
2	77	0.878	0.0361	5	2	0.925	0.0295	4	3
3	70	0.753	0.0480	10	1	0.899	0.0341	2	9
4	59	0.714	0.0504	3	0	0.883	0.0367	1	2
5	56	0.651	0.0534	5	2	0.852	0.0416	2	5
6	49	0.637	0.0539	1	2	0.852	0.0416	0	3
7	46	0.623	0.0545	1	2	0.852	0.0416	0	3
8	43	0.580	0.0562	3	2	0.852	0.0416	0	5
9	38	0.504	0.0582	5	2	0.807	0.0501	2	5
10	31	0.422	0.0591	5	0	0.807	0.0501	0	5
11	26	0.325	0.0573	6	1	0.776	0.0570	1	6
12	19	0.308	0.0568	1	1	0.735	0.0670	1	1
13	17	0.290	0.0563	1	3	0.692	0.0758	1	3
14	13	0.245	0.0557	2	1	0.692	0.0758	0	3
15	10	0.196	0.0543	2	1	0.623	0.0946	1	2
16	7	0.168	0.0533	1	0	0.623	0.0946	0	1
17	7	0.168	0.0533	0	0	0.623	0.0946	0	0
18	7	0.168	0.0533	0	0	0.623	0.0946	0	0
19	6	0.140	0.0512	1	0	0.623	0.0946	0	1
20	5	0.112	0.0481	1	0	0.623	0.0946	0	1
21	4	0.112	0.0481	0	1	0.623	0.0946	0	1
22	3	0.112	0.0481	0	0	0.623	0.0946	0	0
23	3	0.112	0.0481	0	0	0.623	0.0946	0	0
24	3	0.112	0.0481	0	2	0.623	0.0946	0	2
25	1	0.112	0.0481	0	1	0.623	0.0946	0	1

Lifetable 2:70.The Survival of Proximal Restorations of Mandibular Premolars.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	22	1.000	0.0000	0	0	1.000	0.0000	0	0
2	22	0.909	0.0613	2	0	0.955	0.0444	1	1
3	20	0.818	0.0822	2	1	0.955	0.0444	0	3
4	17	0.818	0.0822	0	0	0.955	0.0444	0	0
5	17	0.770	0.0904	1	0	0.898	0.0687	1	0
6	16	0.674	0.1015	2	0	0.898	0.0687	0	2
7	14	0.674	0.1015	0	0	0.898	0.0687	0	0
8	14	0.626	0.1051	1	0	0.898	0.0687	0	1
9	13	0.578	0.1074	1	0	0.898	0.0687	0	1
10	12	0.578	0.1074	0	2	0.898	0.0687	0	2
11	10	0.578	0.1074	0	0	0.898	0.0687	0	0
12	10	0.462	0.1128	2	0	0.898	0.0687	0	2
13	8	0.404	0.1125	1	1	0.786	0.1210	1	1
14	6	0.404	0.1125	0	1	0.786	0.1210	0	1
15	6	0.404	0.1125	0	0	0.786	0.1210	0	0
16	5	0.404	0.1125	0	0	0.786	0.1210	0	0
17	5	0.404	0.1125	0	0	0.786	0.1210	0	0
18	5	0.323	0.1155	1	1	0.629	0.1707	1	1
19	3	0.216	0.1169	1	0	0.629	0.1707	0	1
20	2	0.216	0.1169	0	0	0.629	0.1707	0	0
21	2	0.216	0.1169	0	0	0.629	0.1707	0	0
22	2	0.216	0.1169	0	0	0.629	0.1707	0	0
23	2	0.108	0.0961	1	1	0.629	0.1707	0	2

Lifetable 2:71.The Survival of Buccal Restorations of Mandibular Premolars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	216	0.968	0.0120	7	8	0.972	0.0112	6	9
2	201	0.867	0.0235	21	8	0.909	0.0198	13	16
3	172	0.811	0.0273	11	12	0.867	0.0239	8	15
4	149	0.724	0.0319	16	4	0.815	0.0281	9	11
5	129	0.685	0.0334	7	2	0.789	0.0300	4	5
6	120	0.656	0.0344	5	2	0.763	0.0317	4	3
7	113	0.598	0.0359	10	2	0.716	0.0344	7	5
8	101	0.539	0.0369	10	3	0.673	0.0365	6	7
9	88	0.514	0.0372	4	3	0.658	0.0372	2	5
10	81	0.476	0.0376	6	4	0.626	0.0388	4	6
11	71	0.449	0.0378	4	2	0.599	0.0400	3	3
12	65	0.415	0.0379	5	2	0.581	0.0409	2	5
13	58	0.386	0.0379	4	1	0.561	0.0418	2	3
14	53	0.343	0.0376	6	1	0.518	0.0437	4	3
15	46	0.335	0.0375	1	0	0.507	0.0442	1	0
16	45	0.305	0.0370	4	1	0.462	0.0456	4	1
17	40	0.290	0.0367	2	0	0.439	0.0462	2	0
18	38	0.275	0.0363	2	1	0.427	0.0464	1	2
19	35	0.259	0.0359	2	3	0.415	0.0466	1	4
20	30	0.250	0.0357	1	1	0.415	0.0466	0	2
21	28	0.241	0.0355	1	6	0.400	0.0473	1	6
22	21	0.218	0.0357	2	3	0.381	0.0487	1	4
23	16	0.191	0.0361	2	0	0.381	0.0487	0	2
24	14	0.164	0.0357	2	2	0.327	0.0549	2	2
25	10	0.147	0.0357	1	4	0.294	0.0583	1	4
26	5	0.147	0.0357	0	2	0.294	0.0583	0	2
27	3	0.147	0.0357	0	3	0.294	0.0583	0	3

Lifetable 2:72.The Survival of Lingual Restorations of Mandibular Premolars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	5	1.000	0.0000	0	0	1.000	0.0000	0	0
2	5	0.800	0.1789	1	0	1.000	0.0000	0	1
3	5	0.800	0.1789	0	0	1.000	0.0000	0	0
4	4	0.600	0.2191	1	0	1.000	0.0000	0	1
5	3	0.600	0.2191	0	0	1.000	0.0000	0	0
6	3	0.600	0.2191	0	1	1.000	0.0000	0	1
7	2	0.600	0.2191	0	0	1.000	0.0000	0	0
8	2	0.600	0.2191	0	0	1.000	0.0000	0	0
9	2	0.600	0.2191	0	0	1.000	0.0000	0	0
10	2	0.600	0.2191	0	0	1.000	0.0000	0	0
11	2	0.600	0.2191	0	1	1.000	0.0000	0	1
12	1	0.600	0.2191	0	0	1.000	0.0000	0	0
13	1	0.600	0.2191	0	0	1.000	0.0000	0	0
14	1	0.600	0.2191	0	0	1.000	0.0000	0	0
15	1	0.600	0.2191	0	0	1.000	0.0000	0	0
16	1	0.600	0.2191	0	0	1.000	0.0000	0	0
17	1	0.600	0.2191	0	0	1.000	0.0000	0	0
18	1	0.600	0.2191	0	1	1.000	0.0000	0	1

Lifetable 2:73.The Survival of MO + DO Restorations of Mandibular Premolars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	231	0.935	0.0162	15	2	0.961	0.0127	9	8
2	214	0.861	0.0228	17	5	0.930	0.0170	7	15
3	192	0.785	0.0273	17	5	0.881	0.0219	10	12
4	170	0.720	0.0300	14	2	0.835	0.0257	9	7
5	154	0.673	0.0315	10	1	0.813	0.0272	4	7
6	143	0.617	0.0328	12	6	0.779	0.0294	6	12
7	125	0.577	0.0335	8	3	0.754	0.0310	4	7
8	114	0.562	0.0338	3	4	0.747	0.0314	1	6
9	107	0.546	0.0340	3	4	0.740	0.0319	1	6
10	100	0.530	0.0343	3	6	0.740	0.0319	0	9
11	91	0.507	0.0347	4	3	0.740	0.0319	0	7
12	84	0.495	0.0349	2	6	0.731	0.0327	1	7
13	76	0.488	0.0351	1	6	0.731	0.0327	0	7
14	69	0.460	0.0358	4	10	0.710	0.0350	2	12
15	55	0.435	0.0366	3	2	0.697	0.0367	1	4
16	50	0.426	0.0369	1	3	0.697	0.0367	0	4
17	46	0.426	0.0369	0	5	0.697	0.0367	0	5
18	41	0.395	0.0384	3	2	0.680	0.0396	1	4
19	36	0.384	0.0388	1	5	0.680	0.0396	0	6
20	30	0.371	0.0396	1	7	0.680	0.0396	0	8
21	22	0.354	0.0412	1	1	0.680	0.0396	0	2
22	20	0.336	0.0428	1	3	0.680	0.0396	0	4
23	16	0.315	0.0450	1	2	0.680	0.0396	0	3
24	13	0.315	0.0450	0	5	0.680	0.0396	0	5
25	8	0.315	0.0450	0	4	0.680	0.0396	0	4
26	4	0.315	0.0450	0	2	0.680	0.0396	0	2
27	2	0.315	0.0450	0	2	0.680	0.0396	0	2

Lifetable 2:74.The Survival of MOD Restorations of Mandibular Premolars.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	78	0.962	0.0218	3	2	0.962	0.0218	3	2
2	73	0.909	0.0329	4	2	0.922	0.0306	3	3
3	67	0.855	0.0406	4	4	0.867	0.0392	4	4
4	59	0.768	0.0496	6	4	0.808	0.0463	4	6
5	49	0.752	0.0510	1	1	0.792	0.0482	1	1
6	47	0.736	0.0524	1	4	0.792	0.0482	0	5
7	42	0.683	0.0567	3	3	0.754	0.0528	2	4
8	36	0.664	0.0583	1	8	0.733	0.0553	1	8
9	27	0.664	0.0583	0	7	0.733	0.0553	0	7
10	20	0.631	0.0641	1	2	0.696	0.0635	1	2
11	17	0.631	0.0641	0	2	0.696	0.0635	0	2
12	15	0.631	0.0641	0	3	0.696	0.0635	0	3
13	12	0.579	0.0774	1	2	0.696	0.0635	0	3
14	9	0.579	0.0774	0	3	0.696	0.0635	0	3
15	6	0.579	0.0774	0	1	0.696	0.0635	0	1
16	5	0.463	0.1206	1	0	0.696	0.0635	0	1
17	4	0.347	0.1350	1	0	0.522	0.1581	1	0
18	4	0.347	0.1350	0	0	0.522	0.1581	0	0
19	3	0.347	0.1350	0	3	0.522	0.1581	0	3

Lifetable 2:75.The Survival of Occlusal Restorations of Maxillary Molars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	363	0.967	0.0094	12	2	0.981	0.0072	7	7
2	349	0.906	0.0153	22	4	0.967	0.0095	5	21
3	323	0.839	0.0194	24	3	0.952	0.0114	5	22
4	296	0.745	0.0231	33	2	0.936	0.0133	5	30
5	261	0.685	0.0247	21	3	0.903	0.0166	9	15
6	237	0.645	0.0255	14	5	0.896	0.0174	2	17
7	218	0.606	0.0261	13	3	0.879	0.0189	4	12
8	202	0.585	0.0264	7	1	0.871	0.0197	2	6
9	194	0.549	0.0267	12	7	0.853	0.0212	4	15
10	175	0.518	0.0270	10	10	0.853	0.0212	0	20
11	155	0.478	0.0273	12	9	0.853	0.0212	0	21
12	134	0.453	0.0274	7	8	0.846	0.0220	1	14
13	119	0.426	0.0276	7	11	0.839	0.0229	1	17
14	101	0.422	0.0276	1	10	0.831	0.0242	1	10
15	90	0.417	0.0277	1	8	0.822	0.0256	1	8
16	81	0.391	0.0283	5	4	0.811	0.0272	1	8
17	72	0.370	0.0287	4	3	0.800	0.0291	1	6
18	65	0.336	0.0293	6	4	0.788	0.0311	1	9
19	55	0.336	0.0293	0	4	0.788	0.0311	0	4
20	51	0.329	0.0294	1	9	0.772	0.0341	1	9
21	41	0.305	0.0304	3	8	0.772	0.0341	0	11
22	30	0.295	0.0310	1	6	0.772	0.0341	0	7
23	23	0.295	0.0310	0	5	0.772	0.0341	0	5
24	18	0.295	0.0310	0	6	0.772	0.0341	0	6
25	12	0.295	0.0310	0	4	0.772	0.0341	0	4
26	8	0.295	0.0310	0	4	0.772	0.0341	0	4
27	4	0.221	0.0679	1	2	0.772	0.0341	0	3
28	1	0.221	0.0679	0	1	0.772	0.0341	0	1

Lifetable 2:76.The Survival of Proximal Restorations of Maxillary Molars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	36	0.972	0.0274	1	0	0.972	0.0274	1	0
2	35	0.861	0.0576	4	0	0.917	0.0461	2	2
3	31	0.750	0.0722	4	0	0.887	0.0532	1	3
4	27	0.583	0.0822	6	0	0.854	0.0606	1	5
5	21	0.583	0.0822	0	0	0.854	0.0606	0	0
6	21	0.500	0.0833	3	1	0.854	0.0606	0	4
7	17	0.441	0.0833	2	1	0.854	0.0606	0	3
8	14	0.410	0.0831	1	0	0.854	0.0606	0	1
9	13	0.378	0.0824	1	1	0.789	0.0843	1	1
10	11	0.378	0.0824	0	0	0.789	0.0843	0	0
11	11	0.378	0.0824	0	0	0.789	0.0843	0	0
12	11	0.378	0.0824	0	1	0.789	0.0843	0	1
13	11	0.378	0.0824	0	0	0.789	0.0843	0	0
14	11	0.378	0.0824	0	0	0.789	0.0843	0	0
15	10	0.378	0.0824	0	0	0.789	0.0843	0	0
16	10	0.378	0.0824	0	1	0.789	0.0843	0	1
17	9	0.378	0.0824	0	0	0.789	0.0843	0	0
18	9	0.336	0.0833	1	1	0.789	0.0843	0	2
19	7	0.336	0.0833	0	1	0.789	0.0843	0	1
20	7	0.336	0.0833	0	0	0.789	0.0843	0	0
21	7	0.336	0.0833	0	0	0.789	0.0843	0	0
22	6	0.336	0.0833	0	3	0.789	0.0843	0	3
23	3	0.224	0.1070	1	0	0.789	0.0843	0	1
24	3	0.224	0.1070	0	0	0.789	0.0843	0	0
25	2	0.224	0.1070	0	0	0.789	0.0843	0	0
26	2	0.224	0.1070	0	2	0.789	0.0843	0	2

Lifetable 2:77.The Survival of Buccal Restorations of Maxillary Molars.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	74	0.946	0.0263	4	1	0.959	0.0229	3	2
2	69	0.877	0.0383	5	4	0.932	0.0295	2	7
3	60	0.834	0.0440	3	1	0.916	0.0329	1	3
4	56	0.774	0.0499	4	1	0.900	0.0361	1	4
5	51	0.728	0.0534	3	0	0.864	0.0424	2	1
6	48	0.698	0.0554	2	1	0.864	0.0424	0	3
7	45	0.652	0.0578	3	0	0.845	0.0456	1	2
8	42	0.590	0.0601	4	1	0.805	0.0516	2	3
9	37	0.590	0.0601	0	1	0.805	0.0516	0	1
10	36	0.573	0.0606	1	1	0.783	0.0548	1	1
11	34	0.573	0.0606	0	2	0.783	0.0548	0	2
12	32	0.573	0.0606	0	1	0.783	0.0548	0	1
13	31	0.555	0.0614	1	2	0.757	0.0585	1	2
14	28	0.555	0.0614	0	5	0.757	0.0585	0	5
15	23	0.506	0.0648	2	1	0.757	0.0585	0	3
16	20	0.481	0.0664	1	0	0.757	0.0585	0	1
17	19	0.456	0.0675	1	3	0.757	0.0585	0	4
18	15	0.425	0.0695	1	0	0.757	0.0585	0	1
19	14	0.425	0.0695	0	1	0.757	0.0585	0	1
20	13	0.425	0.0695	0	2	0.757	0.0585	0	2
21	11	0.425	0.0695	0	2	0.757	0.0585	0	2
22	9	0.425	0.0695	0	2	0.757	0.0585	0	2
23	7	0.425	0.0695	0	2	0.757	0.0585	0	2
24	5	0.425	0.0695	0	1	0.757	0.0585	0	1
25	4	0.425	0.0695	0	1	0.757	0.0585	0	1
26	4	0.425	0.0695	0	0	0.757	0.0585	0	0
27	3	0.425	0.0695	0	2	0.757	0.0585	0	2
28	1	0.425	0.0695	0	1	0.757	0.0585	0	1

Lifetable 2:78.The Survival of Lingual Restorations of Maxillary Molars.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	93	0.935	0.0255	6	0	0.957	0.0210	4	2
2	87	0.903	0.0307	3	3	0.946	0.0235	1	5
3	81	0.847	0.0376	5	1	0.946	0.0235	0	6
4	75	0.780	0.0436	6	3	0.946	0.0235	0	9
5	66	0.756	0.0453	2	2	0.917	0.0303	2	2
6	62	0.707	0.0485	4	4	0.888	0.0358	2	6
7	54	0.681	0.0501	2	2	0.888	0.0358	0	4
8	50	0.640	0.0524	3	3	0.870	0.0393	1	5
9	44	0.611	0.0539	2	4	0.850	0.0431	1	5
10	38	0.579	0.0557	2	1	0.805	0.0511	2	1
11	35	0.546	0.0572	2	0	0.782	0.0546	1	1
12	33	0.513	0.0583	2	3	0.759	0.0579	1	4
13	28	0.476	0.0596	2	3	0.732	0.0618	1	4
14	23	0.476	0.0596	0	3	0.732	0.0618	0	3
15	20	0.452	0.0612	1	0	0.732	0.0618	0	1
16	19	0.452	0.0612	0	1	0.732	0.0618	0	1
17	18	0.452	0.0612	0	2	0.732	0.0618	0	2
18	16	0.424	0.0636	1	0	0.732	0.0618	0	1
19	15	0.396	0.0653	1	2	0.732	0.0618	0	3
20	12	0.396	0.0653	0	0	0.732	0.0618	0	0
21	12	0.396	0.0653	0	2	0.732	0.0618	0	2
22	10	0.356	0.0698	1	1	0.732	0.0618	0	2
23	8	0.356	0.0698	0	2	0.732	0.0618	0	2
24	6	0.297	0.0795	1	3	0.732	0.0618	0	4
25	2	0.297	0.0795	0	1	0.732	0.0618	0	1
26	2	0.297	0.0795	0	0	0.732	0.0618	0	0
27	2	0.297	0.0795	0	0	0.732	0.0618	0	0
28	1	0.297	0.0795	0	1	0.732	0.0618	0	1

Lifetable 2:79.The Survival of MO + DO Restorations of Maxillary Molars.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	386	0.964	0.0095	14	11	0.984	0.0063	6	19
2	361	0.929	0.0132	13	7	0.974	0.0083	4	16
3	341	0.899	0.0155	11	10	0.962	0.0099	4	17
4	320	0.857	0.0182	15	5	0.941	0.0125	7	13
5	300	0.805	0.0208	18	6	0.919	0.0147	7	17
6	276	0.768	0.0223	13	3	0.899	0.0165	6	10
7	260	0.741	0.0232	9	10	0.885	0.0176	4	15
8	241	0.698	0.0246	14	8	0.871	0.0188	4	18
9	219	0.669	0.0253	9	17	0.859	0.0198	3	23
10	193	0.631	0.0264	11	10	0.836	0.0216	5	16
11	172	0.598	0.0272	9	10	0.807	0.0239	6	13
12	153	0.567	0.0279	8	8	0.786	0.0255	4	12
13	137	0.525	0.0288	10	9	0.746	0.0284	7	12
14	118	0.472	0.0297	12	6	0.714	0.0305	5	13
15	100	0.444	0.0301	6	7	0.686	0.0324	4	9
16	87	0.423	0.0304	4	10	0.670	0.0336	2	12
17	73	0.394	0.0310	5	4	0.661	0.0343	1	8
18	64	0.370	0.0314	4	4	0.661	0.0343	0	8
19	56	0.356	0.0316	2	7	0.649	0.0357	1	8
20	47	0.341	0.0320	2	4	0.635	0.0375	1	5
21	41	0.325	0.0326	2	4	0.620	0.0397	1	5
22	35	0.315	0.0329	1	9	0.620	0.0397	0	10
23	25	0.290	0.0348	2	2	0.620	0.0397	0	4
24	21	0.263	0.0366	2	2	0.620	0.0397	0	4
25	17	0.232	0.0382	2	6	0.583	0.0514	1	7
26	9	0.232	0.0382	0	4	0.583	0.0514	0	4
27	5	0.232	0.0382	0	1	0.583	0.0514	0	1
28	4	0.232	0.0382	0	4	0.583	0.0514	0	4

Lifetable 2:80.The Survival of MOD Restorations of Maxillary Molars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	51	0.980	0.0194	1	3	1.000	0.0000	0	4
2	47	0.939	0.0343	2	5	0.957	0.0294	2	5
3	40	0.939	0.0343	0	2	0.957	0.0294	0	2
4	38	0.815	0.0595	5	2	0.957	0.0294	0	7
5	31	0.815	0.0595	0	2	0.957	0.0294	0	2
6	29	0.731	0.0705	3	1	0.858	0.0602	3	1
7	25	0.672	0.0760	2	2	0.790	0.0724	2	2
8	21	0.640	0.0789	1	5	0.790	0.0724	0	6
9	15	0.598	0.0844	1	1	0.737	0.0846	1	1
10	13	0.598	0.0844	0	1	0.737	0.0846	0	1
11	12	0.598	0.0844	0	3	0.737	0.0846	0	3
12	9	0.598	0.0844	0	2	0.737	0.0846	0	2
13	7	0.512	0.1071	1	0	0.737	0.0846	0	1
14	6	0.427	0.1185	1	0	0.737	0.0846	0	1
15	6	0.427	0.1185	0	0	0.737	0.0846	0	0
16	5	0.427	0.1185	0	1	0.737	0.0846	0	1
17	5	0.427	0.1185	0	0	0.737	0.0846	0	0
18	4	0.427	0.1185	0	0	0.737	0.0846	0	0
19	4	0.427	0.1185	0	0	0.737	0.0846	0	0
20	4	0.320	0.1282	1	0	0.737	0.0846	0	1
21	4	0.320	0.1282	0	0	0.737	0.0846	0	0
22	3	0.320	0.1282	0	1	0.737	0.0846	0	1
23	3	0.320	0.1282	0	0	0.737	0.0846	0	0
24	3	0.320	0.1282	0	0	0.737	0.0846	0	0
25	2	0.320	0.1282	0	1	0.737	0.0846	0	1
26	2	0.320	0.1282	0	0	0.737	0.0846	0	0
27	2	0.320	0.1282	0	0	0.737	0.0846	0	0
28	1	0.320	0.1282	0	1	0.737	0.0846	0	1

Lifetable 2:81.The Survival of Occlusal Restorations of Mandibular Molars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	355	0.946	0.0119	19	3	0.980	0.0074	7	15
2	333	0.847	0.0192	35	4	0.927	0.0140	18	21
3	294	0.738	0.0235	38	2	0.896	0.0167	10	30
4	254	0.659	0.0254	27	3	0.860	0.0194	10	20
5	224	0.606	0.0262	18	3	0.853	0.0200	2	19
6	203	0.552	0.0268	18	5	0.828	0.0219	6	17
7	180	0.491	0.0271	20	5	0.800	0.0239	6	19
8	155	0.425	0.0270	21	5	0.759	0.0267	8	18
9	129	0.398	0.0269	8	2	0.747	0.0276	2	8
10	119	0.388	0.0269	3	6	0.741	0.0281	1	8
11	110	0.370	0.0268	5	6	0.727	0.0291	2	9
12	99	0.341	0.0266	8	5	0.713	0.0303	2	11
13	86	0.313	0.0264	7	2	0.688	0.0325	3	6
14	77	0.309	0.0264	1	5	0.679	0.0333	1	5
15	71	0.291	0.0263	4	7	0.669	0.0342	1	10
16	60	0.277	0.0263	3	6	0.669	0.0342	0	9
17	51	0.271	0.0263	1	3	0.669	0.0342	0	4
18	47	0.248	0.0265	4	2	0.641	0.0382	2	4
19	41	0.242	0.0265	1	4	0.641	0.0382	0	5
20	36	0.242	0.0265	0	2	0.641	0.0382	0	2
21	34	0.221	0.0269	3	0	0.622	0.0414	1	2
22	31	0.214	0.0270	1	7	0.622	0.0414	0	8
23	23	0.195	0.0276	2	2	0.595	0.0477	1	3
24	19	0.195	0.0276	0	2	0.595	0.0477	0	2
25	17	0.184	0.0283	1	6	0.595	0.0477	0	7
26	10	0.184	0.0283	0	4	0.595	0.0477	0	4
27	6	0.153	0.0366	1	1	0.595	0.0477	0	2
28	4	0.153	0.0366	0	4	0.595	0.0477	0	4

Lifetable 2:82.The Survival of Proximal Restorations of Mandibular Molars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	36	0.972	0.0274	1	0	1.000	0.0000	0	1
2	35	0.917	0.0461	2	0	0.971	0.0282	1	1
3	33	0.889	0.0524	1	0	0.971	0.0282	0	1
4	32	0.806	0.0660	3	0	0.971	0.0282	0	3
5	29	0.778	0.0693	1	1	0.971	0.0282	0	2
6	27	0.720	0.0752	2	1	0.971	0.0282	0	3
7	24	0.690	0.0778	1	0	0.931	0.0479	1	0
8	23	0.660	0.0800	1	0	0.931	0.0479	0	1
9	22	0.600	0.0832	2	0	0.889	0.0617	1	1
10	20	0.570	0.0843	1	0	0.889	0.0617	0	1
11	19	0.510	0.0854	2	2	0.842	0.0741	1	3
12	15	0.476	0.0863	1	0	0.786	0.0879	1	0
13	15	0.476	0.0863	0	0	0.786	0.0879	0	0
14	15	0.476	0.0863	0	0	0.786	0.0879	0	0
15	14	0.476	0.0863	0	2	0.786	0.0879	0	2
16	12	0.476	0.0863	0	1	0.786	0.0879	0	1
17	11	0.476	0.0863	0	1	0.786	0.0879	0	1
18	10	0.428	0.0898	1	1	0.786	0.0879	0	2
19	8	0.375	0.0932	1	0	0.786	0.0879	0	1
20	8	0.375	0.0932	0	0	0.786	0.0879	0	0
21	8	0.375	0.0932	0	0	0.786	0.0879	0	0
22	7	0.375	0.0932	0	0	0.786	0.0879	0	0
23	7	0.375	0.0932	0	2	0.786	0.0879	0	2
24	7	0.375	0.0932	0	0	0.786	0.0879	0	0
25	5	0.300	0.1003	1	0	0.786	0.0879	0	1
26	4	0.300	0.1003	0	1	0.786	0.0879	0	1
27	3	0.300	0.1003	0	3	0.786	0.0879	0	3

Lifetable 2:83.The Survival of Buccal Restorations of Mandibular Molars.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	320	0.959	0.0110	13	8	0.981	0.0076	6	15
2	299	0.873	0.0188	27	5	0.925	0.0150	17	15
3	267	0.804	0.0225	21	7	0.887	0.0182	11	17
4	239	0.730	0.0254	22	7	0.832	0.0220	15	14
5	210	0.647	0.0276	24	5	0.745	0.0264	22	7
6	181	0.611	0.0283	10	4	0.724	0.0272	5	9
7	167	0.552	0.0291	16	3	0.681	0.0289	10	9
8	148	0.504	0.0295	13	4	0.639	0.0302	9	8
9	131	0.465	0.0297	10	9	0.615	0.0310	5	14
10	112	0.432	0.0298	8	6	0.593	0.0318	4	10
11	98	0.410	0.0298	5	5	0.575	0.0325	3	7
12	88	0.373	0.0299	8	4	0.549	0.0335	4	8
13	76	0.338	0.0298	7	5	0.527	0.0344	3	9
14	64	0.317	0.0298	4	11	0.502	0.0357	3	12
15	49	0.291	0.0300	4	2	0.471	0.0376	3	3
16	43	0.291	0.0300	0	3	0.471	0.0376	0	3
17	40	0.291	0.0300	0	3	0.471	0.0376	0	3
18	37	0.284	0.0302	1	2	0.471	0.0376	0	3
19	34	0.284	0.0302	0	8	0.471	0.0376	0	8
20	26	0.284	0.0302	0	1	0.471	0.0376	0	1
21	25	0.284	0.0302	0	2	0.471	0.0376	0	2
22	23	0.271	0.0313	1	5	0.471	0.0376	0	6
23	17	0.255	0.0333	1	3	0.444	0.0445	1	3
24	13	0.236	0.0361	1	0	0.444	0.0445	0	1
25	12	0.216	0.0380	1	5	0.444	0.0445	0	6
26	12	0.216	0.0380	0	0	0.444	0.0445	0	0
27	6	0.180	0.0457	1	4	0.444	0.0445	0	5
28	1	0.000	0.0000	1	0	0.444	0.0445	0	1

Lifetable 2:84.The Survival of Lingual Restorations of Mandibular Molars.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	39	0.949	0.0353	2	0	0.974	0.0253	1	1
2	37	0.872	0.0535	3	0	0.948	0.0358	1	2
3	34	0.744	0.0699	5	0	0.920	0.0443	1	4
4	29	0.692	0.0739	2	0	0.888	0.0529	1	1
5	27	0.667	0.0755	1	0	0.856	0.0603	1	0
6	26	0.615	0.0779	2	1	0.856	0.0603	0	3
7	23	0.615	0.0779	0	1	0.856	0.0603	0	1
8	22	0.615	0.0779	0	0	0.856	0.0603	0	0
9	22	0.531	0.0810	3	0	0.817	0.0690	1	2
10	19	0.476	0.0815	2	1	0.817	0.0690	0	3
11	16	0.476	0.0815	0	5	0.817	0.0690	0	5
12	11	0.432	0.0848	1	0	0.817	0.0690	0	1
13	10	0.432	0.0848	0	2	0.817	0.0690	0	2
14	8	0.378	0.0898	1	0	0.817	0.0690	0	1
15	7	0.378	0.0898	0	0	0.817	0.0690	0	0
16	7	0.378	0.0898	0	0	0.817	0.0690	0	0
17	7	0.378	0.0898	0	0	0.817	0.0690	0	0
18	7	0.378	0.0898	0	0	0.817	0.0690	0	0
19	7	0.378	0.0898	0	2	0.817	0.0690	0	2
20	5	0.378	0.0898	0	1	0.817	0.0690	0	1
21	4	0.378	0.0898	0	0	0.817	0.0690	0	0
22	4	0.378	0.0898	0	2	0.817	0.0690	0	2
23	2	0.378	0.0898	0	1	0.817	0.0690	0	1
24	1	0.378	0.0898	0	1	0.817	0.0690	0	1

Lifetable 2:85.The Survival of MO + DO Restorations of Mandibular Molars.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	345	0.928	0.0140	25	8	0.968	0.0095	11	22
2	312	0.856	0.0190	24	15	0.937	0.0133	10	29
3	273	0.759	0.0235	31	6	0.889	0.0178	14	23
4	236	0.688	0.0257	22	1	0.874	0.0190	4	19
5	213	0.617	0.0272	22	11	0.829	0.0224	11	22
6	180	0.583	0.0277	10	2	0.810	0.0237	4	8
7	168	0.531	0.0283	15	9	0.786	0.0253	5	19
8	144	0.512	0.0285	5	7	0.770	0.0265	3	9
9	132	0.474	0.0289	10	1	0.752	0.0278	3	8
10	121	0.442	0.0290	8	4	0.734	0.0291	3	9
11	109	0.406	0.0291	9	1	0.714	0.0305	3	7
12	99	0.373	0.0289	8	6	0.692	0.0321	3	11
13	85	0.369	0.0289	1	10	0.684	0.0327	1	10
14	74	0.339	0.0290	6	4	0.656	0.0351	3	7
15	64	0.323	0.0291	3	0	0.636	0.0369	2	1
16	61	0.302	0.0290	4	3	0.625	0.0377	1	6
17	54	0.290	0.0290	2	2	0.614	0.0387	1	3
18	50	0.279	0.0290	2	1	0.614	0.0387	0	3
19	47	0.273	0.0290	1	0	0.614	0.0387	0	1
20	46	0.243	0.0287	5	5	0.614	0.0387	0	10
21	36	0.236	0.0287	1	3	0.614	0.0387	0	4
22	32	0.207	0.0287	4	2	0.575	0.0448	2	4
23	26	0.199	0.0286	1	8	0.575	0.0448	0	9
24	17	0.187	0.0293	1	1	0.575	0.0448	0	2
25	15	0.187	0.0293	0	4	0.575	0.0448	0	4
26	11	0.187	0.0293	0	5	0.575	0.0448	0	5
27	6	0.187	0.0293	0	5	0.575	0.0448	0	5
28	1	0.187	0.0293	0	1	0.575	0.0448	0	1

Lifetable 2:86.The Survival of MOD Restorations of Mandibular Molars.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	52	0.962	0.0267	2	3	0.962	0.0267	2	3
2	47	0.900	0.0424	3	1	0.921	0.0381	2	2
3	43	0.858	0.0497	2	2	0.899	0.0428	1	3
4	39	0.836	0.0531	1	1	0.876	0.0475	1	1
5	37	0.768	0.0615	3	0	0.829	0.0555	2	1
6	34	0.701	0.0674	3	4	0.780	0.0620	2	5
7	27	0.701	0.0674	0	4	0.780	0.0620	0	4
8	23	0.640	0.0741	2	8	0.746	0.0680	1	9
9	13	0.541	0.0896	2	4	0.689	0.0835	1	5
10	7	0.541	0.0896	0	2	0.689	0.0835	0	2
11	5	0.541	0.0896	0	1	0.689	0.0835	0	1
12	4	0.406	0.1351	1	1	0.517	0.1617	1	1
13	2	0.406	0.1351	0	0	0.517	0.1617	0	0
14	2	0.406	0.1351	0	0	0.517	0.1617	0	0
15	2	0.406	0.1351	0	0	0.517	0.1617	0	0
16	2	0.406	0.1351	0	0	0.517	0.1617	0	0
17	2	0.406	0.1351	0	0	0.517	0.1617	0	0
18	2	0.203	0.1586	1	0	0.258	0.1997	1	0
19	2	0.203	0.1586	0	0	0.258	0.1997	0	0
20	1	0.000	0.0000	1	0	0.000	0.0000	1	0

Lifetable 2:87.

The Survival of Occlusal Restorations Placed in Patients aged
10 Years and Younger at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	122	0.959	0.0179	5	0	0.992	0.0082	1	4
2	117	0.811	0.0354	18	0	0.932	0.0231	7	11
3	99	0.648	0.0433	20	0	0.876	0.0311	6	14
4	79	0.508	0.0453	17	0	0.821	0.0378	5	12
5	62	0.443	0.0450	8	0	0.794	0.0409	2	6
6	54	0.377	0.0439	8	0	0.750	0.0459	3	5
7	46	0.270	0.0402	13	0	0.685	0.0522	4	9
8	33	0.230	0.0381	5	0	0.643	0.0567	2	3
9	28	0.197	0.0360	4	0	0.620	0.0591	1	3
10	24	0.180	0.0348	2	0	0.620	0.0591	0	2
11	22	0.131	0.0306	6	0	0.620	0.0591	0	6
12	16	0.107	0.0279	3	0	0.543	0.0729	2	1
13	13	0.074	0.0237	4	0	0.459	0.0822	2	2
14	9	0.074	0.0237	0	0	0.459	0.0822	0	0
15	9	0.066	0.0224	1	0	0.408	0.0875	1	0
16	8	0.066	0.0224	0	0	0.408	0.0875	0	0
17	8	0.057	0.0211	1	0	0.408	0.0875	0	1
18	7	0.041	0.0179	2	1	0.350	0.0924	1	2
19	4	0.041	0.0179	0	0	0.350	0.0924	0	0
20	4	0.041	0.0179	0	3	0.350	0.0924	0	3
21	1	0.041	0.0179	0	0	0.350	0.0924	0	0
22	1	0.041	0.0179	0	0	0.350	0.0924	0	0
23	1	0.041	0.0179	0	1	0.350	0.0924	0	1

Lifetable 2:88.

The Survival of Occlusal Restorations Placed in Patients aged
between 11 and 20 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	377	0.950	0.0113	19	0	0.979	0.0074	8	11
2	358	0.883	0.0165	25	0	0.954	0.0109	9	16
3	333	0.788	0.0211	36	0	0.940	0.0124	5	31
4	297	0.703	0.0235	32	0	0.921	0.0144	6	26
5	265	0.637	0.0248	25	0	0.897	0.0167	7	18
6	240	0.597	0.0253	15	1	0.889	0.0174	2	14
7	224	0.546	0.0257	19	5	0.865	0.0194	6	18
8	200	0.492	0.0258	20	2	0.839	0.0216	6	16
9	178	0.447	0.0258	16	7	0.811	0.0237	6	17
10	155	0.410	0.0256	13	8	0.806	0.0241	1	20
11	134	0.379	0.0255	10	7	0.806	0.0241	0	17
12	117	0.353	0.0253	8	9	0.799	0.0249	1	16
13	100	0.325	0.0252	8	14	0.783	0.0268	2	20
14	78	0.317	0.0252	2	15	0.763	0.0297	2	15
15	61	0.312	0.0253	1	14	0.763	0.0297	0	15
16	46	0.278	0.0267	5	8	0.763	0.0297	0	13
17	33	0.261	0.0276	2	5	0.740	0.0367	1	6
18	26	0.241	0.0289	2	1	0.711	0.0450	1	2
19	23	0.230	0.0295	1	4	0.711	0.0450	0	5
20	18	0.230	0.0295	0	2	0.711	0.0450	0	2
21	16	0.216	0.0310	1	2	0.711	0.0450	0	3
22	13	0.216	0.0310	0	2	0.711	0.0450	0	2
23	11	0.196	0.0338	1	3	0.647	0.0740	1	3
24	7	0.196	0.0338	0	3	0.647	0.0740	0	3
25	4	0.196	0.0338	0	0	0.647	0.0740	0	0
26	4	0.196	0.0338	0	4	0.647	0.0740	0	4

Lifetable 2:89.

The Survival of Occlusal Restorations Placed in Patients aged
between 21 and 30 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	135	1.000	0.0000	0	3	1.000	0.0000	0	3
2	132	0.917	0.0241	11	6	0.955	0.0181	6	11
3	115	0.829	0.0332	11	4	0.930	0.0227	3	12
4	100	0.738	0.0393	11	6	0.920	0.0243	1	16
5	83	0.676	0.0425	7	7	0.887	0.0300	3	11
6	69	0.627	0.0447	5	5	0.861	0.0342	2	8
7	59	0.595	0.0460	3	3	0.861	0.0342	0	6
8	53	0.561	0.0474	3	2	0.845	0.0372	1	4
9	48	0.538	0.0482	2	2	0.845	0.0372	0	4
10	44	0.501	0.0493	3	6	0.845	0.0372	0	9
11	35	0.487	0.0500	1	6	0.845	0.0372	0	7
12	28	0.417	0.0536	4	2	0.815	0.0466	1	5
13	22	0.379	0.0550	2	0	0.815	0.0466	0	2
14	20	0.379	0.0550	0	3	0.815	0.0466	0	3
15	17	0.335	0.0569	2	1	0.767	0.0639	1	2
16	14	0.335	0.0569	0	1	0.767	0.0639	0	1
17	13	0.335	0.0569	0	1	0.767	0.0639	0	1
18	12	0.335	0.0569	0	0	0.767	0.0639	0	0
19	12	0.335	0.0569	0	0	0.767	0.0639	0	0
20	12	0.335	0.0569	0	0	0.767	0.0639	0	0
21	12	0.307	0.0586	1	0	0.703	0.0847	1	0
22	11	0.279	0.0595	1	0	0.703	0.0847	0	1
23	10	0.251	0.0597	1	0	0.703	0.0847	0	1
24	9	0.251	0.0597	0	0	0.703	0.0847	0	0
25	9	0.251	0.0597	0	3	0.703	0.0847	0	3
26	6	0.251	0.0597	0	1	0.703	0.0847	0	1
27	5	0.251	0.0597	0	2	0.703	0.0847	0	2
28	3	0.251	0.0597	0	3	0.703	0.0847	0	3

Lifetable 2:90.

The Survival of Occlusal Restorations Placed in Patients aged
between 31 and 40 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	124	0.944	0.0207	7	2	0.984	0.0113	2	7
2	115	0.862	0.0312	10	2	0.941	0.0216	5	7
3	103	0.820	0.0348	5	0	0.941	0.0216	0	5
4	98	0.786	0.0372	4	0	0.922	0.0251	2	2
5	94	0.744	0.0397	5	1	0.922	0.0251	0	6
6	88	0.711	0.0413	4	2	0.911	0.0269	1	5
7	82	0.693	0.0421	2	0	0.900	0.0288	1	1
8	80	0.650	0.0437	5	1	0.900	0.0288	0	6
9	74	0.632	0.0442	2	2	0.900	0.0288	0	4
10	70	0.623	0.0445	1	0	0.900	0.0288	0	1
11	69	0.605	0.0450	2	0	0.887	0.0312	1	11
12	67	0.587	0.0455	2	0	0.874	0.0334	1	1
13	65	0.569	0.0458	2	0	0.861	0.0355	1	1
14	63	0.560	0.0460	1	0	0.861	0.0355	0	1
15	62	0.542	0.0462	2	0	0.847	0.0375	1	1
16	60	0.506	0.0465	4	1	0.818	0.0412	2	3
17	55	0.487	0.0466	2	0	0.818	0.0412	0	2
18	53	0.460	0.0466	3	2	0.803	0.0433	1	4
19	48	0.450	0.0466	1	1	0.803	0.0433	0	2
20	46	0.441	0.0466	1	4	0.803	0.0433	0	5
21	41	0.419	0.0468	2	4	0.803	0.0433	0	6
22	35	0.419	0.0468	0	11	0.803	0.0433	0	11
23	24	0.419	0.0468	0	1	0.803	0.0433	0	1
24	23	0.419	0.0468	0	6	0.803	0.0433	0	6
25	17	0.394	0.0501	1	6	0.803	0.0433	0	7
26	10	0.394	0.0501	0	3	0.803	0.0433	0	3
27	7	0.282	0.0763	2	2	0.803	0.0433	0	4
28	3	0.282	0.0763	0	3	0.803	0.0433	0	3

Lifetable 2:91.

The Survival of Occlusal Restorations Placed in Patients aged
between 41 and 50 Years at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	85	0.918	0.0298	7	0	0.941	0.0255	5	2
2	78	0.882	0.0349	3	0	0.917	0.0300	2	1
3	75	0.871	0.0364	1	0	0.917	0.0300	0	1
4	74	0.776	0.0452	8	1	0.830	0.0414	7	2
5	65	0.729	0.0483	4	1	0.818	0.0427	1	4
6	60	0.680	0.0508	4	1	0.818	0.0427	0	5
7	55	0.680	0.0508	0	0	0.818	0.0427	0	0
8	55	0.643	0.0524	3	1	0.818	0.0427	0	4
9	51	0.618	0.0533	2	2	0.801	0.0447	1	3
10	47	0.618	0.0533	0	1	0.801	0.0447	0	1
11	46	0.551	0.0553	5	1	0.767	0.0491	2	4
12	40	0.537	0.0556	1	2	0.767	0.0491	0	3
13	37	0.522	0.0560	1	2	0.746	0.0520	1	2
14	34	0.507	0.0564	1	1	0.746	0.0520	0	2
15	32	0.475	0.0571	2	1	0.746	0.0520	0	3
16	29	0.459	0.0575	1	0	0.720	0.0562	1	0
17	28	0.459	0.0575	0	2	0.720	0.0562	0	2
18	26	0.406	0.0584	3	1	0.720	0.0562	0	4
19	22	0.406	0.0584	0	3	0.720	0.0562	0	3
20	19	0.385	0.0591	1	3	0.682	0.0648	1	3
21	15	0.333	0.0614	2	2	0.682	0.0648	0	4
22	11	0.333	0.0614	0	1	0.682	0.0648	0	1
23	10	0.333	0.0614	0	4	0.682	0.0648	0	4
24	6	0.333	0.0614	0	2	0.682	0.0648	0	2
25	4	0.333	0.0614	0	2	0.682	0.0648	0	2
26	2	0.333	0.0614	0	1	0.682	0.0648	0	1
27	1	0.333	0.0614	0	1	0.682	0.0648	0	1

Lifetable 2:92.

The Survival of Occlusal Restorations Placed in Patients aged
between 51 and 60 Years at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	42	0.952	0.0329	2	0	0.976	0.0235	1	1
2	40	0.905	0.0453	2	2	0.952	0.0333	1	3
3	36	0.829	0.0588	3	1	0.872	0.0534	3	1
4	32	0.803	0.0624	1	2	0.845	0.0583	1	2
5	29	0.803	0.0624	0	2	0.845	0.0583	0	2
6	27	0.774	0.0668	1	2	0.845	0.0583	0	3
7	24	0.741	0.0714	1	3	0.810	0.0656	1	3
8	20	0.704	0.0769	1	2	0.769	0.0738	1	2
9	17	0.663	0.0828	1	0	0.724	0.0822	1	0
10	16	0.663	0.0828	0	1	0.724	0.0822	0	1
11	15	0.619	0.0883	1	4	0.676	0.0898	1	4
12	10	0.619	0.0883	0	2	0.676	0.0898	0	2
13	8	0.619	0.0883	0	2	0.676	0.0898	0	2
14	6	0.619	0.0883	0	1	0.676	0.0898	0	1
15	5	0.619	0.0883	0	1	0.676	0.0898	0	1
16	4	0.309	0.1609	2	0	0.676	0.0898	0	2
17	2	0.309	0.1609	0	0	0.676	0.0898	0	0
18	2	0.309	0.1609	0	1	0.676	0.0898	0	1
19	1	0.309	0.1609	0	0	0.676	0.0898	0	0
20	1	0.309	0.1609	0	0	0.676	0.0898	0	0
21	1	0.309	0.1609	0	0	0.676	0.0898	0	0
22	1	0.000	0.0000	1	0	0.676	0.0898	0	1

Lifetable 2:93.

The Survival of Occlusal Restorations Placed in Patients aged
61 years and Older at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	13	0.923	0.0739	1	2	0.923	0.0739	1	2
2	10	0.923	0.0739	0	3	0.923	0.0739	0	3
3	7	0.791	0.1375	1	2	0.923	0.0739	0	3
4	4	0.791	0.1375	0	0	0.923	0.0739	0	0
5	4	0.593	0.2000	1	1	0.692	0.2074	1	1
6	2	0.593	0.2000	0	1	0.692	0.2074	0	1
7	1	0.593	0.2000	0	0	0.692	0.2074	0	0
8	1	0.593	0.2000	0	0	0.692	0.2074	0	0
9	1	0.593	0.2000	0	0	0.692	0.2074	0	0
10	1	0.593	0.2000	0	0	0.692	0.2074	0	0
11	1	0.593	0.2000	0	0	0.692	0.2074	0	0
12	1	0.593	0.2000	0	0	0.692	0.2074	0	0
13	1	0.593	0.2000	0	0	0.692	0.2074	0	0
14	1	0.593	0.2000	0	0	0.692	0.2074	0	0
15	1	0.593	0.2000	0	0	0.692	0.2074	0	0
16	1	0.593	0.2000	0	0	0.692	0.2074	0	0
17	1	0.593	0.2000	0	0	0.692	0.2074	0	0
18	1	0.593	0.2000	0	0	0.692	0.2074	0	0
19	1	0.593	0.2000	0	0	0.692	0.2074	0	0
20	1	0.593	0.2000	0	0	0.692	0.2074	0	0
21	1	0.593	0.2000	0	0	0.692	0.2074	0	0

Lifetable 2:94.

The Survival of Proximal Restorations Placed in Patients aged
10 Years and Younger at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	24	0.917	0.0564	2	0	0.917	0.0564	2	0
2	22	0.792	0.0829	3	0	0.792	0.0829	3	0
3	19	0.750	0.0884	1	0	0.750	0.0884	1	0
4	18	0.667	0.0962	2	0	0.750	0.0884	0	2
5	16	0.583	0.1006	2	0	0.656	0.0991	2	0
6	14	0.458	0.1017	3	0	0.562	0.1048	2	1
7	11	0.417	0.1006	1	0	0.511	0.1070	1	0
8	10	0.333	0.0962	2	0	0.409	0.1073	2	0
9	8	0.292	0.0928	1	0	0.358	0.1054	1	0
10	7	0.292	0.0928	0	0	0.358	0.1054	0	0
11	7	0.250	0.0884	1	0	0.307	0.1020	1	0
12	6	0.250	0.0884	0	0	0.307	0.1020	0	0
13	6	0.250	0.0884	0	0	0.307	0.1020	0	0
14	6	0.250	0.0884	0	0	0.307	0.1020	0	0
15	6	0.250	0.0884	0	1	0.307	0.1020	0	1
16	5	0.150	0.0762	2	0	0.184	0.0909	2	0
17	3	0.150	0.0762	0	1	0.184	0.0909	0	1
18	2	0.150	0.0762	0	0	0.184	0.0909	0	0
19	2	0.150	0.0762	0	0	0.184	0.0909	0	0
20	2	0.150	0.0762	0	0	0.184	0.0909	0	0
21	2	0.150	0.0762	0	0	0.184	0.0909	0	0
22	2	0.150	0.0762	0	1	0.184	0.0909	0	1
23	1	0.150	0.0762	0	0	0.184	0.0909	0	0
24	1	0.000	0.0000	1	0	0.000	0.0000	1	0

Lifetable 2:95.

The Survival of Proximal Restorations Placed in Patients aged
between 11 and 20 Years at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	160	0.919	0.0216	13	0	0.919	0.0216	13	0
2	147	0.856	0.0277	10	0	0.856	0.0277	10	0
3	137	0.812	0.0309	7	0	0.825	0.0300	5	2
4	130	0.762	0.0336	8	0	0.774	0.0331	8	0
5	122	0.725	0.0353	6	0	0.736	0.0350	6	0
6	116	0.675	0.0370	8	0	0.692	0.0367	7	1
7	108	0.631	0.0381	7	0	0.647	0.0380	7	0
8	101	0.569	0.0392	10	1	0.589	0.0392	9	2
9	90	0.506	0.0396	10	5	0.530	0.0399	9	6
10	75	0.458	0.0397	7	1	0.481	0.0403	7	1
11	67	0.438	0.0396	3	2	0.459	0.0404	3	2
12	62	0.410	0.0395	4	2	0.430	0.0404	4	2
13	56	0.380	0.0393	4	6	0.399	0.0403	4	6
14	46	0.372	0.0393	1	4	0.390	0.0404	1	4
15	41	0.345	0.0395	3	2	0.371	0.0406	2	3
16	36	0.287	0.0392	6	4	0.320	0.0410	5	5
17	26	0.287	0.0392	0	3	0.320	0.0410	0	3
18	23	0.250	0.0396	3	4	0.278	0.0421	3	4
19	16	0.219	0.0404	2	5	0.243	0.0434	2	5
20	9	0.219	0.0404	0	0	0.243	0.0434	0	0
21	9	0.219	0.0404	0	2	0.243	0.0434	0	2
22	7	0.187	0.0451	1	1	0.208	0.0492	1	1
23	5	0.150	0.0493	1	2	0.167	0.0542	1	2
24	2	0.150	0.0493	0	0	0.167	0.0542	0	0
25	2	0.075	0.0585	1	0	0.083	0.0649	1	0
26	1	0.075	0.0585	0	1	0.083	0.0649	0	1

Lifetable 2:96.

The Survival of Proximal Restorations Placed in Patients aged
between 21 and 30 Years at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	171	0.918	0.0210	14	5	0.924	0.0203	13	6
2	152	0.840	0.0283	13	8	0.851	0.0275	12	9
3	131	0.724	0.0351	18	6	0.741	0.0346	17	7
4	107	0.670	0.0374	8	5	0.685	0.0371	8	5
5	94	0.606	0.0394	9	6	0.634	0.0391	7	8
6	79	0.552	0.0408	7	0	0.586	0.0407	6	1
7	72	0.499	0.0416	7	2	0.537	0.0419	6	3
8	63	0.412	0.0418	11	5	0.443	0.0431	11	5
9	47	0.368	0.0417	5	3	0.415	0.0433	3	5
10	39	0.311	0.0412	6	0	0.373	0.0438	4	2
11	33	0.245	0.0393	7	0	0.316	0.0439	5	2
12	26	0.198	0.0370	5	0	0.255	0.0430	5	0
13	21	0.179	0.0358	2	3	0.231	0.0422	2	3
14	16	0.146	0.0339	3	0	0.231	0.0422	0	3
15	13	0.134	0.0331	1	1	0.213	0.0426	1	1
16	11	0.122	0.0323	1	2	0.194	0.0429	1	2
17	8	0.107	0.0316	1	0	0.170	0.0438	1	0
18	7	0.092	0.0306	1	0	0.145	0.0438	1	0
19	6	0.092	0.0306	0	1	0.145	0.0438	0	1
20	5	0.092	0.0306	0	0	0.145	0.0438	0	0
21	5	0.092	0.0306	0	0	0.145	0.0438	0	0
22	5	0.092	0.0306	0	0	0.145	0.0438	0	0
23	5	0.073	0.0294	1	0	0.145	0.0438	0	1
24	4	0.073	0.0294	0	2	0.145	0.0438	0	2
25	2	0.073	0.0294	0	1	0.145	0.0438	0	1
26	1	0.073	0.0294	0	1	0.145	0.0438	0	1

Lifetable 2:97.

The Survival of Proximal Restorations Placed in Patients aged
between 31 and 40 Years at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	263	0.943	0.0143	15	5	0.951	0.0134	13	7
2	243	0.893	0.0192	13	3	0.911	0.0176	10	6
3	227	0.826	0.0236	17	6	0.863	0.0215	12	11
4	204	0.733	0.0278	23	1	0.812	0.0247	12	12
5	180	0.667	0.0297	16	1	0.749	0.0280	14	3
6	163	0.586	0.0312	20	0	0.667	0.0310	18	2
7	143	0.549	0.0316	9	0	0.634	0.0318	7	2
8	134	0.516	0.0317	8	1	0.606	0.0324	6	3
9	125	0.458	0.0317	14	0	0.552	0.0333	11	3
10	111	0.409	0.0314	12	1	0.507	0.0338	9	4
11	98	0.363	0.0307	11	2	0.461	0.0341	9	4
12	85	0.341	0.0304	5	1	0.455	0.0341	1	5
13	79	0.290	0.0292	12	0	0.386	0.0343	12	0
14	67	0.238	0.0276	12	1	0.323	0.0336	11	2
15	54	0.224	0.0271	3	2	0.311	0.0334	2	3
16	49	0.206	0.0264	4	4	0.298	0.0332	2	6
17	41	0.201	0.0262	1	2	0.291	0.0332	1	2
18	38	0.191	0.0259	2	0	0.291	0.0332	0	2
19	36	0.175	0.0253	3	1	0.267	0.0332	3	1
20	32	0.158	0.0246	3	3	0.242	0.0331	3	3
21	26	0.140	0.0239	3	0	0.232	0.0331	1	2
22	23	0.134	0.0236	1	2	0.222	0.0332	1	2
23	20	0.121	0.0231	2	6	0.222	0.0332	0	8
24	12	0.121	0.0231	0	8	0.222	0.0332	0	8
25	4	0.121	0.0231	0	1	0.222	0.0332	0	1
26	3	0.121	0.0231	0	0	0.222	0.0332	0	0
27	3	0.121	0.0231	0	3	0.222	0.0332	0	3

Lifetable 2:98.

The Survival of Proximal Restorations Placed in Patients aged
between 41 and 50 Years at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	336	0.908	0.0158	31	2	0.946	0.0123	18	15
2	303	0.845	0.0198	21	1	0.896	0.0168	16	6
3	281	0.767	0.0231	26	2	0.833	0.0208	20	8
4	253	0.667	0.0259	33	0	0.787	0.0230	14	19
5	220	0.594	0.0270	24	2	0.737	0.0251	14	12
6	194	0.536	0.0274	19	2	0.683	0.0270	14	7
7	173	0.468	0.0275	22	0	0.616	0.0289	17	5
8	151	0.418	0.0272	16	4	0.575	0.0297	10	10
9	131	0.373	0.0268	14	3	0.536	0.0305	9	8
10	114	0.324	0.0261	15	3	0.489	0.0312	10	8
11	96	0.284	0.0253	12	5	0.448	0.0317	8	9
12	79	0.262	0.0249	6	7	0.437	0.0319	2	11
13	66	0.242	0.0245	5	1	0.424	0.0323	2	4
14	60	0.222	0.0241	5	4	0.409	0.0327	2	7
15	51	0.209	0.0238	3	4	0.393	0.0334	2	5
16	44	0.190	0.0235	4	1	0.384	0.0338	1	4
17	39	0.185	0.0234	1	3	0.375	0.0343	1	3
18	35	0.148	0.0225	7	2	0.332	0.0365	4	5
19	26	0.131	0.0220	3	2	0.319	0.0372	1	4
20	21	0.119	0.0216	2	0	0.304	0.0384	1	1
21	19	0.112	0.0213	1	2	0.304	0.0384	0	3
22	16	0.091	0.0205	3	0	0.266	0.0420	2	1
23	13	0.084	0.0201	1	3	0.266	0.0420	0	4
24	9	0.084	0.0201	0	0	0.266	0.0420	0	0
25	9	0.084	0.0201	0	0	0.236	0.0466	1	2
26	6	0.066	0.0195	2	1	0.236	0.0466	0	4
27	2	0.066	0.0195	0	2	0.236	0.0466	0	2

Lifetable 2:99.

The Survival of Proximal Restorations Placed in Patients aged
between 51 and 60 Years at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	220	0.941	0.0159	13	8	0.959	0.0134	9	12
2	199	0.837	0.0252	22	10	0.877	0.0226	17	15
3	167	0.747	0.0302	18	19	0.814	0.0273	12	25
4	130	0.666	0.0337	14	10	0.739	0.0323	12	12
5	106	0.572	0.0367	15	2	0.648	0.0368	13	4
6	89	0.476	0.0380	15	5	0.576	0.0392	10	10
7	69	0.414	0.0383	9	2	0.550	0.0401	3	8
8	58	0.378	0.0382	5	1	0.513	0.0416	4	2
9	52	0.342	0.0378	5	1	0.493	0.0423	2	4
10	46	0.290	0.0368	7	1	0.450	0.0437	4	4
11	38	0.221	0.0345	9	2	0.414	0.0448	3	8
12	27	0.196	0.0334	3	1	0.384	0.0464	2	2
13	23	0.188	0.0330	1	4	0.367	0.0473	1	4
14	18	0.177	0.0328	1	3	0.347	0.0489	1	3
15	14	0.152	0.0327	2	0	0.322	0.0513	1	1
16	12	0.152	0.0327	0	2	0.322	0.0513	0	2
17	10	0.152	0.0327	0	3	0.322	0.0513	0	3
18	7	0.130	0.0345	1	3	0.276	0.0612	1	3
19	3	0.130	0.0345	0	0	0.276	0.0612	0	0
20	3	0.130	0.0345	0	2	0.276	0.0612	0	2
21	1	0.130	0.0345	0	0	0.276	0.0612	0	0
22	1	0.130	0.0345	0	0	0.276	0.0612	0	0
23	1	0.130	0.0345	0	0	0.276	0.0612	0	0
24	1	0.130	0.0345	0	0	0.276	0.0612	0	0
25	1	0.000	0.0000	1	0	0.000	0.0000	1	0

Lifetable 2:100.

The Survival of Proximal Restorations Placed in Patients aged
61 Years and Older at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	145	0.952	0.0178	7	6	0.979	0.0118	3	10
2	132	0.808	0.0333	20	11	0.913	0.0241	9	22
3	101	0.704	0.0396	13	19	0.867	0.0302	5	27
4	69	0.551	0.0467	15	6	0.792	0.0403	6	15
5	48	0.470	0.0488	7	10	0.726	0.0486	4	13
6	31	0.394	0.0514	5	7	0.632	0.0609	4	8
7	19	0.332	0.0544	3	1	0.532	0.0737	3	1
8	15	0.288	0.0554	2	2	0.532	0.0737	0	4
9	11	0.209	0.0559	3	0	0.436	0.0864	2	1
10	8	0.157	0.0527	2	1	0.327	0.0930	2	1
11	5	0.126	0.0507	1	0	0.261	0.0946	1	0
12	4	0.126	0.0507	0	0	0.261	0.0946	0	0
13	4	0.126	0.0507	0	1	0.261	0.0946	0	1
14	3	0.126	0.0507	0	0	0.261	0.0946	0	0
15	3	0.126	0.0507	0	0	0.261	0.0946	0	0
16	3	0.084	0.0481	1	1	0.261	0.0946	0	2
17	1	0.084	0.0481	0	0	0.261	0.0946	0	0
18	1	0.084	0.0481	0	1	0.261	0.0946	0	1

Lifetable 2:101.

The Survival of Buccal Restorations Placed in Patients aged
10 Years and Younger at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	20	0.950	0.0487	1	0	1.000	0.0000	0	1
2	19	0.750	0.0968	4	0	1.000	0.0000	0	4
3	15	0.650	0.1067	2	0	0.933	0.0644	1	1
4	13	0.450	0.1112	4	0	0.862	0.0911	1	3
5	9	0.400	0.1095	1	0	0.766	0.1212	1	0
6	8	0.400	0.1095	0	0	0.766	0.1212	0	0
7	8	0.300	0.1025	2	0	0.670	0.1388	1	1
8	6	0.300	0.1025	0	0	0.670	0.1388	0	0
9	6	0.300	0.1025	0	0	0.670	0.1388	0	0
10	6	0.300	0.1025	0	0	0.670	0.1388	0	0
11	6	0.250	0.0968	1	0	0.670	0.1388	0	1
12	5	0.250	0.0968	0	0	0.670	0.1388	0	0
13	5	0.250	0.0968	0	0	0.670	0.1388	0	0
14	5	0.250	0.0968	0	0	0.670	0.1388	0	0
15	5	0.250	0.0968	0	0	0.670	0.1388	0	0
16	5	0.250	0.0968	0	1	0.670	0.1388	0	1
17	4	0.250	0.0968	0	0	0.670	0.1388	0	0
18	4	0.250	0.0968	0	0	0.670	0.1388	0	0
19	4	0.250	0.0968	0	1	0.670	0.1388	0	1
20	3	0.250	0.0968	0	1	0.670	0.1388	0	1
21	2	0.250	0.0968	0	1	0.670	0.1388	0	1
22	1	0.250	0.0968	0	0	0.670	0.1388	0	0
23	1	0.250	0.0968	0	1	0.670	0.1388	0	1

Lifetable 2:102.

The Survival of Buccal Restorations Placed in Patients aged
between 11 and 20 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	100	0.960	0.0196	4	0	0.990	0.0099	1	3
2	96	0.830	0.0376	13	0	0.877	0.0334	11	2
3	83	0.780	0.0414	5	0	0.855	0.0358	2	3
4	78	0.730	0.0444	5	0	0.801	0.0410	5	0
5	73	0.690	0.0462	4	0	0.757	0.0442	4	0
6	69	0.650	0.0477	4	0	0.746	0.0449	1	3
7	65	0.640	0.0480	1	2	0.734	0.0457	1	2
8	62	0.599	0.0491	4	2	0.687	0.0485	4	2
9	56	0.577	0.0497	2	3	0.675	0.0492	1	4
10	51	0.543	0.0505	3	6	0.635	0.0513	3	6
11	42	0.530	0.0509	1	3	0.635	0.0513	0	4
12	38	0.503	0.0519	2	1	0.602	0.0538	2	1
13	35	0.488	0.0524	1	6	0.602	0.0538	0	7
14	28	0.488	0.0524	0	9	0.602	0.0538	0	9
15	19	0.462	0.0556	1	0	0.570	0.0596	1	0
16	18	0.462	0.0556	0	2	0.570	0.0596	0	2
17	16	0.462	0.0556	0	6	0.570	0.0596	0	6
18	10	0.462	0.0556	0	1	0.570	0.0596	0	1
19	9	0.462	0.0556	0	2	0.570	0.0596	0	2
20	7	0.462	0.0556	0	1	0.570	0.0596	0	1
21	6	0.462	0.0556	0	4	0.570	0.0596	0	4
22	2	0.462	0.0556	0	1	0.570	0.0596	0	1
23	1	0.462	0.0556	0	0	0.570	0.0596	0	0
24	1	0.462	0.0556	0	0	0.570	0.0596	0	0
25	1	0.462	0.0556	0	1	0.570	0.0596	0	1

Lifetable 2:103.

The Survival of Buccal Restorations Placed in Patients aged
between 21 and 30 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	133	0.977	0.0129	3	5	0.985	0.0106	2	6
2	125	0.954	0.0184	3	3	0.969	0.0152	2	4
3	119	0.906	0.0259	6	8	0.945	0.0203	3	11
4	105	0.845	0.0327	7	6	0.900	0.0276	5	8
5	92	0.763	0.0395	9	1	0.822	0.0365	8	2
6	82	0.698	0.0431	7	0	0.761	0.0413	6	1
7	75	0.633	0.0456	7	2	0.721	0.0438	4	5
8	66	0.556	0.0474	8	3	0.666	0.0468	5	6
9	55	0.526	0.0480	3	6	0.642	0.0481	2	7
10	46	0.503	0.0485	2	2	0.614	0.0499	2	2
11	42	0.443	0.0496	5	1	0.570	0.0524	3	3
12	36	0.394	0.0498	4	1	0.523	0.0547	3	2
13	31	0.368	0.0497	2	0	0.506	0.0555	1	1
14	29	0.330	0.0492	3	3	0.454	0.0574	3	3
15	23	0.316	0.0491	1	0	0.454	0.0574	0	1
16	22	0.301	0.0489	1	2	0.433	0.0584	1	2
17	19	0.270	0.0487	2	1	0.410	0.0596	1	2
18	16	0.253	0.0484	1	0	0.384	0.0611	1	0
19	15	0.253	0.0484	0	0	0.384	0.0611	0	0
20	15	0.253	0.0484	0	0	0.384	0.0611	0	0
21	15	0.236	0.0481	1	0	0.359	0.0622	1	0
22	14	0.219	0.0475	1	1	0.333	0.0628	1	1
23	12	0.183	0.0461	2	1	0.278	0.0634	2	1
24	9	0.183	0.0461	0	2	0.278	0.0634	0	2
25	7	0.157	0.0463	1	1	0.238	0.0656	1	1
26	5	0.157	0.0463	0	1	0.238	0.0656	0	1
27	4	0.157	0.0463	0	2	0.238	0.0656	0	2
28	2	0.078	0.0600	1	1	0.238	0.0656	0	2

Lifetable 2:104.

The Survival of Buccal Restorations Placed in Patients aged
between 31 and 40 Years at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	219	0.945	0.0154	12	2	0.959	0.0134	9	5
2	205	0.904	0.0200	9	8	0.931	0.0172	6	11
3	188	0.856	0.0240	10	7	0.886	0.0219	9	8
4	171	0.791	0.0282	13	5	0.850	0.0249	7	11
5	153	0.739	0.0307	10	1	0.794	0.0288	10	1
6	142	0.687	0.0326	10	0	0.750	0.0312	8	2
7	132	0.630	0.0342	11	0	0.699	0.0334	9	2
8	121	0.583	0.0350	9	0	0.652	0.0350	8	1
9	112	0.531	0.0356	10	0	0.600	0.0363	9	1
10	102	0.494	0.0357	7	1	0.565	0.0369	6	2
11	94	0.489	0.0357	1	0	0.559	0.0370	1	0
12	93	0.452	0.0356	7	2	0.535	0.0373	4	5
13	84	0.425	0.0355	5	0	0.509	0.0376	4	1
14	79	0.388	0.0351	7	2	0.477	0.0379	5	4
15	70	0.366	0.0348	4	1	0.457	0.0381	3	2
16	65	0.343	0.0344	4	2	0.428	0.0382	4	2
17	59	0.326	0.0341	3	0	0.414	0.0383	2	1
18	56	0.314	0.0339	2	2	0.407	0.0383	1	3
19	52	0.296	0.0335	3	7	0.391	0.0384	2	8
20	42	0.275	0.0332	3	3	0.372	0.0388	2	4
21	36	0.267	0.0332	1	4	0.362	0.0390	1	4
22	31	0.258	0.0332	1	7	0.362	0.0390	0	8
23	23	0.236	0.0339	2	1	0.362	0.0390	0	3
24	20	0.224	0.0342	1	4	0.344	0.0411	1	4
25	15	0.209	0.0350	1	7	0.344	0.0411	0	8
26	7	0.209	0.0350	0	0	0.344	0.0411	0	0
27	7	0.209	0.0350	0	6	0.344	0.0411	0	6
28	1	0.209	0.0350	0	1	0.344	0.0411	0	1

Lifetable 2:105.

The Survival of Buccal Restorations Placed in Patients aged
between 41 and 50 Years at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	257	0.965	0.0115	9	1	0.981	0.0086	5	5
2	247	0.871	0.0209	24	2	0.929	0.0161	13	13
3	221	0.820	0.0240	13	2	0.904	0.0187	6	9
4	206	0.740	0.0275	20	1	0.847	0.0233	13	8
5	185	0.676	0.0294	16	3	0.796	0.0264	11	8
6	166	0.619	0.0306	14	4	0.739	0.0292	12	6
7	148	0.557	0.0315	15	2	0.699	0.0309	8	9
8	131	0.501	0.0319	13	4	0.651	0.0326	9	8
9	114	0.466	0.0320	8	5	0.628	0.0334	4	9
10	101	0.420	0.0320	10	5	0.584	0.0349	7	8
11	86	0.410	0.0320	2	4	0.571	0.0354	2	4
12	80	0.390	0.0320	4	4	0.564	0.0357	1	7
13	72	0.330	0.0317	11	2	0.517	0.0375	6	7
14	59	0.285	0.0311	8	5	0.473	0.0391	5	8
15	46	0.279	0.0311	1	2	0.463	0.0396	1	2
16	43	0.266	0.0309	2	0	0.463	0.0396	0	2
17	41	0.247	0.0307	3	2	0.429	0.0412	3	2
18	36	0.233	0.0304	2	0	0.429	0.0412	0	2
19	34	0.226	0.0303	1	3	0.429	0.0412	0	4
20	30	0.226	0.0303	0	0	0.429	0.0412	0	0
21	30	0.219	0.0302	1	6	0.415	0.0423	1	6
22	23	0.209	0.0304	1	2	0.415	0.0423	0	3
23	20	0.199	0.0306	1	5	0.394	0.0450	1	5
24	14	0.142	0.0325	4	4	0.309	0.0558	3	5
25	6	0.118	0.0346	1	2	0.258	0.0662	1	2
26	3	0.118	0.0346	0	1	0.258	0.0662	0	1
27	2	0.059	0.0452	1	1	0.258	0.0662	0	2

Lifetable 2:106.

The Survival of Buccal Restorations Placed in Patients aged
between 51 and 60 Years at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	166	0.946	0.0176	9	10	0.976	0.0119	4	15
2	147	0.862	0.0273	13	8	0.929	0.0206	7	14
3	126	0.766	0.0342	14	10	0.863	0.0286	9	15
4	102	0.669	0.0392	13	6	0.787	0.0356	9	10
5	83	0.612	0.0413	7	3	0.749	0.0386	4	6
6	73	0.537	0.0432	9	6	0.718	0.0409	3	12
7	58	0.481	0.0443	6	2	0.669	0.0450	4	4
8	50	0.404	0.0448	8	4	0.615	0.0487	4	8
9	38	0.394	0.0448	1	2	0.599	0.0500	1	2
10	35	0.304	0.0445	8	1	0.531	0.0548	4	5
11	26	0.280	0.0440	2	2	0.510	0.0563	1	3
12	22	0.280	0.0440	0	1	0.510	0.0563	0	1
13	21	0.254	0.0437	2	2	0.510	0.0563	0	4
14	17	0.239	0.0436	1	1	0.510	0.0563	0	2
15	15	0.207	0.0432	2	1	0.476	0.0620	1	2
16	12	0.207	0.0432	0	0	0.476	0.0620	0	0
17	12	0.207	0.0432	0	0	0.476	0.0620	0	0
18	12	0.207	0.0432	0	1	0.476	0.0620	0	1
19	11	0.207	0.0432	0	2	0.476	0.0620	0	2
20	9	0.207	0.0432	0	0	0.476	0.0620	0	0
21	9	0.207	0.0432	0	2	0.476	0.0620	0	2
22	7	0.207	0.0432	0	3	0.476	0.0620	0	3
23	4	0.207	0.0432	0	1	0.476	0.0620	0	1
24	3	0.207	0.0432	0	0	0.476	0.0620	0	0
25	3	0.207	0.0432	0	1	0.476	0.0620	0	1
26	2	0.207	0.0432	0	1	0.476	0.0620	0	1
27	1	0.207	0.0432	0	1	0.476	0.0620	0	1

Lifetable 2:107.

The Survival of Buccal Restorations Placed in Patients aged
61 Years and Older at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	82	0.915	0.0309	7	9	0.951	0.0238	4	12
2	66	0.790	0.0469	9	17	0.894	0.0358	4	22
3	40	0.731	0.0545	3	10	0.871	0.0413	1	12
4	27	0.649	0.0656	3	5	0.839	0.0508	1	7
5	19	0.479	0.0815	5	2	0.662	0.0881	4	3
6	12	0.479	0.0815	0	0	0.662	0.0881	0	0
7	12	0.479	0.0815	0	4	0.662	0.0881	0	4
8	8	0.419	0.0906	1	0	0.662	0.0881	0	1
9	7	0.359	0.0954	1	2	0.662	0.0881	0	3
10	4	0.359	0.0954	0	1	0.662	0.0881	0	1
11	3	0.359	0.0954	0	0	0.662	0.0881	0	0
12	3	0.359	0.0954	0	1	0.662	0.0881	0	1
13	2	0.359	0.0954	0	0	0.662	0.0881	0	0
14	2	0.359	0.0954	0	0	0.662	0.0881	0	0
15	2	0.359	0.0954	0	0	0.662	0.0881	0	0
16	2	0.359	0.0954	0	1	0.662	0.0881	0	1
17	1	0.359	0.0954	0	1	0.662	0.0881	0	1

Lifetable 2:108.

The Survival of Lingual Restorations Placed in Patients aged
10 Years and Younger at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	17	1.000	0.0000	0	0	1.000	0.0000	0	0
2	17	1.000	0.0000	0	0	1.000	0.0000	0	0
3	17	0.882	0.0781	2	0	1.000	0.0000	0	2
4	15	0.588	0.1194	5	0	0.933	0.0644	1	4
5	10	0.471	0.1211	2	0	0.747	0.1288	2	0
6	8	0.412	0.1194	1	0	0.747	0.1288	0	1
7	7	0.412	0.1194	0	0	0.747	0.1288	0	0
8	7	0.412	0.1194	0	0	0.747	0.1288	0	0
9	7	0.412	0.1194	0	0	0.747	0.1288	0	0
10	7	0.412	0.1194	0	0	0.747	0.1288	0	0
11	7	0.412	0.1194	0	0	0.747	0.1288	0	0
12	7	0.412	0.1194	0	0	0.747	0.1288	0	0
13	7	0.412	0.1194	0	0	0.747	0.1288	0	0
14	7	0.412	0.1194	0	0	0.747	0.1288	0	0
15	7	0.412	0.1194	0	0	0.747	0.1288	0	0
16	7	0.412	0.1194	0	0	0.747	0.1288	0	0
17	7	0.412	0.1194	0	1	0.747	0.1288	0	1
18	6	0.412	0.1194	0	0	0.747	0.1288	0	0
19	6	0.412	0.1194	0	1	0.747	0.1288	0	1
20	5	0.412	0.1194	0	0	0.747	0.1288	0	0
21	5	0.412	0.1194	0	0	0.747	0.1288	0	0
22	5	0.412	0.1194	0	0	0.747	0.1288	0	0
23	5	0.412	0.1194	0	1	0.747	0.1288	0	1
24	4	0.309	0.1263	1	3	0.747	0.1288	0	4

Lifetable 2:109.

The Survival of Lingual Restorations Placed in Patients aged
between 11 and 20 Years at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	55	0.909	0.0388	5	0	0.945	0.0306	3	2
2	50	0.836	0.0499	4	0	0.889	0.0429	3	1
3	46	0.800	0.0539	2	0	0.889	0.0429	0	2
4	44	0.691	0.0623	6	0	0.788	0.0570	5	1
5	38	0.655	0.0641	2	0	0.746	0.0611	2	0
6	36	0.600	0.0661	3	2	0.705	0.0643	2	3
7	31	0.600	0.0661	0	2	0.705	0.0643	0	2
8	29	0.538	0.0683	3	0	0.632	0.0701	3	0
9	26	0.497	0.0690	2	0	0.583	0.0727	2	0
10	24	0.476	0.0692	1	1	0.583	0.0727	0	2
11	22	0.476	0.0692	0	4	0.583	0.0727	0	4
12	18	0.449	0.0702	1	2	0.583	0.0727	0	3
13	15	0.419	0.0716	1	3	0.544	0.0775	1	3
14	11	0.381	0.0746	1	2	0.544	0.0775	0	3
15	8	0.381	0.0746	0	0	0.544	0.0775	0	0
16	8	0.381	0.0746	0	1	0.544	0.0775	0	1
17	7	0.381	0.0746	0	2	0.544	0.0775	0	2
18	5	0.381	0.0746	0	2	0.544	0.0775	0	2
19	3	0.381	0.0746	0	2	0.544	0.0775	0	2
20	1	0.381	0.0746	0	0	0.544	0.0775	0	0
21	1	0.381	0.0746	0	0	0.544	0.0775	0	0
22	1	0.381	0.0746	0	1	0.544	0.0775	0	1

Lifetable 2:110.

The Survival of Lingual Restorations Placed in Patients aged
between 21 and 30 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	27	0.926	0.0504	2	1	0.926	0.0504	2	1
2	24	0.926	0.0504	0	2	0.926	0.0504	0	2
3	22	0.926	0.0504	0	1	0.926	0.0504	0	1
4	21	0.838	0.0748	2	1	0.882	0.0645	1	2
5	18	0.838	0.0748	0	2	0.882	0.0645	0	2
6	16	0.733	0.0953	2	2	0.772	0.0922	2	2
7	12	0.733	0.0953	0	0	0.772	0.0922	0	0
8	12	0.672	0.1051	1	1	0.772	0.0922	0	2
9	10	0.538	0.1196	2	0	0.694	0.1106	1	1
10	8	0.538	0.1196	0	1	0.694	0.1106	0	1
11	7	0.461	0.1247	1	1	0.595	0.1320	1	1
12	5	0.461	0.1247	0	0	0.595	0.1320	0	0
13	5	0.369	0.1294	1	1	0.595	0.1320	0	2
14	3	0.369	0.1294	0	0	0.595	0.1320	0	0
15	3	0.369	0.1294	0	0	0.595	0.1320	0	0
16	3	0.369	0.1294	0	0	0.595	0.1320	0	0
17	3	0.369	0.1294	0	0	0.595	0.1320	0	0
18	3	0.246	0.1323	1	0	0.595	0.1320	0	1
19	2	0.246	0.1323	0	0	0.595	0.1320	0	0
20	2	0.246	0.1323	0	0	0.595	0.1320	0	0
21	2	0.246	0.1323	0	0	0.595	0.1320	0	0
22	2	0.246	0.1323	0	0	0.595	0.1320	0	0
23	2	0.246	0.1323	0	0	0.595	0.1320	0	0
24	2	0.246	0.1323	0	1	0.595	0.1320	0	1
25	1	0.246	0.1323	0	1	0.595	0.1320	0	1

Lifetable 2:111.

The Survival of Lingual Restorations Placed in Patients aged
between 31 and 40 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	36	0.861	0.0576	5	0	0.889	0.0524	4	1
2	31	0.778	0.0693	3	0	0.832	0.0628	2	1
3	28	0.778	0.0693	0	2	0.832	0.0628	0	2
4	26	0.748	0.0728	1	0	0.832	0.0628	0	1
5	25	0.748	0.0728	0	1	0.832	0.0628	0	1
6	24	0.686	0.0789	2	1	0.797	0.0691	1	2
7	21	0.653	0.0817	1	0	0.797	0.0691	0	1
8	20	0.620	0.0838	1	0	0.797	0.0691	0	1
9	19	0.490	0.0880	4	1	0.755	0.0771	1	4
10	14	0.455	0.0884	1	0	0.701	0.0885	1	0
11	13	0.455	0.0884	0	0	0.701	0.0885	0	0
12	13	0.420	0.0883	1	0	0.701	0.0885	0	1
13	12	0.385	0.0876	1	0	0.701	0.0885	0	1
14	11	0.350	0.0863	1	0	0.701	0.0885	0	1
15	10	0.350	0.0863	0	0	0.701	0.0885	0	0
16	10	0.350	0.0863	0	0	0.701	0.0885	0	0
17	10	0.350	0.0863	0	1	0.701	0.0885	0	1
18	9	0.350	0.0863	0	0	0.701	0.0885	0	0
19	9	0.350	0.0863	0	0	0.701	0.0885	0	0
20	9	0.350	0.0863	0	1	0.701	0.0885	0	1
21	8	0.350	0.0863	0	2	0.701	0.0885	0	2
22	6	0.291	0.0895	1	2	0.701	0.0885	0	3
23	3	0.291	0.0895	0	0	0.701	0.0885	0	0
24	3	0.291	0.0895	0	2	0.701	0.0885	0	2
25	1	0.291	0.0895	0	1	0.701	0.0885	0	1

Lifetable 2:112.

The Survival of Lingual Restorations Placed in Patients aged
between 41 and 50 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	46	0.957	0.0301	2	0	0.957	0.0301	2	0
2	44	0.891	0.0459	3	1	0.913	0.0415	2	2
3	40	0.780	0.0615	5	1	0.890	0.0464	1	5
4	34	0.734	0.0659	2	0	0.890	0.0464	0	2
5	32	0.711	0.0677	1	1	0.862	0.0526	1	1
6	30	0.616	0.0734	4	0	0.776	0.0669	3	1
7	26	0.569	0.0750	2	0	0.776	0.0669	0	2
8	24	0.569	0.0750	0	1	0.776	0.0669	0	1
9	23	0.544	0.0757	1	1	0.742	0.0720	1	1
10	21	0.518	0.0764	1	0	0.707	0.0767	1	0
11	20	0.492	0.0769	1	0	0.707	0.0767	0	1
12	19	0.466	0.0771	1	1	0.707	0.0767	0	2
13	17	0.384	0.0767	3	2	0.582	0.0909	3	2
14	12	0.384	0.0767	0	1	0.582	0.0909	0	1
15	11	0.349	0.0773	1	0	0.582	0.0909	0	1
16	10	0.349	0.0773	0	1	0.582	0.0909	0	1
17	9	0.349	0.0773	0	0	0.582	0.0909	0	0
18	9	0.272	0.0772	2	0	0.518	0.1013	1	1
19	7	0.233	0.0753	1	1	0.518	0.1013	0	2
20	5	0.233	0.0753	0	0	0.518	0.1013	0	0
21	5	0.233	0.0753	0	0	0.518	0.1013	0	0
22	5	0.233	0.0753	0	2	0.518	0.1013	0	2
23	3	0.233	0.0753	0	2	0.518	0.1013	0	2
24	1	0.233	0.0753	0	0	0.518	0.1013	0	0
25	1	0.233	0.0753	0	0	0.518	0.1013	0	0
26	1	0.233	0.0753	0	0	0.518	0.1013	0	0
27	1	0.233	0.0753	0	0	0.518	0.1013	0	0
28	1	0.233	0.0753	0	1	0.518	0.1013	0	1

Lifetable 2:113.

The Survival of Lingual Restorations Placed in Patients aged
between 51 and 60 Years at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	48	0.979	0.0206	1	1	0.979	0.0206	1	1
2	46	0.873	0.0485	5	1	0.915	0.0405	3	3
3	40	0.807	0.0578	3	2	0.892	0.0455	1	4
4	35	0.807	0.0578	0	2	0.892	0.0455	0	2
5	33	0.783	0.0610	1	0	0.892	0.0455	0	1
6	32	0.661	0.0719	5	1	0.837	0.0573	2	4
7	26	0.635	0.0735	1	2	0.804	0.0635	1	2
8	23	0.635	0.0735	0	3	0.804	0.0635	0	3
9	20	0.603	0.0764	1	2	0.804	0.0635	0	3
10	17	0.532	0.0822	2	1	0.804	0.0635	0	3
11	14	0.532	0.0822	0	3	0.804	0.0635	0	3
12	11	0.484	0.0879	1	2	0.731	0.0905	1	2
13	8	0.484	0.0879	0	0	0.731	0.0905	0	0
14	8	0.423	0.0955	1	1	0.640	0.1165	1	1
15	6	0.353	0.1024	1	0	0.640	0.1165	0	1
16	5	0.353	0.1024	0	2	0.640	0.1165	0	2
17	3	0.353	0.1024	0	1	0.640	0.1165	0	1
18	2	0.353	0.1024	0	1	0.640	0.1165	0	1
19	1	0.353	0.1024	0	0	0.640	0.1165	0	0
20	1	0.353	0.1024	0	0	0.640	0.1165	0	0
21	1	0.353	0.1024	0	1	0.640	0.1165	0	1

Lifetable 2:114.

The Survival of Lingual Restorations Placed in Patients aged
61 Years and Older at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	23	1.000	0.0000	0	2	1.000	0.0000	0	2
2	21	0.667	0.1029	7	5	0.810	0.0857	4	8
3	9	0.593	0.1151	1	0	0.810	0.0857	0	1
4	8	0.519	0.1222	1	2	0.810	0.0857	0	3
5	5	0.415	0.1348	1	1	0.648	0.1602	1	1
6	3	0.415	0.1348	0	1	0.648	0.1602	0	1
7	2	0.415	0.1348	0	2	0.648	0.1602	0	2

Lifetable 2:115.

The Survival of MO + DO Restorations Placed in Patients aged
10 Years and Younger at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	33	0.939	0.0415	2	0	1.000	0.0000	0	2
2	31	0.848	0.0624	3	0	0.968	0.0317	1	2
3	28	0.758	0.0746	3	0	0.968	0.0317	0	3
4	25	0.606	0.0851	5	0	0.968	0.0317	0	5
5	20	0.576	0.0860	1	0	0.919	0.0560	1	0
6	19	0.515	0.0870	2	0	0.919	0.0560	0	2
7	17	0.515	0.0870	0	0	0.919	0.0560	0	0
8	17	0.485	0.0870	1	0	0.919	0.0560	0	1
9	16	0.485	0.0870	0	0	0.919	0.0560	0	0
10	16	0.394	0.0851	3	0	0.862	0.0765	1	2
11	13	0.303	0.0800	3	0	0.796	0.0951	1	2
12	10	0.273	0.0775	1	0	0.716	0.1141	1	0
13	9	0.273	0.0775	0	0	0.716	0.1141	0	0
14	9	0.212	0.0712	2	0	0.636	0.1262	1	1
15	7	0.182	0.0671	1	0	0.546	0.1370	1	0
16	6	0.182	0.0671	0	0	0.546	0.1370	0	0
17	6	0.182	0.0671	0	0	0.546	0.1370	0	0
18	6	0.182	0.0671	0	0	0.546	0.1370	0	0
19	6	0.182	0.0671	0	1	0.546	0.1370	0	1
20	5	0.145	0.0628	1	2	0.546	0.1370	0	3
21	2	0.145	0.0628	0	2	0.546	0.1370	0	2

Lifetable 2:116.

The Survival of MO + DO Restorations Placed in Patients aged
between 11 and 20 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	267	0.963	0.0116	10	0	0.970	0.0104	8	2
2	257	0.880	0.0199	22	0	0.940	0.0146	8	14
3	235	0.824	0.0233	15	0	0.924	0.0164	4	11
4	220	0.753	0.0264	19	0	0.894	0.0193	7	12
5	201	0.704	0.0279	13	3	0.863	0.0219	7	9
6	185	0.662	0.0290	11	1	0.849	0.0230	3	9
7	173	0.620	0.0298	11	5	0.820	0.0251	6	10
8	157	0.596	0.0302	6	3	0.815	0.0255	1	8
9	148	0.564	0.0306	8	4	0.798	0.0267	3	9
10	136	0.535	0.0310	7	9	0.792	0.0272	1	15
11	120	0.504	0.0313	7	7	0.772	0.0288	3	11
12	106	0.480	0.0316	5	5	0.751	0.0306	3	7
13	96	0.455	0.0319	5	16	0.727	0.0325	3	18
14	75	0.425	0.0325	5	15	0.698	0.0353	3	17
15	55	0.394	0.0336	4	4	0.660	0.0396	3	5
16	47	0.369	0.0345	3	14	0.646	0.0412	1	16
17	30	0.369	0.0345	0	7	0.646	0.0412	0	7
18	23	0.353	0.0365	1	3	0.646	0.0412	0	4
19	19	0.353	0.0365	0	3	0.646	0.0412	0	3
20	16	0.331	0.0403	1	3	0.646	0.0412	0	4
21	12	0.331	0.0403	0	1	0.646	0.0412	0	1
22	11	0.301	0.0465	1	1	0.646	0.0412	0	2
23	9	0.267	0.0520	1	3	0.646	0.0412	0	4
24	5	0.267	0.0520	0	1	0.646	0.0412	0	1
25	4	0.200	0.0698	1	2	0.646	0.0412	0	3
26	1	0.200	0.0698	0	0	0.646	0.0412	0	0
27	1	0.200	0.0698	0	0	0.646	0.0412	0	0
28	1	0.200	0.0698	0	1	0.646	0.0412	0	1

Lifetable 2:117.

The Survival of M0 + D0 Restorations Placed in Patients aged
Between 21 and 30 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	280	0.946	0.0135	15	13	0.968	0.0105	9	19
2	252	0.905	0.0177	11	17	0.949	0.0134	5	23
3	224	0.845	0.0224	15	9	0.911	0.0179	9	15
4	200	0.781	0.0260	15	8	0.888	0.0201	5	18
5	177	0.724	0.0286	13	8	0.848	0.0237	8	13
6	156	0.677	0.0303	10	3	0.820	0.0259	5	8
7	143	0.635	0.0315	9	14	0.803	0.0272	3	20
8	120	0.603	0.0325	6	4	0.797	0.0278	1	9
9	110	0.576	0.0333	5	18	0.797	0.0278	0	23
10	87	0.529	0.0349	7	5	0.742	0.0337	6	6
11	75	0.508	0.0356	3	6	0.732	0.0347	1	8
12	66	0.477	0.0366	4	3	0.698	0.0380	3	4
13	59	0.405	0.0382	9	3	0.675	0.0403	2	10
14	47	0.361	0.0387	5	1	0.660	0.0419	1	5
15	41	0.335	0.0388	3	3	0.612	0.0472	3	3
16	35	0.306	0.0388	3	1	0.595	0.0490	1	3
17	31	0.277	0.0387	3	0	0.595	0.0490	0	3
18	28	0.267	0.0385	1	0	0.595	0.0490	0	1
19	27	0.267	0.0385	0	1	0.595	0.0490	0	1
20	26	0.267	0.0385	0	0	0.595	0.0490	0	0
21	26	0.267	0.0385	0	0	0.595	0.0490	0	0
22	26	0.236	0.0380	3	0	0.549	0.0549	2	1
23	23	0.226	0.0377	1	1	0.549	0.0549	0	2
24	21	0.215	0.0374	1	1	0.549	0.0549	0	2
25	19	0.215	0.0374	0	6	0.549	0.0549	0	6
26	13	0.215	0.0374	0	5	0.549	0.0549	0	5
27	8	0.215	0.0374	0	4	0.549	0.0549	0	4
28	4	0.215	0.0374	0	4	0.549	0.0549	0	4

Lifetable 2:118.

The Survival of MO + DO Restorations Placed in Patients aged
between 31 and 40 Years at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	335	0.940	0.0129	20	5	0.970	0.0093	10	15
2	310	0.846	0.0198	31	2	0.926	0.0145	14	19
3	277	0.791	0.0224	18	5	0.890	0.0177	11	12
4	254	0.723	0.0247	22	0	0.844	0.0208	13	9
5	232	0.636	0.0267	28	2	0.804	0.0230	11	19
6	202	0.595	0.0273	13	1	0.780	0.0243	6	8
7	188	0.544	0.0277	16	2	0.747	0.0260	8	10
8	170	0.515	0.0279	9	1	0.729	0.0268	4	6
9	160	0.493	0.0279	7	2	0.720	0.0272	2	7
10	151	0.457	0.0279	11	1	0.706	0.0279	3	9
11	139	0.430	0.0278	8	0	0.686	0.0289	4	4
12	131	0.401	0.0276	9	1	0.675	0.0294	2	8
13	121	0.384	0.0274	5	2	0.664	0.0299	2	5
14	114	0.361	0.0272	7	2	0.635	0.0313	5	4
15	105	0.347	0.0270	4	3	0.623	0.0319	2	5
16	98	0.326	0.0267	6	6	0.604	0.0328	3	9
17	86	0.314	0.0265	3	2	0.590	0.0335	2	3
18	81	0.291	0.0262	6	0	0.582	0.0338	1	5
19	75	0.283	0.0261	2	4	0.582	0.0338	0	6
20	69	0.275	0.0260	2	8	0.574	0.0344	1	9
21	59	0.270	0.0260	1	4	0.564	0.0351	1	4
22	54	0.260	0.0259	2	7	0.564	0.0351	0	9
23	45	0.243	0.0261	3	9	0.552	0.0365	1	11
24	33	0.236	0.0263	1	8	0.552	0.0365	0	9
25	24	0.226	0.0270	1	8	0.529	0.0416	1	8
26	15	0.226	0.0270	0	10	0.529	0.0416	0	10
27	5	0.226	0.0270	0	4	0.529	0.0416	0	4
28	1	0.226	0.0270	0	1	0.529	0.0416	0	1

Lifetable 2:119.

The Survival of MO + DO Restorations Placed in Patients aged
between 41 and 50 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	299	0.940	0.0138	18	0	0.977	0.0087	7	11
2	281	0.883	0.0186	17	1	0.942	0.0137	10	8
3	263	0.809	0.0227	22	5	0.902	0.0175	11	16
4	236	0.744	0.0254	19	0	0.872	0.0200	8	11
5	217	0.679	0.0272	19	3	0.844	0.0220	7	15
6	195	0.623	0.0283	16	4	0.813	0.0240	7	13
7	175	0.580	0.0289	12	1	0.795	0.0252	4	9
8	162	0.530	0.0294	14	8	0.770	0.0267	5	17
9	140	0.489	0.0296	11	1	0.748	0.0281	4	8
10	128	0.462	0.0297	7	5	0.725	0.0296	4	8
11	116	0.430	0.0297	8	3	0.700	0.0311	4	7
12	105	0.418	0.0297	3	13	0.700	0.0311	0	16
13	89	0.399	0.0298	4	6	0.692	0.0317	1	9
14	79	0.369	0.0300	6	5	0.675	0.0332	2	9
15	68	0.342	0.0301	5	4	0.665	0.0342	1	8
16	59	0.324	0.0302	3	5	0.653	0.0354	1	7
17	51	0.286	0.0304	6	3	0.641	0.0370	1	8
18	42	0.259	0.0304	4	3	0.641	0.0370	0	7
19	35	0.237	0.0304	3	2	0.604	0.0430	2	3
20	30	0.197	0.0300	5	3	0.584	0.0460	1	7
21	22	0.170	0.0297	3	2	0.584	0.0460	0	5
22	17	0.160	0.0296	1	10	0.584	0.0460	0	11
23	6	0.160	0.0296	0	1	0.584	0.0460	0	1
24	5	0.096	0.0393	2	0	0.584	0.0460	0	2
25	3	0.096	0.0393	0	1	0.584	0.0460	0	1
26	2	0.096	0.0393	0	0	0.584	0.0460	0	0
27	2	0.096	0.0393	0	2	0.584	0.0460	0	2

Lifetable 2:120.

The Survival of MO + DO Restorations Placed in Patients aged
between 51 and 60 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	120	0.892	0.0284	13	4	0.942	0.0214	7	10
2	103	0.779	0.0383	13	10	0.896	0.0285	5	18
3	80	0.721	0.0422	6	2	0.874	0.0319	2	6
4	72	0.631	0.0464	9	2	0.813	0.0396	5	6
5	61	0.589	0.0477	4	1	0.773	0.0438	3	2
6	56	0.547	0.0487	4	4	0.759	0.0452	1	7
7	48	0.502	0.0497	4	2	0.712	0.0500	3	3
8	42	0.490	0.0500	1	4	0.712	0.0500	0	5
9	37	0.463	0.0506	2	2	0.692	0.0522	1	3
10	33	0.435	0.0513	2	2	0.671	0.0547	1	3
11	29	0.435	0.0513	0	5	0.671	0.0547	0	5
12	24	0.399	0.0531	2	5	0.643	0.0591	1	6
13	17	0.399	0.0531	0	5	0.643	0.0591	0	5
14	12	0.332	0.0616	2	3	0.590	0.0746	1	4
15	7	0.332	0.0616	0	1	0.590	0.0746	0	1
16	6	0.332	0.0616	0	0	0.590	0.0746	0	0
17	6	0.332	0.0616	0	1	0.590	0.0746	0	1
18	5	0.332	0.0616	0	1	0.590	0.0746	0	1
19	4	0.249	0.0855	1	1	0.590	0.0746	0	2
20	2	0.249	0.0855	0	0	0.590	0.0746	0	0
21	2	0.249	0.0855	0	0	0.590	0.0746	0	0
22	2	0.249	0.0855	0	0	0.590	0.0746	0	0
23	2	0.249	0.0855	0	0	0.590	0.0746	0	0
24	2	0.249	0.0855	0	1	0.590	0.0746	0	1
25	1	0.249	0.0855	0	0	0.590	0.0746	0	0
26	1	0.249	0.0855	0	0	0.590	0.0746	0	0
27	1	0.249	0.0855	0	1	0.590	0.0746	0	1

Lifetable 2:121.

The Survival of MO + DO Restorations Placed in Patients aged
61 Years and Older at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	48	0.875	0.0477	6	5	0.958	0.0288	2	9
2	37	0.851	0.0520	1	6	0.958	0.0288	0	7
3	30	0.709	0.0723	5	5	0.894	0.0513	2	8
4	20	0.603	0.0836	3	3	0.894	0.0513	0	6
5	14	0.431	0.0942	4	2	0.767	0.0945	2	4
6	8	0.377	0.0966	1	2	0.671	0.1220	1	2
7	5	0.377	0.0966	0	0	0.671	0.1220	0	0
8	5	0.377	0.0966	0	2	0.671	0.1220	0	2
9	3	0.377	0.0966	0	0	0.671	0.1220	0	0
10	3	0.377	0.0966	0	1	0.671	0.1220	0	1
11	2	0.377	0.0966	0	0	0.671	0.1220	0	0
12	2	0.188	0.1417	1	0	0.335	0.2449	1	0
13	1	0.188	0.1417	0	0	0.335	0.2449	0	0
14	1	0.000	0.0000	1	0	0.000	0.0000	1	0

Lifetable 2:122.

The Survival of MOD Restorations Placed in Patients aged
10 Years and Younger at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	2	1.000	0.0000	0	0	1.000	0.0000	0	0
2	2	1.000	0.0000	0	0	1.000	0.0000	0	0
3	2	1.000	0.0000	0	0	1.000	0.0000	0	0
4	2	1.000	0.0000	0	0	1.000	0.0000	0	0
5	2	1.000	0.0000	0	0	1.000	0.0000	0	0
6	2	0.500	0.3536	1	0	1.000	0.0000	0	1
7	1	0.500	0.3536	0	0	1.000	0.0000	0	0
8	1	0.000	0.0000	1	0	0.000	0.0000	1	0

Lifetable 2:123.

The Survival of MOD Restorations Placed in Patients aged
between 11 and 20 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	62	0.984	0.0160	1	0	0.984	0.0160	1	0
2	61	0.968	0.0224	1	0	0.984	0.0160	0	1
3	60	0.919	0.0346	3	0	0.935	0.0316	3	0
4	57	0.887	0.0402	2	0	0.918	0.0350	1	1
5	55	0.871	0.0426	1	0	0.902	0.0382	1	0
6	54	0.839	0.0467	2	0	0.868	0.0434	2	0
7	52	0.774	0.0531	4	2	0.818	0.0496	3	3
8	46	0.757	0.0545	1	6	0.800	0.0516	1	6
9	39	0.719	0.0583	2	9	0.759	0.0566	2	9
10	28	0.719	0.0583	0	3	0.759	0.0566	0	3
11	25	0.719	0.0583	0	2	0.759	0.0566	0	2
12	23	0.719	0.0583	0	4	0.759	0.0566	0	4
13	19	0.643	0.0726	2	3	0.759	0.0566	0	5
14	14	0.597	0.0807	1	2	0.705	0.0741	1	2
15	11	0.597	0.0807	0	3	0.705	0.0741	0	3
16	8	0.597	0.0807	0	1	0.705	0.0741	0	1
17	7	0.512	0.1050	1	1	0.604	0.1128	1	1
18	5	0.512	0.1050	0	0	0.604	0.1128	0	0
19	5	0.512	0.1050	0	4	0.604	0.1128	0	4
20	1	0.512	0.1050	0	0	0.604	0.1128	0	0
21	1	0.512	0.1050	0	0	0.604	0.1128	0	0
22	1	0.512	0.1050	0	0	0.604	0.1128	0	0
23	1	0.512	0.1050	0	0	0.604	0.1128	0	0
24	1	0.512	0.1050	0	1	0.604	0.1128	0	1

Lifetable 2:124.

The Survival of MOD Restorations Placed in Patients aged
between 21 and 30 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	88	1.000	0.0000	0	5	1.000	0.0000	0	5
2	83	0.952	0.0235	4	6	0.964	0.0205	3	7
3	73	0.913	0.0316	3	2	0.924	0.0298	3	2
4	68	0.899	0.0338	1	2	0.911	0.0323	1	2
5	65	0.872	0.0380	2	2	0.897	0.0347	1	3
6	61	0.843	0.0418	2	4	0.882	0.0371	1	5
7	55	0.797	0.0472	3	11	0.834	0.0443	3	11
8	41	0.758	0.0523	2	12	0.814	0.0476	1	13
9	27	0.758	0.0523	0	11	0.814	0.0476	0	11
10	16	0.711	0.0672	1	0	0.763	0.0665	1	0
11	15	0.663	0.0776	1	2	0.712	0.0791	1	2
12	12	0.608	0.0887	1	4	0.652	0.0921	1	4
13	7	0.521	0.1107	1	1	0.652	0.0921	0	2
14	5	0.417	0.1286	1	2	0.652	0.0921	0	3
15	2	0.417	0.1286	0	0	0.652	0.0921	0	0
16	2	0.417	0.1286	0	0	0.652	0.0921	0	0
17	2	0.417	0.1286	0	0	0.652	0.0921	0	0
18	2	0.417	0.1286	0	0	0.652	0.0921	0	0
19	2	0.417	0.1286	0	0	0.652	0.0921	0	0
20	2	0.417	0.1286	0	0	0.652	0.0921	0	0
21	2	0.417	0.1286	0	0	0.652	0.0921	0	0
22	2	0.417	0.1286	0	0	0.652	0.0921	0	0
23	2	0.417	0.1286	0	0	0.652	0.0921	0	0
24	2	0.417	0.1286	0	0	0.652	0.0921	0	0
25	2	0.417	0.1286	0	0	0.652	0.0921	0	0
26	2	0.417	0.1286	0	0	0.652	0.0921	0	0
27	2	0.417	0.1286	0	1	0.652	0.0921	0	1
28	1	0.417	0.1286	0	1	0.652	0.0921	0	1

Lifetable 2:125.

The Survival of MOD Restorations Placed in Patients aged
between 31 and 40 Years at the Time of Treatment.

T	N	ALL FATES				REPLACEMENTS ALONE			
		p	S.E.	L	C	p	S.E.	R	C
1	55	0.945	0.0306	3	1	0.964	0.0252	2	2
2	51	0.834	0.0505	6	1	0.850	0.0488	6	1
3	44	0.796	0.0549	2	7	0.812	0.0537	2	7
4	35	0.660	0.0681	6	1	0.719	0.0646	4	3
5	28	0.636	0.0696	1	1	0.693	0.0672	1	1
6	26	0.489	0.0751	6	2	0.587	0.0751	4	4
7	18	0.462	0.0756	1	0	0.554	0.0777	1	0
8	17	0.408	0.0759	2	0	0.554	0.0777	0	2
9	15	0.408	0.0759	0	0	0.554	0.0777	0	0
10	15	0.408	0.0759	0	1	0.554	0.0777	0	1
11	14	0.350	0.0754	2	0	0.514	0.0816	1	1
12	12	0.291	0.0732	2	0	0.514	0.0816	0	2
13	10	0.291	0.0732	0	0	0.514	0.0816	0	0
14	10	0.291	0.0732	0	1	0.514	0.0816	0	1
15	9	0.291	0.0732	0	1	0.514	0.0816	0	1
16	8	0.291	0.0732	0	1	0.514	0.0816	0	1
17	7	0.250	0.0737	1	0	0.441	0.0976	1	0
18	6	0.208	0.0722	1	0	0.367	0.1054	1	0
19	5	0.208	0.0722	0	1	0.367	0.1054	0	1
20	4	0.104	0.0633	2	0	0.276	0.1121	1	1
21	2	0.104	0.0633	0	0	0.276	0.1121	0	0
22	2	0.104	0.0633	0	1	0.276	0.1121	0	1
23	2	0.104	0.0633	0	0	0.276	0.1121	0	0
24	1	0.104	0.0633	0	0	0.276	0.1121	0	0
25	1	0.104	0.0633	0	1	0.276	0.1121	0	1

Lifetable 2:126.

The Survival of MOD Restorations Placed in Patients aged
between 41 and 50 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	55	0.964	0.0252	2	0	0.964	0.0252	2	0
2	53	0.909	0.0388	3	1	0.927	0.0350	2	2
3	49	0.872	0.0452	2	1	0.908	0.0391	1	2
4	46	0.645	0.0656	12	2	0.750	0.0602	8	6
5	32	0.604	0.0674	2	0	0.727	0.0627	1	1
6	30	0.524	0.0694	4	1	0.654	0.0691	3	2
7	25	0.503	0.0697	1	1	0.628	0.0711	1	1
8	23	0.459	0.0702	2	3	0.573	0.0747	2	3
9	18	0.408	0.0710	2	1	0.510	0.0788	2	1
10	15	0.408	0.0710	0	2	0.510	0.0788	0	2
11	13	0.377	0.0722	1	2	0.471	0.0819	1	2
12	10	0.377	0.0722	0	2	0.471	0.0819	0	2
13	8	0.330	0.0770	1	0	0.471	0.0819	0	1
14	7	0.330	0.0770	0	2	0.471	0.0819	0	2
15	5	0.330	0.0770	0	0	0.471	0.0819	0	0
16	5	0.330	0.0770	0	1	0.471	0.0819	0	1
17	4	0.247	0.0918	1	0	0.353	0.1190	1	0
18	3	0.247	0.0918	0	0	0.353	0.1190	0	0
19	3	0.247	0.0918	0	1	0.353	0.1190	0	1
20	2	0.247	0.0918	0	0	0.353	0.1190	0	0
21	2	0.124	0.0987	1	0	0.176	0.1382	1	0
22	1	0.124	0.0987	0	0	0.176	0.1382	0	0
23	1	0.124	0.0987	0	0	0.176	0.1382	0	0
24	1	0.124	0.0987	0	0	0.176	0.1382	0	0
25	1	0.124	0.0987	0	0	0.176	0.1382	0	0
26	1	0.124	0.0987	0	1	0.176	0.1382	0	1

Lifetable 2:127.

The Survival of MOD Restorations Placed in Patients aged
between 51 and 60 Years at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	55	0.945	0.0306	3	5	0.945	0.0306	3	5
2	47	0.885	0.0443	3	4	0.925	0.0360	1	6
3	40	0.885	0.0443	0	4	0.925	0.0360	0	4
4	36	0.861	0.0494	1	3	0.925	0.0360	0	4
5	32	0.780	0.0630	3	3	0.868	0.0520	2	4
6	26	0.720	0.0710	2	2	0.801	0.0660	2	2
7	22	0.654	0.0782	2	1	0.764	0.0724	1	2
8	19	0.654	0.0782	0	3	0.764	0.0724	0	3
9	16	0.573	0.0872	2	3	0.764	0.0724	0	5
10	11	0.573	0.0872	0	3	0.764	0.0724	0	3
11	8	0.573	0.0872	0	0	0.764	0.0724	0	0
12	8	0.501	0.1015	1	1	0.669	0.1095	1	1
13	6	0.501	0.1015	0	1	0.669	0.1095	0	1
14	5	0.401	0.1210	1	1	0.669	0.1095	0	2
15	3	0.401	0.1210	0	1	0.669	0.1095	0	1
16	2	0.000	0.0000	2	0	0.669	0.1095	0	2

Lifetable 2:128.

The Survival of MOD Restorations Placed in Patients aged
61 Years and Older at the Time of Treatment.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	23	0.957	0.0425	1	2	0.957	0.0425	1	2
2	20	0.765	0.0921	4	3	0.861	0.0747	2	5
3	13	0.647	0.1092	2	2	0.795	0.0938	1	3
4	9	0.647	0.1092	0	2	0.795	0.0938	0	2
5	7	0.555	0.1269	1	0	0.795	0.0938	0	1
6	6	0.555	0.1269	0	1	0.795	0.0938	0	1
7	5	0.555	0.1269	0	1	0.795	0.0938	0	1
8	4	0.555	0.1269	0	4	0.795	0.0938	0	4

Lifetable 2:129.The Survival of Crowns.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	122	0.934	0.0224	8	11	0.951	0.0196	6	13
2	103	0.871	0.0312	7	7	0.886	0.0298	7	7
3	89	0.842	0.0344	3	11	0.876	0.0311	1	13
4	75	0.774	0.0412	6	4	0.818	0.0385	5	5
5	65	0.739	0.0442	3	4	0.780	0.0424	3	4
6	58	0.700	0.0471	3	2	0.780	0.0424	0	5
7	53	0.661	0.0497	3	8	0.736	0.0471	3	8
8	42	0.566	0.0555	6	6	0.666	0.0541	4	8
9	30	0.529	0.0579	2	5	0.644	0.0566	1	6
10	23	0.483	0.0613	2	3	0.588	0.0641	2	3
11	18	0.429	0.0652	2	2	0.522	0.0717	2	2
12	14	0.398	0.0673	1	0	0.485	0.0757	1	0
13	13	0.398	0.0673	0	1	0.485	0.0757	0	1
14	12	0.398	0.0673	0	1	0.485	0.0757	0	1
15	11	0.398	0.0673	0	1	0.485	0.0757	0	1
16	10	0.398	0.0673	0	2	0.485	0.0757	0	2
17	8	0.398	0.0673	0	2	0.485	0.0757	0	2
18	6	0.266	0.0888	2	1	0.404	0.0971	1	2
19	3	0.266	0.0888	0	0	0.404	0.0971	0	0
20	3	0.266	0.0888	0	0	0.404	0.0971	0	0
21	3	0.266	0.0888	0	0	0.404	0.0971	0	0
22	3	0.266	0.0888	0	1	0.404	0.0971	0	1
23	3	0.266	0.0888	0	0	0.404	0.0971	0	0
24	2	0.266	0.0888	0	1	0.404	0.0971	0	1
25	1	0.266	0.0888	0	0	0.404	0.0971	0	0
26	1	0.266	0.0888	0	0	0.404	0.0971	0	0
27	1	0.266	0.0888	0	1	0.404	0.0971	0	1

Lifetable 2:130.The Survival of Root Treatments.

ALL FATES						REPLACEMENTS ALONE			
T	N	p	S.E.	L	C	p	S.E.	R	C
1	122	0.959	0.0179	5	5	0.967	0.0161	4	6
2	112	0.959	0.0179	0	6	0.967	0.0161	0	6
3	106	0.932	0.0233	3	12	0.958	0.0184	1	14
4	91	0.911	0.0269	2	3	0.958	0.0184	0	5
5	86	0.890	0.0302	2	5	0.958	0.0184	0	7
6	79	0.834	0.0373	5	0	0.934	0.0246	2	3
7	74	0.800	0.0406	3	7	0.934	0.0246	0	10
8	64	0.763	0.0441	3	2	0.919	0.0283	1	4
9	59	0.737	0.0462	2	3	0.919	0.0283	0	5
10	54	0.737	0.0462	0	3	0.919	0.0283	0	3
11	51	0.737	0.0462	0	2	0.919	0.0283	0	2
12	49	0.692	0.0502	3	6	0.919	0.0283	0	9
13	40	0.674	0.0518	1	3	0.919	0.0283	0	4
14	36	0.656	0.0537	1	3	0.894	0.0373	1	3
15	32	0.615	0.0576	2	4	0.894	0.0373	0	6
16	26	0.615	0.0576	0	3	0.894	0.0373	0	3
17	26	0.615	0.0576	0	0	0.894	0.0373	0	0
18	23	0.588	0.0610	1	1	0.894	0.0373	0	2
19	21	0.532	0.0668	2	3	0.851	0.0546	1	4
20	21	0.532	0.0668	0	0	0.851	0.0546	0	0
21	16	0.532	0.0668	0	3	0.851	0.0546	0	3
22	13	0.532	0.0668	0	3	0.851	0.0546	0	3
23	10	0.479	0.0785	1	2	0.766	0.0945	1	2
24	7	0.479	0.0785	0	3	0.766	0.0945	0	3
25	7	0.479	0.0785	0	0	0.766	0.0945	0	0
26	4	0.479	0.0785	0	2	0.766	0.0945	0	2
27	2	0.479	0.0785	0	2	0.766	0.0945	0	2

Lifetable 2:131.The Survival of Part Upper Dentures.

ALL FATES					
T	N	p	S.E.	L	C
1	165	0.776	0.0325	37	3
2	125	0.590	0.0386	30	8
3	87	0.481	0.0399	16	5
4	66	0.379	0.0397	14	2
5	50	0.334	0.0390	6	0
6	44	0.288	0.0379	6	2
7	36	0.224	0.0356	8	2
8	26	0.198	0.0345	3	1
9	22	0.171	0.0331	3	1
10	18	0.143	0.0314	3	3
11	18	0.143	0.0314	0	0
12	12	0.143	0.0314	0	1
13	11	0.143	0.0314	0	1
14	10	0.143	0.0314	0	1
15	9	0.143	0.0314	0	1
16	8	0.125	0.0322	1	2
17	5	0.100	0.0341	1	0
18	5	0.100	0.0341	0	0
19	4	0.100	0.0341	0	1
20	4	0.100	0.0341	0	0
21	4	0.100	0.0341	0	0
22	4	0.100	0.0341	0	0
23	3	0.100	0.0341	0	3

Lifetable 2:132.The Survival of Part Lower Dentures.

ALL FATES					
T	N	p	S.E.	L	C
1	52	0.885	0.0443	6	3
2	43	0.720	0.0637	8	3
3	32	0.608	0.0709	5	3
4	24	0.532	0.0744	3	0
5	21	0.430	0.0755	4	0
6	17	0.354	0.0738	3	1
7	13	0.273	0.0703	3	1
8	9	0.273	0.0703	0	1
9	8	0.239	0.0693	1	0
10	7	0.239	0.0693	0	1
11	7	0.239	0.0693	0	0
12	6	0.239	0.0693	0	0
13	6	0.199	0.0682	1	0
14	5	0.199	0.0682	0	0
15	5	0.199	0.0682	0	2
16	3	0.199	0.0682	0	0
17	3	0.199	0.0682	0	0
18	3	0.199	0.0682	0	0
19	3	0.133	0.0707	1	0
20	3	0.133	0.0707	0	0
21	3	0.133	0.0707	0	0
22	3	0.133	0.0707	0	0
23	2	0.133	0.0707	0	0
24	2	0.133	0.0707	0	0
25	2	0.133	0.0707	0	1
26	2	0.133	0.0707	0	0
27	2	0.133	0.0707	0	0
28	1	0.133	0.0707	0	1